

Sisukord


Directo manuste hoiustamine Google Drive'is	1
<i>Sobiv Google'i konto</i>	1
<i>Google'i rakenduse loomine ja seadistamine</i>	1
<i>Google'i rakenduse võtmete loomine</i>	12
<i>Google Drive'i sisse lülitamine Directos</i>	16

Directo manuste hoiustamine Google Drive'is


Sobiv Google'i konto

Google Drive'i sidumine Directoga lubab ettevõttel hoida kõikide dokumentide manuseid ettevõtte enda loodud Google Drive'i pilvekeskkonnas, mis praegusel hetkel võrdub tasuta 15 GB andmeruumiga.

Dokumendid, mis tekivad manustena mujalt, kui kasutaja enda poolt (näiteks liidese kaudu), sünkroniseeritakse taustal Drive'i. Kasutajal peab olema kehtiv aktiivne Google'i konto.

 Google Apps for Work/Business/GSuite jms. kontod ei sobi. Tegemist peab olema tavalise gmaili kontoga.


Uue konto saad luua siin: <https://accounts.google.com/signup>.

 Kuna Google täiendab ja arendab pidevalt oma teenuseid, siis võivad need erineda antud juhendis kirja pandust. Palun loe kõige värskema info saamiseks Google'i dokumentatsiooni! Kui märkad olulisi erinevusi, siis palun võta meiega ühendust.


Google'i rakenduse loomine ja seadistamine

Veendu, et oled sisse logitud kontoga, mida soovid Directoga sidumiseks kasutada (nt. mine aadressile gmail.com ja logi sealt sisse). Kõik manused tekivad sisse logitud konto Google Drive'i keskkonda. Kõige lihtsam on selleks kasutada veebilehitseja „incognito“ võimalust, mis avaneb seisundis, kus ei ole ühtegi aktiivset sessiooni. Seega järgmisele lingile vajutades küsitakse Sinult, millise kontoga Sa soovid sisse logida.


1. Mine järgmisele lehele <https://console.cloud.google.com/flows/enableapi?apiid=drive> ja vajuta nupule „Next“.



2. Järgmisel lehel vajuta nupule „Enable“.



3. Järgmisena ava vasakul üleval nurgas olev navigatsioonimenüü ja vali sealt „API's & Services → Credentials“.



4. Vajuta nupule „Configure Consent screen“.

API Credentials - APIs & Services - Testiks

console.cloud.google.com/apis/credentials?project=testiks

Google Cloud Platform Testiks Search Products, resources, docs (/)

API APIs & Services Credentials + CREATE CREDENTIALS DELETE

Create credentials to access your enabled APIs. [Learn more](#)

Remember to configure the OAuth consent screen with information about your application. [CONFIGURE CONSENT SCREEN](#)

API Keys

<input type="checkbox"/>	Name	Creation date ↓	Restrictions	Key	Actions
No API keys to display					

OAuth 2.0 Client IDs

<input type="checkbox"/>	Name	Creation date ↓	Type	Client ID	Actions
No OAuth clients to display					

Service Accounts [Manage service accounts](#)

<input type="checkbox"/>	Email	Name ↑	Actions
No service accounts to display			

5. Täida ekraanil olev vorm nagu pildil näidatud ja vajuta nupule „Create“.



6. Täida väljad kasutades Sinu kontrolli all olevat emaili aadressi ja vajuta „Save and Continue“ nupule.

The screenshot shows the 'Edit app registration' page in the Google Cloud Platform console. The left sidebar shows the 'APIs & Services' menu with 'OAuth consent screen' selected. The main content area is titled 'Edit app registration' and has four tabs: '1 OAuth consent screen', '2 Scopes', '3 Test users', and '4 Summary'. The 'OAuth consent screen' tab is active, showing the following sections:

- App information**: This section contains three fields: 'App name *' (filled with 'Directo Google Drive'), 'User support email *' (filled with '@gmail.com'), and 'App logo' (with a 'BROWSE' button). Below the 'App logo' field is a note: 'Upload an image, not larger than 1MB on the consent screen that will help users recognize your app. Allowed image formats are JPG, PNG, and BMP. Logos should be square and 120px by 120px for the best results.'
- App domain**: This section contains three fields: 'Application home page', 'Application privacy policy link', and 'Application terms of service link'. Each field has a note below it: 'Provide users a link to your home page', 'Provide users a link to your public privacy policy', and 'Provide users a link to your public terms of service' respectively.
- Authorized domains**: This section has a note: 'When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the [Google Search Console](#) to check if your domains are authorized. [Learn more](#) about the authorized domain limit.' Below the note is a '+ ADD DOMAIN' button.
- Developer contact information**: This section has a field 'Email addresses *' (filled with '@gmail.com') and a note: 'These email addresses are for Google to notify you about any changes to your project.' Below the field are 'SAVE AND CONTINUE' and 'CANCEL' buttons.


7. Vajuta nupule „Add or remove scopes“. Avanenud vaates olevasse „Filter“ välja kirjuta „drive“ ja markeeri otsinguvastete hulgast pildil näidatud valik.




Kui muudatused on tehtud, vajuta „Update“.



8. Järgmise lehe võid vajutades „Save and Continue“ vahele jätta.



9. Sellel lehel näidatakse Sulle ülevaadet. Vajuta nupule „Back to dashboard“.



10. Aplikatsiooni avalikustamiseks vajuta nupule „Publish app“.

The screenshot shows the Google Cloud Platform console interface. On the left, the 'APIs & Services' menu is open, with 'OAuth consent screen' selected. The main content area displays the configuration for the 'Directo Google Drive' application. The 'Publishing status' is set to 'Testing', and the 'PUBLISH APP' button is highlighted with a green box. Below this, the 'User type' is set to 'External'. The 'OAuth user cap' section shows a progress bar for 0 users (0 test, 0 other) out of a 100 user cap. The 'Test users' section has an 'ADD USERS' button. A table for 'User information' is empty, showing 'No rows to display'. The 'SHOW LESS' link is visible. The 'OAuth rate limits' section shows the 'Your token grant rate' set to '1 day' (checked) with a maximum of 10,001. A red dashed line at the bottom indicates 'No data is available for the selected time frame'.




Google'i rakenduse võtmete loomine

Järgmisena on vaja luua võtmed, mida Directo hakkab kasutama Sinu Google'i rakendusega suhtlemiseks. Selleks navigeeri vasakul üleval ääres oleva menüü kaudu uuesti „API's & services → Credentials“.

1. Vajuta päises olevale nupule „Create credentials → OAuth Client ID“.



2. Vali rippmenüüst „Web Application“.



3. Järgmisena täida pildil punaselt markeeritud väljad täpselt nii, nagu näidatud ja vajuta nuppu „Create“.

APIs & Services

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
Directo Google Drive

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ⓘ

For use with requests from a browser

URIs *

+ ADD URI

Authorized redirect URIs ⓘ

For use with requests from a web server


URIs *

+ ADD URI

CREATE CANCEL

4. Lõplik tulemus on „Client ID“ ja „Client Secret“ väärtused, mis tuleb komaga eraldatuna lisada Directosse süsteemi seadistuse „Google drive client_id ja client_secret“ väärtuseks.

Näiteks `124124.apps.googleusercontent.com,fqowjfoiqwhfoiqwf5g`.



Google Drive'i sisse lülitamine Directos

Lõpuks leia Directos seadistuste alt „Manuste hoiustamine“ ja vajuta valikule „Hoia dokumendi manuseid Google Drive's“. Peale vajutamist avaneb Google'i login aken, kus tuleb ennast manuste hoiustamiseks kasutatava kontoga autentida.

Peale autentimist aken sulgub ja edaspidi liiguvad kõik manustatud dokumendid otse Google Drive'i ning kõik olemasolevad manused tõstetakse taustal ümber.

From:

<https://wiki.directo.ee/> - **Directo Help**

Permanent link:

https://wiki.directo.ee/et/google_drive_ee

Last update: **2023/12/19 16:12**