

Sisukord

Directo manuste hoiustamine Google Drive'is

1

Sobiv Google konto

1

Directo manuste hoiustamine Google Drive'is


Sobiv Google konto


Google Drive'i sidumine Directoga lubab ettevõttel hoida kõikide dokumentide manuseid ettevõtte enda loodud Google Drive pilvekeskkonnas, mis praegusel hetkel võrdub tasuta 15Gb vaba ruumiga.

Kõik dokumendid, mis tekkivad manustena mujalt, kui kasutaja enda poolt manustamise hetkel (näiteks liideste kaudu) sünkroniseeritakse taustal Drive-i. Kasutajal peab olema kehtiv ja aktiivne Google konto.


 Ei tööta Google Apps for Work/Business/GSuite jms. Peab olema tavaline Gmail konto.

Uue konto saab luua <https://accounts.google.com/signup>.


 Kuna Google täiendab ja arendab oma teenuseid, siis Google teenused võivad erineda antud juhendis kirjutatust. Palun loe Google dokumentatsiooni kõige värskema info saamiseks! Kui märkad erinevusi siis palun võta meiega ühendust. ===== *Google rakenduse loomine ja seadistamine* ===== *Veenduge, et olete sisse logitud kontoga mida soovite Directoga sidumiseks kasutada (nt. minnes gmail.com ja sealt sisse logida). Kõik manused tekivad sisse logitud konto Google Drive keskkonda. Kõige lihtsam on kasutada lehitseja „incognito“ võimalust mis avatakse seisundis kus pole ühtegi aktiivset sessiooni seega järgmisele lingile vajutades küsitakse Teie käest millise kontoga Te soovite sisse logida. 1. Minge järgmisele lehele* <https://console.cloud.google.com/flows/enableapi?apiid=drive> ja vajutage nupule „Next“.




2. Järgmisel lehel vajutage nupule „Enable“.



3. Järgmisena avage vasakul üleval nurgas olev navigatsiooni menüü ja valige sealt „API's & Services → Credentials“.



4. Vajutage nupule „Configure Consent screen“.



5. Täitke ees olev vorm nagu pildil näidatud ja vajutage nupule „Create“.

API OAuth consent screen – APIs & S

console.cloud.google.com/apis/credentials/consent?project=testiks

Google Cloud Platform Testiks Search Products, resources, docs (/)

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Domain verification

Page usage agreements

OAuth consent screen

Choose how you want to configure and register your app, including your target users. You can only associate one app with your project.

User Type

☐ Internal ⓘ

Only available to users within your organization. You will not need to submit your app for verification. [Learn more about user type](#)

☒ External ⓘ

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#)

CREATE

[Let us know what you think](#) about our OAuth experience

Learn

Google OAuth consent screen

What is the OAuth consent screen?

What are OAuth consent scopes?

What are sensitive API scopes?

What are restricted API scopes?

The app registration process

What information do I need?

Will my app need to be verified by Google?

What if I don't verify my app?

How long does the verification process take?

How many users can use my app?

Domain verification

What else should I review?

6. Täitke väljad kasutades oma enda kontrolli all olevat emaili ja vajutage all olevate „Save and Continue“ nuppu.

The screenshot shows the 'Edit app registration' page in the Google Cloud Platform console. The left sidebar shows the 'APIs & Services' section with 'OAuth consent screen' selected. The main content area is titled 'Edit app registration' and has four tabs: '1 OAuth consent screen', '2 Scopes', '3 Test users', and '4 Summary'. The 'OAuth consent screen' tab is active, showing the following sections:

- App information**: This section contains three fields: 'App name *' (with the value 'Directo Google Drive'), 'User support email *' (with a dropdown menu showing '@gmail.com'), and 'App logo' (with a 'BROWSE' button). Below these fields is a note: 'Upload an image, not larger than 1MB on the consent screen that will help users recognize your app. Allowed image formats are JPG, PNG, and BMP. Logos should be square and 120px by 120px for the best results.'
- App domain**: This section contains three fields: 'Application home page', 'Application privacy policy link', and 'Application terms of service link'. Each field has a placeholder text: 'Provide users a link to your home page', 'Provide users a link to your public privacy policy', and 'Provide users a link to your public terms of service' respectively.
- Authorized domains**: This section has a heading with a help icon and a note: 'When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the [Google Search Console](#) to check if your domains are authorized. [Learn more](#) about the authorized domain limit.' Below this is a '+ ADD DOMAIN' button.
- Developer contact information**: This section has a field for 'Email addresses *' (with a dropdown menu showing '@gmail.com') and a note: 'These email addresses are for Google to notify you about any changes to your project.' Below this are 'SAVE AND CONTINUE' and 'CANCEL' buttons.

7. Vajutage nupule „Add or remove scopes“. Avanenud vaates olevasse „Filter“ välja kirjutage „drive“ ja markeerige otsinguvastete hulgast pildil näidatud valik.

API Edit app registration – APIs & Services

console.cloud.google.com/apis/credentials/consent/editnewAppInternalUser=false?project=testtik5

Google Cloud Platform Testtik5 Search Products, resources

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Domain verification

Page usage agreements

Edit app registration

OAuth consent screen

Scopes

Scopes express the permissions you request users grant your app and allow your project to access specific types of data from their Google Account. [Learn more](#)

ADD OR REMOVE SCOPES

Your non-sensitive scopes

API Scope User-facing description

No rows to display

Your sensitive scopes

API Scope User-facing description

No rows to display

Your restricted scopes

API Scope User-facing description

No rows to display

SAVE AND CONTINUE

CANCEL

Update selected scopes

Only scopes for enabled APIs are listed below. To add a missing scope to this screen, find and enable the API in the [Google API Library](#) or use the Pasted Scopes text box below. Refresh the page to see any new APIs you enable from the Library.

Filter drive Enter property name or value

API	Scope	User-facing description
<input type="checkbox"/>	Cloud Debugger API	Use Stackdriver Debugger
<input type="checkbox"/>	Google Drive API	See, edit, create, and delete all of your Google Drive files
<input type="checkbox"/>	Google Drive API	See, edit, create, and delete all of your Google Drive files
<input type="checkbox"/>	Google Drive API	See, create, and delete its own configuration data in your Google Drive
<input checked="" type="checkbox"/>	Google Drive API	See, edit, create, and delete only the specific Google Drive files you use with this app
<input type="checkbox"/>	Google Drive API	View and manage metadata of files in your Google Drive
<input type="checkbox"/>	Google Drive API	See information about your Google Drive files
<input type="checkbox"/>	Google Drive API	View the photos, videos and albums in your Google Photos
<input type="checkbox"/>	Google Drive API	See and download all your Google Drive files
<input type="checkbox"/>	Google Drive API	View your Google Drive apps

Rows per page: 10 1 – 10 of 17

Manually add scopes

If the scopes you would like to add do not appear in the table above, you can enter them here. Each scope should be on a new line or separated by commas. Please provide the full scope string (beginning with "https://"). When you are finished, click "Add to table".

ADD TO TABLE

UPDATE


Kui muudatud on tehtud vajutage „Update“.



8. Järgmise lehe võib vahele jätta vajutades „Save and Continue“.

The screenshot shows the Google Cloud Platform console interface. The left sidebar contains the 'APIs & Services' menu with options like 'Enabled APIs & services', 'Library', 'Credentials', 'OAuth consent screen', 'Domain verification', and 'Page usage agreements'. The main content area is titled 'Edit app registration' and shows a progress bar with four steps: 'OAuth consent screen', 'Scopes', 'Test users' (current step), and 'Summary'. Below the progress bar, the 'Test users' section explains that while the publishing status is 'Testing', only test users can access the app, with a user cap of 100. A '+ ADD USERS' button is present. Below this is a filter section with the text 'Filter Enter property name or value' and a table header 'User information'. The table currently shows 'No rows to display'. At the bottom, there are 'SAVE AND CONTINUE' and 'CANCEL' buttons.

9. Sellel lehel näidatakse Teile ülevaadet. Vajutage nupule „Back to dashboard“.




10. Aplikatsiooni avalikustamiseks vajutage nupule „Publish app“.

The screenshot shows the Google Cloud Platform console for the 'Directo Google Drive' application. The left sidebar lists 'APIs & Services' with sub-items: 'Enabled APIs & services', 'Library', 'Credentials', 'OAuth consent screen' (highlighted), 'Domain verification', and 'Page usage agreements'. The main content area is titled 'OAuth consent screen' and includes the following sections:

- Directo Google Drive** with an 'EDIT APP' link.
- Publishing status** with a 'Testing' status and a green-bordered 'PUBLISH APP' button.
- User type** set to 'External' with a 'MAKE INTERNAL' link.
- OAuth user cap** showing '0 users (0 test, 0 other) / 100 user cap'.
- Test users** section with an 'ADD USERS' button and a table with no rows displayed.
- OAuth rate limits** showing a 'Your token grant rate' of 10,000 grants per day, with a slider set to '1 day'.

A red dashed line at the bottom of the console indicates 'No data is available for the selected time frame'.

==== Google rakenduse võtmete loomine ==== Järgmisena on vaja luua võtmed mida Directo hakkab kasutama Teie Google rakendusega suhtlemiseks. Selleks navigeerige vasakul üleval ääres oleva menüü kaudu uuesti „API's & services → Credentials“. 1. Vajutage päises olevale nupule „Create credentials → OAuth Client ID“.



2. Valige rippmenüüst „Web Application“.



3. Järgmisena täitke pildil punaselt markeeritud väljad täpselt nii nagu näidatud ja vajutage nuppu „Create“.

API Create OAuth client ID - APIs & Services

Google Cloud Platform My Project Search products and resources

APIs & Services

- Dashboard
- Library
- Credentials
- OAuth consent screen
- Domain verification
- Page usage agreements

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
Directo Google Drive

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins

For use with requests from a browser

URIs *

+ ADD URI

Authorized redirect URIs


For use with requests from a web server

URIs *

+ ADD URI

CREATE CANCEL

4. Lõplik tulemus on „Client ID“ ja „Client Secret“ väärtused mis tuleb komaga eraldatuna lisada Directosse süsteemi seadistuse „Google drive client_id ja client_secret“ väärtuseks. Näiteks `124124.apps.googleusercontent.com,fqowjfoiqwhfoiqwf5g`.



===== Google Drive'i sisse lülitamine Directos ===== Lõpetuseks tuleb Directos seadistuste alt minna „Manuste hoiustamine“ ja sealt vajutada valikule „Hoia dokumendi manuseid Google Drive's“. Peale vajutamist avaneb Google'i enda login aken kus tuleb ennast autentida kontoga mida soovite manuste hoiustamiseks kasutada. Peale autentimist aken sulgub ja edaspidi liiguvad kõik manustatud dokumendid otse Google Drive'i ja kõik olemasolevad manused tõstetakse taustal ümber.

From:

<https://wiki.directo.ee/> - Directo Help

Permanent link:

https://wiki.directo.ee/et/google_drive_ee?rev=1702985696

Last update: **2023/12/19 13:34**