

# Table of Contents

- Assets (asset)** ..... 3
- Output (get)** ..... 3
- Query (get) ..... 3
- Header ..... 3
- Extra fields ..... 4
- Input (put)** ..... 4
- Header ..... 4
- Extra fields ..... 6
- Transport parameters ..... 6
- Response ..... 6



# Assets (asset)

Assets. Domain: Finance.

<b>what</b>	asset
<b>Direction</b>	Output (get), Input (put)
<b>Endpoint</b>	POST <a href="https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp">https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp</a>
<b>Schema (output)</b>	<a href="#">ws_inventar.xsd</a>
<b>Schema (input)</b>	<a href="#">xml_IN_inventar.xsd</a>

## Output (get)

### Query (get)

Parameter	Description
token	interface token (required)
get	1
what	asset
code	optional filter
sn	optional filter
user	optional filter
barcode	optional filter
item	optional filter
type	optional filter
closed	optional filter
ts	changed-since (for syncing)

### Header

XML field	SQL field	Type	Length	UI label	Description
code	kood	int			
sn	seerianumber	string			
project	projekt	string			
name	nimetus	string			
date	aeg	dateTime			
date2	aeg2	dateTime			
purchaseprice	s_maksumus	decimal			
currentvalue	h_maksumus	decimal			
purchased	aeg_ostetud	dateTime			
type	mis	int			
class	klass	string			
supplier	hankija_kood	string			
suppliername	hankija_nimi	string			

XML field	SQL field	Type	Length	UI label	Description
amortaccount	k_amort	string			
depreciationaccount	k_kulum	string			
writeoffaccount	k_maha	string			
assetaccount	k_vara	string			
calcmethod	meetod	int			
qty	kogus	decimal			
salesprofit	myygi_kasum	string			
salesloss	myygi_kahjum	string			
leasing	auto_liising	int			
endofdepreciation	amort_lopp	dateTime			
comment	kommentaar	string			
department	osakond	string			
customer	klient_kood	string			
customername	klient_nimi	string			
user	kasutaja	string			
barcode	ribakood	string			
master	master	string			
minvalue	jaakvaartus	decimal			
item	artikkel	string			
incharge	vastutaja	string			
object	objekt	string			
closed	suletud	int			
ts	ts	dateTime			

### Extra fields

XML field	SQL field	Type	Length	UI label	Description
code	kood	string	32		
content	sisu	string	2000	Sisu	
param	param	string	64	Parameeter	

### Input (put)



**Create:** send the document. **Modify:** requires xd\_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).

### Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
code	kood	int			Kontakt	used for update, leave this field out to create new contacts
comment	kommentaar	string				
sn	seerianumber	string				
department	osakond	string				
customer	klient_kood	string				
customername	klient_nimi	string				
project	projekt	string				
user	kasutaja	string				
name	nimetus	string				
barcode	ribakood	string				
master	master	string				
date	aeg	dateTime			Vara: Arvestuse algus/Kl vara: Soetuse aeg	
date2	aeg2	dateTime				
purchaseprice	s_maksumus	decimal				
currentvalue	h_maksumus	decimal				
minvalue	jaakvaartus	decimal				
item	artikkel	string				
incharge	vastutaja	string				
purchased	aeg_ostetud	dateTime			Vara: Ostetud/Kl vara: -	
type	mis	int				
class	klass	string				
supplier	hankija_kood	string				
suppliername	hankija_nimi	string				
closed	suletud	int				
purchaseinvoice	ostuarve	int				
amort	amort	decimal				
object	objekt	string				
depreciation	kulum	decimal				
address	aadress	string				
phone	telefon	string				
email	email	string				
valuecorrection	liskasumma	decimal				
disposaltime	loovutamisaeg	dateTime				
warranty	garantii_aeg	dateTime				
extwarranty	lisagarantii_aeg	dateTime				
calcmethod	meetod	int				
qty	kogus	decimal				

XML field	SQL field	Type	Length	Mandatory	UI label	Description
rentalasset	rendi_inventar	int				
rentalitem	artikkel_rent	string				
rentaltime1	rent_aeg1	dateTime				
rentaltime2	rent_aeg2	dateTime				
rentalunit	rendi_yhik	int				
auto	auto_erisoodustus	int				
endofdepreciation	amort_lopp	dateTime				
unitprice	yhikuhind	decimal				

**Do not send:**

- session\_id - for internal use at Directo side, do not send this field!

**Extra fields**

XML field	SQL field	Type	Length	Mandatory	UI label	Description
code	kood	string	32			
content	sisu	string	2000		Sisu	
param	param	string	64		Parameeter	

**Transport parameters**

Component-specific; add from the source wiki if this component has parameters.

**Response**

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="ASSET"
submit="Assets"/>
</results>
```

From: <https://wiki.directo.ee/> - **Directo Help**

Permanent link: [https://wiki.directo.ee/en/xml\\_direct/finants/asset](https://wiki.directo.ee/en/xml_direct/finants/asset)

Last update: **2026/06/25 15:24**

