

Sisukord

- Movements (movement)** 3
 - Output (get)** 3
 - Query (get) 3
 - Header 3
 - Rows 4
 - Input (put)** 4
 - Header 5
 - Rows 6
 - Transport parameters 6
 - Response 6

Movements (movement)

Movements. Domain: Stock.

what	movement
Direction	Output (get), Input (put)
Endpoint	POST https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp
Schema (output)	ws_liikumised.xsd
Schema (input)	xml_IN_liikumised.xsd

Output (get)

Query (get)

Parameter	Description
token	interface token (required)
get	1
what	movement
number	optional filter
fromstock	optional filter
tostock	optional filter
confirmed	optional filter
ts	changed-since (for syncing)

Header

XML field	SQL field	Type	Length	UI label	Description
number	number	int	9		document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
date	aeg	dateTime		Aeg	
fromstock	laost	string	64	Laost	
tostock	lattu	string	64	Lattu	
datafield1	lisa_field1	string	255	Lisaväli 1	
datafield2	lisa_field2	string	255	Lisaväli 2	
datafield3	lisa_field3	string	255	Lisaväli 3	
datafield4	lisa_field4	string	255	Lisaväli 4	
datafield5	lisa_field5	string	255	Lisaväli 5	
datafield6	lisa_field6	string	255	Lisaväli 6	
datafield7	lisa_field7	string	255	Lisaväli 7	

XML field	SQL field	Type	Length	UI label	Description
status	liik_staatus	string	100	Staatus	
order	tellimus	int	9	Tell. nr.	
productionorder	tootmistellimus	int	9	Tootmistellimus	
customer	kl_kood	string	64	Klient	
intcommetn	sisekommentaar	string	510	Sisekommentaar	
comment	tekst	string	510	Tekst	
type	liik_tyyp	string	100	1	Tüüp!
deliverymethod	lahetusviis	string	255	Lähetusviis	
duedate	kl_aeg	dateTime		Tähtaeg	
project	projekt	string	64	Projektist	
user	kasutaja	string			
toproject	projekti	string	64	Projekti	
deliveryterm	lahetustingimus	string	64	Läh. ting.	
contact	kl_kontakt	string	510	Kontaktisik	
parentmovement	liikumine	int			
stockorder	laotellimus	int	9	Laotellimus	
confirmed	kinnitatud	int			„1“ - confirm document
ts	ts	dateTime			document last changed

Rows

XML field	SQL field	Type	Length	UI label	Description
item	artikkel	string	64	Artikkel	
qty	kogus	decimal		Soovitud	
receivedqty	kogus_saadud	decimal		Saadud	
serialnumber	seerianumber	string	50	SN/Mudel	
fromshelf	r_riulist	string	64	Riulist	
toshelf	r_riulisse	string	64	Riulisse	
comment	kommentaar	string	510	Kommentaar	
project	r_projekt	string	64	Projekt	
variant	variant	string	64		
toproject	r_projekti	string	64	Projekti	
rn	rn	int		Nr	row order number in document 1 - N

Input (put)



Create: send the document. **Modify:** requires xd_update=1 and posting the **whole document**. Default values (ALT . FROM): **Mandatory fields**.

- A **confirmed** document cannot be modified (response Type=14).
- Confirmation can be controlled via the XML field `confirm` (in addition to `xd_confirm`).

Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
number	number	int	9	yes	Number	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
date	aeg	dateTime			Aeg	
datafield1	lisa_field1	string	255		Lisaväli 1	
datafield2	lisa_field2	string	255		Lisaväli 2	
datafield3	lisa_field3	string	255		Lisaväli 3	
datafield4	lisa_field4	string	255		Lisaväli 4	
datafield5	lisa_field5	string	255		Lisaväli 5	
datafield6	lisa_field6	string	255		Lisaväli 6	
datafield7	lisa_field7	string	255		Lisaväli 7	
status	staatus	string	50		Staatus	
fromstock	laost	string	64		Laost	
tostock	lattu	string	64		Lattu	
confirm	kinnita	int				„1“ - confirm document
project	projekt	string	64		Projekt	
toproject	projekti	string	64		Projekti	
customer	kl_kood	string	64		Klient	
contact	kl_kontakt	string	510		Kontaktisik	
duedate	kl_aeg	dateTime			Tähtaeg	
deliveryterm	lahetustingimus	string	64		Läh. ting.	
deliverymethod	lahetusviis	string	64		Lähetusviis	
order	tellimus	int			Tell. nr.	
productionorder	tootmistellimus	int			Tootmistellimus	
comment	tekst	string	510		Tekst	
type	liik_tyyp	string	100		Tüüp	
user	kasutaja	string				
parentmovement	liikumine	int				
stockorder	laotellimus	int	9		Laotellimus	
text1	tekst1	string				
text2	tekst2	string				

Do not send:

- session_id - for internal use at Directo side, do not send this field!

Rows

XML field	SQL field	Type	Length	Mandatory	UI label	Description
item	artikkel	string	32		Artikkel	
qty	kogus	decimal			Soovitud	
receivedqty	kogus_saadud	decimal			Saadud	
serialnumber	seerianumber	string	50		SN/Mudel	
variant	variant	string	64			
fromshelf	r_riulist	string	64		Riulist	
toshelf	r_riulisse	string	64		Riulisse	
comment	kommentaar	string	510		Kommentaar	
project	r_projekt	string	64		Projektist	
toproject	r_projekti	string	64		Projekti	
rn	rn	int			Nr	row order number in document 1 - N

Transport parameters

Component-specific; add from the source wiki if this component has parameters.

Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>  
  <Result Type="0" Desc="Created" docid="100001" doctype="MOVEMENT"  
  submit="Movements"/>  
</results>
```

From:
<https://wiki.directo.ee/> - **Directo Help**

Permanent link:
https://wiki.directo.ee/en/xml_direct/ladu/movement

Last update: **2026/06/25 15:24**

