

Table of Contents

- Order to delivery (order2delivery)** 3
- Input (put)*** 3
- Header 3
- Transport parameters 3
- Response 3

Order to delivery (order2delivery)

Domain: Stock.

what	order2delivery
Direction	Input (put)
Endpoint	POST https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp
Schema (input)	xml_IN_tellimus2lahetus.xsd

Input (put)



Create: send the document. **Modify:** requires xd_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).

Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
number	number	int	9	yes	Tellimus	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
status	staatus	string	50		Staatus	

Do not send:

- session_id - for internal use at Directo side, do not send this field!

Transport parameters

Component-specific; add from the source wiki if this component has parameters.

Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="ORDER2DELIVERY"
  submit="Order to delivery"/>
</results>
```

From:

<https://wiki.directo.ee/> - **Directo Help**

Permanent link:

https://wiki.directo.ee/en/xml_direct/ladu/order2delivery

Last update: **2026/06/25 15:24**

