

Sisukord

Order to delivery (order2delivery)

3

Input (put)

3

Header

3

Transport parameters

3

Response

3

Order to delivery (order2delivery)

Domain: Stock.

what	order2delivery
Direction	Input (put)
Endpoint	POST https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp
Schema (input)	xml_IN_tellimus2lahetus.xsd

Input (put)



Create: send the document. **Modify:** requires xd_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).

Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
number	number	int	9	yes	Tellimus	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
status	staatus	string	50		Staatus	sets the order document status based on the posting status

Do not send:

- session_id - for internal use at Directo side, do not send this field!

Transport parameters

Component-specific; add from the source wiki if this component has parameters.

Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="ORDER2DELIVERY"
  submit="Order to delivery"/>
</results>
```

From:

<https://wiki.directo.ee/> - **Directo Help**

Permanent link:

https://wiki.directo.ee/en/xml_direct/ladu/order2delivery?rev=1782797949

Last update: **2026/06/30 08:39**

