

# Sisukord

- Stock orders (stockorder)** ..... 3
  - Output (get)** ..... 3
    - Query (get) ..... 3
    - Header ..... 3
    - Rows ..... 4
  - Input (put)** ..... 4
    - Header ..... 5
    - Rows ..... 6
    - Transport parameters ..... 6
    - Response ..... 6



# Stock orders (stockorder)

Stock orders. Domain: Stock.

<b>what</b>	stockorder
<b>Direction</b>	Output (get), Input (put)
<b>Endpoint</b>	POST <a href="https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp">https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp</a>
<b>Schema (output)</b>	<a href="#">ws_laotellimused.xsd</a>
<b>Schema (input)</b>	<a href="#">xml_IN_laotellimused.xsd</a>

## Output (get)

### Query (get)

Parameter	Description
token	interface token (required)
get	1
what	stockorder
number	optional filter
fromstock	optional filter
tostock	optional filter
status	optional filter
type	optional filter
order	optional filter
ts	changed-since (for syncing)

### Header

XML field	SQL field	Type	Length	UI label	Description
number	number	int	9	Ostutellimus	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
text	tekst	string			
user	kasutaja	string			
fromstock	laost	string			
tostock	lattu	string			
date	aeg	dateTime			
project	projekt	string			
toproject	projekti	string			
fromobject	objektist	string			
toobject	objekti	string			
fromaccount	kontolt	string			

XML field	SQL field	Type	Length	UI label	Description
toaccount	kontole	string			
account	konto	string			
status	staatus	string			
lisa_field1	lisa_field1	string			
lisa_field2	lisa_field2	string			
lisa_field3	lisa_field3	string			
lisa_field4	lisa_field4	string			
lisa_field5	lisa_field5	string			
lisa_field6	lisa_field6	string			
lisa_field7	lisa_field7	string			
deliverymode	lahetusviis	string			
type	tyyp	string			
order	tellimus	int			
reqduedate	soov_tahtaeg	dateTime			
ts	ts	dateTime			document last changed

### Rows

XML field	SQL field	Type	Length	UI label	Description
item	artikkel	string			
qty	kogus	decimal			
moved	liikunud	decimal			
name	nimetus	string			
sn	seerianumber	string			
comment	kommentaar	string			
variant	variant	string			
fromstock	r_laost	string			
constant1	konstant1	decimal			
constant2	konstant2	decimal			
constant3	konstant3	decimal			
constant4	konstant4	decimal			
text1	tekst1	string			
text2	tekst2	string			
text3	tekst3	string			
text4	tekst4	string			
rn	rn	int			
rr	rv	int			

### Input (put)



**Create:** send the document. **Modify:** requires xd\_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).

**Header**

XML field	SQL field	Type	Length	Mandatory	UI label	Description
number	number	int	9	yes	Ostutellimus	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
text	tekst	string				
user	kasutaja	string				
fromstock	laost	string				
tostock	lattu	string				
date	aeg	dateTime				
project	projekt	string				
toproject	projekti	string				
fromobject	objektist	string				
toobject	objekti	string				
fromaccount	kontolt	string				
toaccount	kontole	string				
account	konto	string				
status	staatus	string				
lisa_field1	lisa_field1	string				
lisa_field2	lisa_field2	string				
lisa_field3	lisa_field3	string				
lisa_field4	lisa_field4	string				
lisa_field5	lisa_field5	string				
lisa_field6	lisa_field6	string				
lisa_field7	lisa_field7	string				
deliverymode	lahetusviis	string				
type	tyyp	string				
order	tellimus	int				
reqduedate	soov_tahtaeg	dateTime				
customer	kl_kood	string	50			
customerdate	kl_aeg	dateTime				
customercontact	kl_kontakt	string	255			
country	asumaa	string	2			
dealttype	tehinguliik	string	2			
text1	tekst1	string	255			
text2	tekst2	string	255			
intcomment	sisekommentaar	string	255			
suletud	suletud	int				

**Do not send:**

- session\_id - for internal use at Directo side, do not send this field!

## Rows

XML field	SQL field	Type	Length	Mandatory	UI label	Description
item	artikkel	string				
qty	kogus	decimal				
moved	liikunud	decimal				
name	nimetus	string				
sn	seerianumber	string				
comment	kommentaar	string				
variant	variant	string				
fromstock	r_laost	string				
constant1	konstant1	decimal				
constant2	konstant2	decimal				
constant3	konstant3	decimal				
constant4	konstant4	decimal				
text1	tekst1	string				
text2	tekst2	string				
text3	tekst3	string				
text4	tekst4	string				
price	myygihind	decimal				
reqdelivery	soovitud_lahetusaeg	dateTime				
deliverytime	lahetusaeg	dateTime				
rn	rn	int				
rr	rv	int				

## Transport parameters

Component-specific; add from the source wiki if this component has parameters.

## Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="STOCKORDER"
  submit="Stock orders"/>
</results>
```

From:

<https://wiki.directo.ee/> - **Directo Help**

Permanent link:

[https://wiki.directo.ee/en/xml\\_direct/ladu/stockorder](https://wiki.directo.ee/en/xml_direct/ladu/stockorder)

Last update: **2026/06/25 15:24**

