

Table of Contents

- Stock returns (stockreturn)** 3
- Output (get)** 3
- Query (get) 3
- Header 3
- Rows 4
- Input (put)** 4
- Header 4
- Rows 5
- Transport parameters 5
- Response 5

Stock returns (stockreturn)

Stock returns. Domain: Stock.

what	stockreturn
Direction	Output (get), Input (put)
Endpoint	POST https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp
Schema (output)	ws_tagastused.xsd
Schema (input)	xml_IN_tagastused.xsd

Output (get)

Query (get)

Parameter	Description
token	interface token (required)
get	1
what	stockreturn
number	optional filter
customercode	optional filter
status	optional filter
project	optional filter
stock	optional filter
confirmed	optional filter
ts	changed-since (for syncing)

Header

XML field	SQL field	Type	Length	UI label	Description
number	number	int	9		document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
order	number_tellimus	int		Tellimuse nr	
date	aeg	dateTime		Tagastuse aeg	
customercode	klient_kood	string	64	Kliendi kood	
customername	klient_nimi	string	510	Kliendi nimi	
comment	tekst	string		Tekst	
status	staatus	string	64		
object	objekt	string	510	Objekt	
project	projekt	string	64	Projekt	
stock	ladu	string	64	Ladu	

XML field	SQL field	Type	Length	UI label	Description
confirmed	kinnitatud	int	1		confirmed document = 1
ts	ts	dateTime			document last changed

Rows

XML field	SQL field	Type	Length	UI label	Description
itemcode	artikkel	string	510	Artikkel	
sn	seerianumber	string	50	SN/Mudel	
quantity	kogus	decimal		Tagastatud	
shelf	riiul	string	64	Riiul	
object	objektid	string	510	Objekt	
stock	r_ladu	string	64	Ladu	
project	r_projekt	string	64	Projekt	
bestbefore	parimenne	dateTime			
rn	reanr	int		NR	

Input (put)



Create: send the document. **Modify:** requires xd_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).
- Confirmation can be controlled via the XML field confirm (in addition to xd_confirm).

Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
number	number	int	9	yes		document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
order	number_tellimus	int		yes	Tellimuse nr	Mandatory
date	aeg	dateTime		yes	Tagastuse aeg	Mandatory
customercode	klient_kood	string			Kliendi kood	If missing customer code is taken from Sales order
comment	tekst	string			Tekst	
status	staatus	string			Staatus	
object	objekt	string			Objekt	
stock	ladu	string			Ladu	

XML field	SQL field	Type	Length	Mandatory	UI label	Description
country	asumaa	string			Sihtriik	
dealttype	tehinguliik	string			Tehinguliik	
project	projekt	string			Projekt	
confirm	kinnita	int	1			confirm document = 1

Do not send:

- session_id - for internal use at Directo side, do not send this field!

Rows

XML field	SQL field	Type	Length	Mandatory	UI label	Description
itemcode	artikkel	string		yes	Artikkel	Mandatory
sn	seerianumber	string	50		SN/Mudel	
quantity	kogus	decimal		yes	Kogus	Mandatory
shelf	riiul	string			Riitul	
object	objektid	string			Objekt	
stock	r_ladu	string			Ladu	
project	r_projekt	string			Projekt	
rn	reanr	int		yes	NR	Mandatory

Transport parameters

Configured on the token (interface), not sent in xmldata. PARAMETER 2 = document type.

TYPE	CODE	PARAMETER 1	PARAMETER 2	DESCRIPTION
XML	xd_country	EE	STOCKRETURN	Default country (origin)

Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="STOCKRETURN"
  submit="Stock returns"/>
</results>
```

From:
<https://wiki.directo.ee/> - Directo Help

Permanent link:
https://wiki.directo.ee/en/xml_direct/ladu/stockreturn

Last update: 2026/06/25 15:24

