

# Sisukord

- Takings (taking)** ..... 3
- Output (get)** ..... 3
  - Query (get) ..... 3
  - Header ..... 3
  - Rows ..... 3
- Input (put)** ..... 4
  - Header ..... 4
  - Rows ..... 4
  - Transport parameters ..... 5
  - Response ..... 5



# Takings (taking)

Takings. Domain: Stock.

<b>what</b>	taking
<b>Direction</b>	Output (get), Input (put)
<b>Endpoint</b>	POST <a href="https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp">https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp</a>
<b>Schema (output)</b>	<a href="#">ws_inventuurid.xsd</a>
<b>Schema (input)</b>	<a href="#">xml_IN_inventuurid.xsd</a>

## Output (get)

### Query (get)

Parameter	Description
token	interface token (required)
get	1
what	taking
number	optional filter
chain	optional filter
stock	optional filter
confirmed	optional filter
ts	changed-since (for syncing)

### Header

XML field	SQL field	Type	Length	UI label	Description
number	number	int	9		
date	aeg	dateTime			length: datetime
startdate	aeg_algus	dateTime			length: datetime
chain	kett	int	9		
stock	ladu	string	64	Ladu	
description	seletus	string	510	Seletus	
project	projekt	string	64	Projekt	
shelf	riiul	string	64	Riul	
object	objekt	string	510	Objekt	
account	konto	string	64	Konto	
confirmed	kinnitatud	int			„1“ - confirmed document
ts	ts	dateTime			document last changed

### Rows

XML field	SQL field	Type	Length	UI label	Description
itemcode	artikkel	string	64	Artikkel	

XML field	SQL field	Type	Length	UI label	Description
sn	sn	string	50	SN/Mudel	
quantity	kogus	decimal	19	Kogus	decimal: 4
rn	rn	int	9	Rea number	

## Input (put)



**Create:** send the document. **Modify:** requires xd\_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).

## Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
number	number	int		yes	Number	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
date	aeg	dateTime			Aeg	
startdate	aeg_algus	dateTime			Alguse aeg	
chain	kett	int			Kett	
stock	ladu	string	64		Ladu	
project	projekt	string	64		Projekt	
shelf	riiul	string	64		Riiul	
object	objekt	string	510		Objekt	
account	konto	string	64		Konto	
description	seletus	string	510		Seletus	

### Do not send:

- session\_id - for internal use at Directo side, do not send this field!

## Rows

XML field	SQL field	Type	Length	Mandatory	UI label	Description
itemcode	artikkel	string	64		Artikkel	
sn	sn	string	50		SN/Mudel	
variant	variant	string	64			
quantity	kogus	decimal			Kogus	
delete	kustuta	int				Rea kustutamiseks sisendile lisada delete=1 (rea ja artikli täpsus)!
rn	rn	int			RN	

## Transport parameters

Component-specific; add from the source wiki if this component has parameters.

## Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="TAKING"
submit="Takings"/>
</results>
```

From:  
<https://wiki.directo.ee/> - **Directo Help**

Permanent link:  
[https://wiki.directo.ee/en/xml\\_direct/ladu/taking](https://wiki.directo.ee/en/xml_direct/ladu/taking)

Last update: **2026/06/25 15:24**

