

# Sisukord

- Writeoffs (writeoff)** ..... 3
  - Output (get)** ..... 3
    - Query (get) ..... 3
    - Header ..... 3
    - Rows ..... 4
  - Input (put)** ..... 4
    - Header ..... 4
    - Rows ..... 5
    - Transport parameters ..... 5
    - Response ..... 5



# Writeoffs (writeoff)

Writeoffs. Domain: Stock.

<b>what</b>	writeoff
<b>Direction</b>	Output (get), Input (put)
<b>Endpoint</b>	POST <a href="https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp">https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp</a>
<b>Schema (output)</b>	<a href="#">ws_mahakandmised.xsd</a>
<b>Schema (input)</b>	<a href="#">xml_IN_mahakandmised.xsd</a>

## Output (get)

### Query (get)

Parameter	Description
token	interface token (required)
get	1
what	writeoff
number	optional filter
status	optional filter
project	optional filter
stock	optional filter
confirmed	optional filter
ts	changed-since (for syncing)

### Header

XML field	SQL field	Type	Length	UI label	Description
number	number	int	9		document number/ID
date	aeg	dateTime			
comment	tekst	string			
account	konto	string			
object	objekt	string			
stock	laost	string			
type	tyyp	string			
datafield1	lisa_field1	string	510	Lisaväli 1, ! vastavalt seadetele	
datafield2	lisa_field2	string	510	Lisaväli 2, ! vastavalt seadetele	
datafield3	lisa_field3	string	510	Lisaväli 3, ! vastavalt seadetele	
datafield4	lisa_field4	string	510	Lisaväli 4, ! vastavalt seadetele	
datafield5	lisa_field5	string	510	Lisaväli 5, ! vastavalt seadetele	
datafield6	lisa_field6	string	510	Lisaväli 6, ! vastavalt seadetele	
datafield7	lisa_field7	string	510	Lisaväli 7, ! vastavalt seadetele	
project	projekt	string	32	Projekt	

XML field	SQL field	Type	Length	UI label	Description
status	staatus	string	64	Staatus	
confirmed	kinnitatud	int	1		confirmed document = 1
ts	ts	dateTime			document last changed

### Rows

XML field	SQL field	Type	Length	UI label	Description
item	artikkel	string			
name	nimetus	string			
qty	kogus	decimal			
price	baashind	decimal			
comment	kommentaar	string			
shelf	riiul	string			
stock	ladu	string	64	Ladu	
object	objekt	string	255	Objekt	
project	projekt	string	32	Projekt	
sn	seerianumber	string	128	Seerianr	
rn	rn	int			

### Input (put)



**Create:** send the document. **Modify:** requires xd\_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).
- Confirmation can be controlled via the XML field confirm (in addition to xd\_confirm).

### Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
number	number	int	9	<b>yes</b>		document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
date	aeg	dateTime				
comment	tekst	string				
account	konto	string				Vaikimisi Directost? Skanner ei tea
object	objekt	string				Vaikimisi Directost? Skanner ei tea
stock	laost	string				
type	tyyp	string				
status	staatus	string				
project	projekt	string				
datafield1	lisa_field1	string	255		Lisaväli 1	

XML field	SQL field	Type	Length	Mandatory	UI label	Description
datafield2	lisa_field2	string	255		Lisaväli 2	
datafield3	lisa_field3	string	255		Lisaväli 3	
datafield4	lisa_field4	string	255		Lisaväli 4	
datafield5	lisa_field5	string	255		Lisaväli 5	
datafield6	lisa_field6	string	255		Lisaväli 6	
datafield7	lisa_field7	string	255		Lisaväli 7	
confirm	kinnita	int				„1“ - confirm document

### Do not send:

- session\_id - for internal use at Directo side, do not send this field!

### Rows

XML field	SQL field	Type	Length	Mandatory	UI label	Description
item	artikkel	string				
name	nimetus	string				
qty	kogus	decimal				
price	baashind	decimal				Peab tulema vaikimisi: Skanner ei tea
comment	kommentaar	string				
variant	variant	string				
shelf	riiul	string	32		Riitul	
project	projekt	string				
object	objekt	string				
stock	ladu	string				
account	konto	string				
asset	r_inventar	string				
sn	seerianumber	string	50		SN/Mudel	
rn	rn	int				

### Transport parameters

Component-specific; add from the source wiki if this component has parameters.

### Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="WRITEOFF"
  submit="Writeoffs"/>
</results>
```

From:

<https://wiki.directo.ee/> - **Directo Help**

Permanent link:

[https://wiki.directo.ee/en/xml\\_direct/ladu/writeoff](https://wiki.directo.ee/en/xml_direct/ladu/writeoff)

Last update: **2026/06/25 15:24**

