

# Table of Contents

- Contacts (contact)** ..... 3
- Output (get)** ..... 3
- Query (get) ..... 3
- Header ..... 3
- Extra fields ..... 4
- Input (put)** ..... 4
- Header ..... 4
- Extra fields ..... 5
- Transport parameters ..... 5
- Response ..... 6



# Contacts (contact)

Contacts. Domain: Partners.

<b>what</b>	contact
<b>Direction</b>	Output (get), Input (put)
<b>Endpoint</b>	POST <a href="https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp">https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp</a>
<b>Schema (output)</b>	<a href="#">ws_kontaktid.xsd</a>
<b>Schema (input)</b>	<a href="#">xml_IN_kontaktid.xsd</a>

## Output (get)

### Query (get)

Parameter	Description
token	interface token (required)
get	1
what	contact
code	optional filter
customercode	optional filter
suppliercode	optional filter
email	optional filter
pid	optional filter
closed	optional filter
ts	changed-since (for syncing)

### Header

XML field	SQL field	Type	Length	UI label	Description
code	kood	int		Kontakt	used for update, leave this field out to create new contacts
customercode	kl_kood	string	32	Klient	
suppliercode	h_kood	string	32	Hankija	
name	nimi	string	255	Kontaktisik	
address1	aadress1	string	255	aadress, ! vastavalt seadetele	
address2	aadress2	string	200	aadress, ! vastavalt seadetele	
address3	aadress3	string	100	aadress, ! vastavalt seadetele	
phone	telefon	string	64	Telefon	
email	email	string	255	meil	
comment	kommentaar	string	255	Kommentaar 1	

XML field	SQL field	Type	Length	UI label	Description
mobile	mobiil	string	64	Mobiil	
sex	sugu	int	1	Sugu	female = 1, male = 0
firstname	eesnimi	string	125		
lastname	perenimi	string	125		
birthday	synnipaev	dateTime			
pid	isikukood	string	50		
closed	suletud	int			
ts	ts	dateTime			document last changed

### Extra fields

XML field	SQL field	Type	Length	UI label	Description
code	kood	string	32		
content	sisu	string	2000	Sisu	
param	param	string	64	Parameeter	

### Input (put)



**Create:** send the document. **Modify:** requires xd\_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).

### Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
code	kood	int			Kontakt	used for update, leave this field out to create new contacts
customercode	kl_kood	string	32		Klient	
customername	kl_nimi	string	255		Klient Nimi	
suppliercode	h_kood	string	32		Hankija	
suppliername	h_nimi	string	255		Hankija Nimi	
name	nimi	string	255		Kontaktisik	
address1	aaddress1	string	255		address, ! vastavalt seadetele	
address2	aaddress2	string	200		address, ! vastavalt seadetele	
address3	aaddress3	string	100		address, ! vastavalt seadetele	

XML field	SQL field	Type	Length	Mandatory	UI label	Description
phone	telefon	string	64		Telefon	
fax	faks	string	64		Faks	
email	email	string	255		meil	
comment	kommentaar	string	255		Kommentaar 1	
comment2	komment2	string	255		Kommentaar 2	
title	tiitel	string	255		Tiitel	
department	osakond	string	255		Osakond	
occupation	amet	string	255		Amet	
mobile	mobiiil	string	64		Mobiil	
county	maakond	string	32		Maakond	
authorizationtime	volitus_aeg	dateTime			kehtivus	
authorizationlimit	volitus_limiit	decimal			Volituse limiit	
officephone	telefon_too	string	50		Telefon töö	
sex	sugu	int	1		Sugu	female = 1, male = 0
baseforauthorization	volitus_alus	string	100		Volituse alus	
object	objekt	string	255		Objekt	
skype	skype	string	50		Skype	
firstname	eesnimi	string	125			
lastname	perenimi	string	125			
birthday	synnipaev	dateTime				
pid	isikukood	string	50			
language	keel	string	32			
class	klass	string	255			
homephone	telefon_kodu	string	50			
document	dokument	string	50			
occupationcode	amet_kood	string	50			
closed	suletud	int				

### Do not send:

- session\_id - for internal use at Directo side, do not send this field!

### Extra fields

XML field	SQL field	Type	Length	Mandatory	UI label	Description
code	kood	string	32			
content	sisu	string	2000		Sisu	
param	param	string	64		Parameeter	

### Transport parameters

Component-specific; add from the source wiki if this component has parameters.

## Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>  
  <Result Type="0" Desc="Created" docid="100001" doctype="CONTACT"  
  submit="Contacts"/>  
</results>
```

From:  
<https://wiki.directo.ee/> - **Directo Help**

Permanent link:  
[https://wiki.directo.ee/en/xml\\_direct/partnerid/contact](https://wiki.directo.ee/en/xml_direct/partnerid/contact)

Last update: **2026/06/25 15:24**

