

Sisukord

- Customers (customer)** 3
 - Output (get)** 3
 - Query (get) 3
 - Header 3
 - Extra fields 4
 - Input (put)** 4
 - Header 5
 - Extra fields 7
 - Transport parameters 7
 - Response 7

Customers (customer)

Customers. Domain: Partners.

what	customer
Direction	Output (get), Input (put)
Endpoint	POST https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp
Schema (output)	ws_kliendid.xsd
Schema (input)	xml_IN_kliendid.xsd

Output (get)

Query (get)

Parameter	Description
token	interface token (required)
get	1
what	customer
code	optional filter
loyaltycard	optional filter
regno	optional filter
email	optional filter
phone	optional filter
type	optional filter
closed	optional filter
ts	changed-since (for syncing)

Header

XML field	SQL field	Type	Length	UI label	Description
code	kood	string	32	Kood	
name	nimi	string	255	Nimi	
object	objekt	string	255	Objekt	
address1	aaddress1	string	255	aaddress, ! vastavalt seadetele	
address2	aaddress2	string	200	aaddress, ! vastavalt seadetele	
address3	aaddress3	string	100	aaddress, ! vastavalt seadetele	
deliveryaddress1	lahaaddress1	string	255	aaddress, ! vastavalt seadetele	
deliveryaddress2	lahaaddress2	string	200	aaddress, ! vastavalt seadetele	

XML field	SQL field	Type	Length	UI label	Description
deliveryaddress3	lahaaddress3	string	100	aadress, ! vastavalt seadetele	
country	asumaa	string	2	Asumaa	
county	maakond	string	32	Maakond	
contact	kontakt	string	200	Esindaja	
phone	telefon	string	100	Telefon	
email	email	string	255	Meil	
regno	regnr	string	50	Reg nr	
loyaltycard	kliendikaart	string	100	Kliendikaart	also used for personal ID code
vatregno	kmregnr	string	32	Km reg nr	
class	klass	string	32	Klass	
comment	kommentaar	string	4000	Kommentaar	or infinite (slower)
payterm	tingimus	string	32	Tas. ting.	
vatregion	maa	int		Maa	local = 0, EU = 1, export = 2
priceformula	hinnakiri	string	32	Hinnavalem	
specialpriceformula	hinnavalem_eri	string	32	Eripakkumised	
balance	saldo	decimal			
creditlimit	limiit	decimal			
creditbalance	krediidijaak	decimal			
deliveryinvoice	lah_arve	int	1	Lähetus	Lähetus ja Arve = 1, Lähetus = 0
salesman	myyja	string	32	Müüja	
currency	valuuta	string	32	Valuuta	
birthday	klient_synnipaev	dateTime		Sünnipäev	
discount	ale	decimal		Soodus %	
closed	suletud	int	9	Suletud	closed document = 1
ts	ts	string			document last changed

Extra fields

XML field	SQL field	Type	Length	UI label	Description
code	kood	string	32		
content	sisu	string	2000	Sisu	
param	param	string	64	Parameeter	

Input (put)



Create: send the document. **Modify:** requires xd_update=1 and posting the **whole document**. Default values (ALT . FROM): **Mandatory fields**.

- A **confirmed** document cannot be modified (response Type=14).

Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
code	kood	string	32	yes	Kood	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
name	nimi	string	255		Nimi	
object	objekt	string	255		Objekt	
address1	aadress1	string	255		aadress, ! vastavalt seadetele	
address2	aadress2	string	200		aadress, ! vastavalt seadetele	
address3	aadress3	string	100		aadress, ! vastavalt seadetele	
deliveryaddress1	lahaadress1	string	255		aadress, ! vastavalt seadetele	
deliveryaddress2	lahaadress2	string	200		aadress, ! vastavalt seadetele	
deliveryaddress3	lahaadress3	string	100		aadress, ! vastavalt seadetele	
county	maakond	string	32		Maakond	
country	asumaa	string	2		Asumaa	
contact	kontakt	string	200		Esindaja	
phone	telefon	string	100		Telefon	
email	email	string	255	yes	Meil	mandatory
regno	regnr	string	50		Reg nr	
vatregno	kmregnr	string	32		Km reg nr	
notice	margukiri	int			Märgukirjad	yes = 1
birthday	klient_synnipaev	dateTime			Sünnipäev	
gender	klient_sugu	int	1		Sugu	female = 1, male = 0
class	klass	string	32		Klass	

XML field	SQL field	Type	Length	Mandatory	UI label	Description
type	klient_tyyp	int			Tüüp	company = 0, private citizen = 1, government institution = 2
loyaltycard	kliendikaart	string	100		Kliendikaart	also used for personal ID code
deliveryname	nimi_lahetusel	string	200		Nimi lähetusel	
deliverymode	lahetusviis	string	32		Läh. viis	
alert	hoiatus	string	200		Hoiatus	
factoring	arvetasub	string	32		Arve tasub	
fax	faks	string	100		Faks	
comment	kommentaar	string	4000		Kommentaar	or infinite (slower)
payterm	tingimus	string	32		Tas. ting.	
vatzone	maa	int			KM maa	local = 0, EU = 1, export = 2
language	keel	string	32		Keel	
salesman	myyja	string	32		Müüja	
bank	pank	string	32		Pank	
bankaccount	arveldusarve	string	100		A/a	
url	URL	string	250		Url	
status	staatus	string	50		Staatus	
accountmanager	kliendihaldur	string	32		Haldur	
dealttype	tehinguliik	string	2		Tehinguliik	
creditlimit	limiit	decimal			Limiit	
priceformula	hinnaakiri	string	32		Hinnavalem	
specialpriceformula	hinnavalem_eri	string	32		Eripakkumised	
discount	ale	decimal			Soodus %	
destination	sihtriik	string	2		Sihtriik	
firstname	eesnimi	string	125			
lastname	perenimi	string	125			
vatcode	kmkood	int			KM kood	
extcode	valine_kood	string	32		Väline kood	
deliveryinvoice	lah_arve	int	1		Lähetus	Lähetus ja Arve = 1, Lähetus = 0
currency	valuuta	string	32		Valuuta	
deliveryterm	lahetustingimus	string	32		Lähetustingimus	
rikeinvoice	eak_invoice	int			„Confirmation sends automatic RIK e-invoice	ALT.FROM: 1/yes
closed	suletud	int				

Do not send:

- session_id - for internal use at Directo side, do not send this field!

Extra fields

XML field	SQL field	Type	Length	Mandatory	UI label	Description
code	kood	string	32			
content	sisu	string	2000		Sisu	
param	param	string	64		Parameeter	

Transport parameters

Component-specific; add from the source wiki if this component has parameters.

Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="CUSTOMER"
submit="Customers"/>
</results>
```

From:

<https://wiki.directo.ee/> - **Directo Help**

Permanent link:

https://wiki.directo.ee/en/xml_direct/partnerid/customer

Last update: **2026/06/25 15:24**

