

Table of Contents

- Suppliers (supplier)** 3
- Output (get)** 3
- Query (get) 3
- Header 3
- Extra fields 4
- Input (put)** 4
- Header 4
- Extra fields 6
- Transport parameters 6
- Response 6

Suppliers (supplier)

Suppliers. Domain: Partners.

what	supplier
Direction	Output (get), Input (put)
Endpoint	POST https://login.directo.ee/xmlcore/cap_xml_direct/xmlcore.asp
Schema (output)	ws_hankijad.xsd
Schema (input)	xml_IN_hankijad.xsd

Output (get)

Query (get)

Parameter	Description
token	interface token (required)
get	1
what	supplier
code	optional filter
regno	optional filter
email	optional filter
closed	optional filter
type	optional filter
ts	changed-since (for syncing)

Header

XML field	SQL field	Type	Length	UI label	Description
code	kood	string	32	Kood	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
name	nimi	string	255	Nimi	
contact	kontakt	string	400	Esindaja	
address1	aaddress1	string	510	aaddress, ! vastavalt seadetele	
address2	aaddress2	string	400	aaddress, ! vastavalt seadetele	
address3	aaddress3	string	200	aaddress, ! vastavalt seadetele	
phone	telefon	string	200	Telefon	
fax	faks	string	200	Fax	

XML field	SQL field	Type	Length	UI label	Description
comment	kommentaar	string	510	Kommentaar	
country	maa	string	64	Asumaa	
object	objekt	string	510	Objekt	
language	keel	string	64	Keel	
class	klass	string	100	Klass	
deliveryterm	lahting	string	100	Läh. ting.	
deliverymode	lahviis	string	100	Läh. viis	
vatregno	kmregnr	string	64	Km reg nr	
alert	hoiatus	string	510	Hoiatus	
regno	regnr1	string	100	Reg nr 1	
lskonto	lskonto	string	100	LS konto	
email	email	string	510	meil	
reference	viide	string	40	Viitenumber	
origin	saatjariik	string	4	Saatjariik	
type	hank_tyyp	int	9		company = 0, private citizen = 1, government institution = 2
purchasinggroup	ostugrupp	string	64		
county	maakond	string	64	Tüüp	
closed	suletud	int	9	Suletud	closed document = 1
ts	ts	dateTime		Viimati muutis	document last changed

Extra fields

XML field	SQL field	Type	Length	UI label	Description
code	kood	string			
content	sisu	string			
param	param	string			

Input (put)



Create: send the document. **Modify:** requires xd_update=1 and posting the **whole document**. Default values (ALT . FROM): [Mandatory fields](#).

- A **confirmed** document cannot be modified (response Type=14).

Header

XML field	SQL field	Type	Length	Mandatory	UI label	Description
code	kood	string	32	yes	Kood	document number/ID, mandatory; It must be unique for each document and remain same if more than one transaction of the same document is necessary
name	nimi	string	255		Nimi	
contact	kontakt	string				
address1	aadress1	string				
address2	aadress2	string				
address3	aadress3	string				
phone	telefon	string				
fax	faks	string				
comment	kommentaar	string				
payment	tasumine	string				
vatregion	tasu	int				
bankaccount	pangakonto	string				
debtaccount	vkonto	string				
expenseaccount	kulukonto	string				
factoring	arvetasub	string				
currency	valuuta	string				
country	maa	string				
object	objekt	string				
language	keel	string				
class	klass	string				
deliveryterm	lahting	string				
deliverymode	lahviis	string				
vatregno	kmregnr	string				
alert	hoiatus	string				
vatcode	kmkood	int				
regno	regnr1	string				
ppaccount	ekonto	string				
bycustomer	klient	string				
lskonto	lskonto	string				
email	email	string				
reference	viide	string				
closed	suletud	int				
dealttype	tehinguliik	string				
origin	saatjariik	string				
normtime	norm_aeg	decimal				
trancost	transakulu	decimal				
skype	skype	string				
discount	ale	decimal				

XML field	SQL field	Type	Length	Mandatory	UI label	Description
proceeders	menetlejad	string				
prefilled	eeltaida	int				
stock	ladu	string				
proceedertempalte	menetlejad_mall	string				
referencemandatory	viide_kohustuslik	int				
type	hank_ttyp	int	9			company = 0, private citizen = 1, government institution = 2
purchasinggroup	ostugrupp	string				
county	maakond	string				

Do not send:

- session_id - for internal use at Directo side, do not send this field!

Extra fields

XML field	SQL field	Type	Length	Mandatory	UI label	Description
code	kood	string	32			
content	sisu	string	2000		Sisu	
param	param	string	64		Parameeter	

Transport parameters

Component-specific; add from the source wiki if this component has parameters.

Response

docid = number of the created/updated document. Error codes: [Responses and error codes](#).

```
<results>
  <Result Type="0" Desc="Created" docid="100001" doctype="SUPPLIER"
  submit="Suppliers"/>
</results>
```

From: <https://wiki.directo.ee/> - **Directo Help**

Permanent link: https://wiki.directo.ee/en/xml_direct/partnerid/supplier

Last update: **2026/06/25 15:24**

