

Sisukord

Creating a POSTMAN collection file

3

Importing the file into Postman

88

Creating a POSTMAN collection file

Open Notepad (Start → Notepad) and paste in the code below:

[Directo API.postman_collection](#)

```
{
  "info": {
    "_postman_id": "6de645db-4111-4d25-aeb3-016b7bb4c0cf",
    "name": "Directo API",
    "description": "# Directo API Documentation\n\nWelcome to the\nDirecto API - a comprehensive RESTful API for accessing and managing\nyour ERP data including items, orders, customers, invoices, stock\nlevels, and more.\n\n---\n\n## □ Getting Started\n\n###\nPrerequisites\n\n- Active Directo ERP account\n  \n- API key (obtain\nfrom your Directo administrator)\n  \n- Basic understanding of REST\nAPIs and HTTP methods\n  \n\n### Quick Start Guide\n\n1. **Configure\nAuthentication**: Set your API key in the collection's Authorization\ntab or update the `X-Directo-Key` header\n  \n2. **Set Variables**: Configure `baseUrl` and `version` in collection variables\n  \n3. **Choose Format**: Set the `Accept` header to `application/json` or `application/xml`\n  \n4. **Make Your First Request**: Try the `\"All items\"` request to retrieve your item catalog\n  \n\n### Base URL & Versioning\n\n**Base URL Structure**: **\n\n```\n${baseUrl}/v${version}/{resource}\n\n```\n\n**Current Configuration**: **\n\n- `baseUrl`: `https://login.directo.ee/apidirect`\n  \n- `version`: `1` (current API version)\n\n**Example Full URL**: **\n\n```\nhttps://login.directo.ee/apidirect/v1/items\n\n```\n\nThe API uses versioning to ensure backward compatibility. Always specify the version number in your requests.\n\n---\n\n## □ Authentication\n\nThe Directo API uses **API Key authentication** for secure access.\n\n### How to Authenticate\n\nInclude your API key in the request header:\n\n```\nhttp\nX-Directo-Key: YOUR_API_KEY_HERE\n\n```\n\n### Getting Your API Key\n\nContact your Directo system administrator to obtain an API key. Each key is associated with specific permissions and access levels.\n\n### Security Best Practices\n\n- **Never expose your API key** in client-side code or public repositories\n  \n- Store API keys securely using environment variables\n  \n- Rotate keys periodically\n  \n- Use different keys for development and production environments\n  \n\n---\n\n## □ Response Formats (JSON vs XML)\n\nThe API supports both JSON and XML response formats. Control the format using the `Accept` header.\n\n### JSON Format (Recommended)\n\n```\nhttp\nAccept: application/json\n\n```\n\n**Example Request**: **\n\n```\nbash\ncurl -X GET\n\"${baseUrl}/v${version}/items\" \\\n  -H \"X-Directo-Key: YOUR_API_KEY\"\n  \\\n  -H \"Accept: application/json\"\n\n```\n\n### XML Format\n\n```\nhttp\nAccept: application/xml\n\n```\n\n**Example Request**: **\n\n```\nbash\ncurl -X GET\n\"${baseUrl}/v${version}/items\"
```

[illegible]

[illegible]

```

logic):\n\n``` http\nGET
{{baseUrl}}/v{{version}}/orders?date=>2025-09-01T00:00:00&date=<2025-09-03T00:00:00\nGET
{{baseUrl}}/v{{version}}/items?quantity=>10&quantity=<100\nGET
{{baseUrl}}/v{{version}}/invoices?total=>1000&total=<5000\nGET
{{baseUrl}}/v{{version}}/items?price=>50&price=<=200\n\n```\n\n###
Multiple Values (OR Logic)\n\nUse comma-separated lists to filter by
multiple values:\n\n``` http\nGET
{{baseUrl}}/v{{version}}/items?warehouse=AALTR,AIPM,WAREHOUSE1\nGET
{{baseUrl}}/v{{version}}/orders?status=NEW,PENDING,PROCESSING\nGET
{{baseUrl}}/v{{version}}/customers?country=EE,LV,LT\nGET
{{baseUrl}}/v{{version}}/items?class=KAUP,TEENUS,TOORAINEN\n\n
```\n\n### Timestamp-Based Filtering (Synchronization)\n\nUse the `ts`
parameter to retrieve records modified after a specific timestamp
(ideal for synchronization):\n\n``` http\nGET
{{baseUrl}}/v{{version}}/items?ts=>2025-10-01T08:11:05.129Z\nGET
{{baseUrl}}/v{{version}}/customers?ts=>2025-01-01T00:00:00Z\nGET
{{baseUrl}}/v{{version}}/orders?ts=>2025-11-20T07:30:00Z\n\n
```\n\n**Best Practice**: Store the timestamp of your last successful
sync and use it in the next request to fetch only changed
records.\n\n### Filtering by Line Item Fields\n\nFor resources with
line items (orders, invoices), you can filter by line-level
fields:\n\n``` http\nGET
{{baseUrl}}/v{{version}}/orders?row_item=343443\nGET
{{baseUrl}}/v{{version}}/invoices?row_quantity=>10\nGET
{{baseUrl}}/v{{version}}/orders?row_description=Maja\nGET
{{baseUrl}}/v{{version}}/priceformulas?row_item=343443\n\n
```\n\n**Note**: When filtering by line item fields, the API returns
the entire document (order/invoice) if ANY line matches the
filter.\n\n### Filtering by Custom Data Fields\n\nIf you have custom
fields defined in your ERP system (visible in the `datafields` array),
you can filter by them:\n\n``` http\nGET
{{baseUrl}}/v{{version}}/items?data_row_code=BRAND\nGET
{{baseUrl}}/v{{version}}/items?data_row_code=ART_PROJ,BRAND\nGET
{{baseUrl}}/v{{version}}/items?data_row_content=0\n\n```\n\n**How to
Find Custom Field Names**: Make a request without filters and examine
the `datafields` array in the response.\n\n### Complex Filter
Combinations\n\nCombine multiple filters to create sophisticated
queries:\n\n**Get new orders from the last week for a specific
customer:**\n\n``` http\nGET
{{baseUrl}}/v{{version}}/orders?status=NEW&date=>2025-11-13T00:00:00&cu
stomer_code=CUST001\n\n```\n\n**Get items with low stock in specific
warehouses, excluding closed items:**\n\n``` http\nGET
{{baseUrl}}/v{{version}}/items?quantity=<10&warehouse=AALTR,AIPM&status
= !CLOSED\n\n```\n\n**Get all customers from Baltic countries with high
credit limits:**\n\n``` http\nGET
{{baseUrl}}/v{{version}}/customers?country=EE,LV,LT&credit_limit=>50000
\n\n```\n\n**Get invoices from Q1 2025 with specific payment
terms:**\n\n``` http\nGET
{{baseUrl}}/v{{version}}/invoices?date=>2025-01-01T00:00:00&date=<2025-
04-01T00:00:00&payment_terms=NET30\n\n```\n\n**Get items from specific

```

```

class with price range:**\n\n`` http\nGET
{{baseUrl}}/v{{version}}/items?class=KAUP&price=>10&price=<100\n\n
``\n\n### Common Filter Parameters by Resource\n\n| Parameter |
Description | Example | Applicable Resources |\n| --- | --- | --- | ---
|\n| `ts` | Timestamp for modified records (ISO 8601) |
`2025-10-01T08:11:05.129Z` | All resources |\n| `date` | Date filtering
(supports operators) | `>2025-09-01T00:00:00` | Orders, Invoices |\n|
`number` | Document number | `12345` or `!001` | Orders, Invoices |\n|
`code` | Item/Customer code | `9810` or `CUST001` | Items, Customers
|\n| `name` | Name search | `Kalev` | Items, Customers |\n| `row_item`
| Item code in line items | `9810` or `PROD-ABC` | Orders, Invoices,
Price Formulas |\n| `status` | Status filter | `UUS`, `CLOSED`, `NEW` |
Orders, Items |\n| `country` | Country code (ISO 2-letter) | `EE`,
`!EE` | Items, Customers |\n| `warehouse` | Warehouse/stock location
code | `AALTR,AIPM` | Items, Stock Levels, Orders |\n| `quantity` |
Quantity filter (supports operators) | `>100`, `<50` | Items, Stock
Levels |\n| `row_quantity` | Line item quantity (supports operators) |
`>10` | Invoices, Orders |\n| `row_description` | Line item description
text | `Maja` | Invoices, Orders |\n| `closed` | Closed status | `1`
(closed), `0` (open) | Customers, Orders |\n| `class` | Item
class/category | `KAUP`, `TEENUS` | Items |\n| `price` | Price filter
(supports operators) | `>100`, `<=500` | Items |\n| `customer_code` |
Customer identifier | `CUST001` | Orders, Invoices |\n\n### Filter Best
Practices\n\n1. Start Simple: Begin with single filters and add
complexity as needed\n \n2. Use Timestamp Sync: Always use `ts`
parameter for incremental synchronization\n \n3. Combine
Strategically: Use multiple filters to reduce data transfer and
processing\n \n4. Test in ERP First: If unsure whether a field
is filterable, test it in the ERP interface first\n \n5. Handle
Empty Results: Empty results might mean filters are too restrictive
or field is calculated\n \n6. URL Encode: Always URL-encode
filter values, especially dates and special characters\n \n7.
Document Your Filters: Keep track of which filters work for your
use cases\n \n\n### Troubleshooting Filters\n\nProblem: Filter
returns no results\n\n- Check: Is the field calculated? Try
filtering by underlying stored fields\n \n- Check: Is the value
correct? Verify exact field values in an unfiltered response\n \n-
Check: Are operators correct? Use `>` not `>=` if that's what the
ERP uses\n \n\nProblem: Filter seems to be ignored\n\n-
Check: Is the field name spelled correctly? Field names are case-
sensitive\n \n- Check: Is the value URL-encoded? Special
characters must be encoded\n \n- Check: Does the field exist in
this resource? Not all fields are available in all resources\n\n\nProblem: Unexpected results\n\n- Check: Are you using OR
logic (comma) when you meant AND (multiple parameters)?\n \n-
Check: For line item filters, remember the entire document is
returned if any line matches\n \n\n---\n\n## API Resources &
Endpoints\n\nAPI Resources and Endpoint in this section are samples and
doesn't reflect all available resources. View Postman collection data to
get full list.\n\nResponse field list managed in Directo ERP.\n\n###
Items\n\nManage your product catalog and inventory

```

```
items.\n\n**Endpoint:** `GET`
{{baseUrl}}/v{{version}}/items`.\n\n**Description**: Retrieve item
master data including product codes, names, classifications, pricing,
and custom data fields.\n\n**Use Cases:**\n\n- Retrieve product catalog
for e-commerce integration\n \n- Sync inventory data to external
systems\n \n- Filter items by stock location, quantity, or status\n
\n- Export product data for reporting\n \n\n**Common Filters:**
`code`, `name`, `class`, `status`, `warehouse`, `quantity`, `country`,
`price`, `ts`\n\n**Example Requests:**\n\n`` http\n# Get all active
items\nGET {{baseUrl}}/v{{version}}/items?status=ACTIVE\n# Get items
with low stock\nGET
{{baseUrl}}/v{{version}}/stocklevels?quantity=<10\n# Get items modified
since last sync\nGET
{{baseUrl}}/v{{version}}/items?ts=2025-11-20T07:00:00Z\n# Get items in
specific warehouses\nGET
{{baseUrl}}/v{{version}}/items?warehouse=AALTR,AIPM\n\n
``\n\n**Response Fields:**\n\n- `code`: Item code/SKU\n \n- `name`:
Item name/description\n \n- `class`: Item classification\n \n-
`status`: Item status\n \n- `price`: Unit price\n \n- `cost`:
Unit cost\n \n- `quantity`: Stock quantity\n \n- `warehouse`:
Warehouse location\n \n- `datafields`: Array of custom data fields\n
\n\n---\n\n\n### Customers\n\n\nAccess customer and client
information.\n\n**Endpoint:** `GET`
{{baseUrl}}/v{{version}}/customers`.\n\n**Description**: Retrieve
customer master data including contact information, addresses, payment
terms, and credit limits.\n\n**Use Cases:**\n\n- Retrieve customer
database for CRM integration\n \n- Sync customer data to external
systems\n \n- Filter by country or modification date\n \n- Export
customer lists for marketing\n \n\n**Common Filters:** `code`,
`name`, `country`, `city`, `payment_terms`, `credit_limit`, `closed`,
`ts`\n\n**Example Requests:**\n\n`` http\n# Get all customers from
Estonia\nGET {{baseUrl}}/v{{version}}/customers?country=EE\n# Get
customers with high credit limits\nGET
{{baseUrl}}/v{{version}}/customers?credit_limit=>50000\n# Get active
customers only\nGET {{baseUrl}}/v{{version}}/customers?closed=0\n# Get
customers modified since last sync\nGET
{{baseUrl}}/v{{version}}/customers?ts=2025-11-20T07:00:00Z\n\n
``\n\n**Response Fields:**\n\n- `code`: Customer code\n \n- `name`:
Customer name\n \n- `country`: Country code (ISO 2-letter)\n \n-
`city`: City\n \n- `address`: Street address\n \n- `phone`: Phone
number\n \n- `email`: Email address\n \n- `vat_number`: VAT
registration number\n \n- `payment_terms`: Payment terms code\n
\n- `credit_limit`: Credit limit amount\n \n- `closed`: Closed
status (0=active, 1=closed)\n \n\n\n---\n\n\n### Orders\n\n\nRetrieve
sales orders and purchase orders.\n\n**Endpoint:** `GET`
{{baseUrl}}/v{{version}}/orders`.\n\n**Description**: Retrieve order
documents including headers and line items. Supports filtering by date
ranges, status, customer, and line item details.\n\n**Use Cases:**\n\n-
Retrieve order history for reporting\n \n- Monitor order status for
fulfillment\n \n- Filter by date range, status, or customer\n \n-
Sync orders to external fulfillment systems\n \n- Track orders with
```

```

specific items\n \n\n**Common Filters:** `number`, `date`, `status`,
`customer_code`, `warehouse`, `closed`, `row_item`, `row_quantity`,
`ts`\n\n**Example Requests:**\n\n`` http\n# Get orders from date
range\nGET
{{baseUrl}}/v{{version}}/orders?date=>2025-09-01T00:00:00&date=<2025-09-03T00:00:00\n# Get new orders\nGET
{{baseUrl}}/v{{version}}/orders?status=NEW\n# Get orders containing
specific item\nGET {{baseUrl}}/v{{version}}/orders?row_item=343443\n#
Get orders for specific customer\nGET
{{baseUrl}}/v{{version}}/orders?customer_code=CUST001\n# Get open
orders modified today\nGET
{{baseUrl}}/v{{version}}/orders?closed=0&ts=2025-11-20T00:00:00Z\n\n
``\n\n**Response Fields:**\n\n- `number`: Order number\n \n-
`date`: Order date\n \n- `status`: Order status\n \n-
`customer_code`: Customer code\n \n- `customer_name`: Customer
name\n \n- `warehouse`: Warehouse code\n \n- `total`: Order total
amount\n \n- `currency`: Currency code\n \n- `closed`: Closed
status\n \n- `lines`: Array of order line items\n \n -
`row_item`: Item code\n \n - `row_quantity`: Quantity\n
\n - `row_price`: Unit price\n \n - `row_description`:
Line description\n \n\n---\n\n### Invoices\n\n\nAccess invoice
data and billing information.\n\n**Endpoint:** `GET`
{{baseUrl}}/v{{version}}/invoices\n\n**Description**: Retrieve invoice
documents including headers and line items. Supports filtering by date
ranges, status, customer, and line item details.\n\n**Use Cases:**\n\n-
Retrieve invoice history for accounting\n \n- Export billing data to
accounting systems\n \n- Filter by date, status, or customer\n
\n- Track invoices with specific items\n \n- Monitor payment
status\n \n\n**Common Filters:** `number`, `date`, `status`,
`customer_code`, `total`, `closed`, `row_item`, `row_quantity`,
`ts`\n\n**Example Requests:**\n\n`` http\n# Get invoices from last
month\nGET
{{baseUrl}}/v{{version}}/invoices?date=>2025-10-01T00:00:00&date=<2025-11-01T00:00:00\n# Get unpaid invoices\nGET
{{baseUrl}}/v{{version}}/invoices?closed=0\n# Get invoices containing
specific item\nGET {{baseUrl}}/v{{version}}/invoices?row_item=9810\n\n
``\n\n**Response Fields:**\n\n- `number`: Invoice number\n \n-
`date`: Invoice date\n \n- `due_date`: Payment due date\n \n-
`status`: Invoice status\n \n- `customer_code`: Customer code\n
\n- `customer_name`: Customer name\n \n- `total`: Invoice total
amount\n \n- `currency`: Currency code\n \n- `closed`: Payment
status\n \n- `lines`: Array of invoice line items\n \n\n---
\n\n### Stock Levels\n\n\nMonitor inventory levels across
warehouses.\n\n**Endpoint:** `GET`
{{baseUrl}}/v{{version}}/stocklevels\n\n**Description**: Retrieve
current stock levels for items across all warehouses. Shows quantity on
hand, reserved quantity, and available quantity.\n\n**Use Cases:**\n\n-
Check current inventory levels\n \n- Monitor stock across
locations\n \n- Identify low-stock items\n \n- Sync inventory to
e-commerce platforms\n \n- Calculate available-to-promise\n
\n\n**Common Filters:** `item_code`, `warehouse`, `quantity`,

```

```
`reserved_quantity`, `ts`\n\n**Example Requests:**\n\n`` http\n# Get stock levels for specific item\nGET {{baseUrl}}/v{{version}}/stocklevels?item_code=9810\n# Get low stock items\nGET {{baseUrl}}/v{{version}}/stocklevels?quantity=<10\n# Get stock in specific warehouse\nGET {{baseUrl}}/v{{version}}/stocklevels?warehouse=AALTR\n# Get stock changes since last sync\nGET {{baseUrl}}/v{{version}}/stocklevels?ts=2025-11-20T07:00:00Z\n\n``\n\n**Response Fields:**\n\n- `item_code`: Item code\n- `warehouse`: Warehouse code\n- `quantity`: Quantity on hand\n- `reserved_quantity`: Reserved/allocated quantity\n- `available_quantity`: Available quantity (may be calculated)\n- `location`: Storage location within warehouse\n\n---\n\n### Stock Levels with Serial/Batch Numbers\n\nRetrieve detailed stock information including serial numbers and batch numbers.\n\n**Endpoint:** `GET {{baseUrl}}/v{{version}}/stocklevels_sn`\n\n**Description:** Retrieve stock levels with serial number and batch number tracking. Essential for lot-tracked and serialized inventory.\n\n**Use Cases:**\n\n- Track serialized inventory (electronics, equipment)\n- Manage batch-tracked items (food, pharmaceuticals)\n- Trace product lots for recalls\n- Monitor expiration dates by batch\n- Audit serial number assignments\n\n**Common Filters:** `item_code`, `warehouse`, `serial_number`, `batch_number`, `ts`\n\n**Example Requests:**\n\n`` http\n# Get serialized stock for specific item\nGET {{baseUrl}}/v{{version}}/stocklevels_sn?item_code=LAPTOP001\n# Get stock by batch number\nGET {{baseUrl}}/v{{version}}/stocklevels_sn?batch_number=BATCH2025001\n# Get serialized stock in warehouse\nGET {{baseUrl}}/v{{version}}/stocklevels_sn?warehouse=AALTR\n\n``\n\n**Response Fields:**\n\n- `item_code`: Item code\n- `warehouse`: Warehouse code\n- `serial_number`: Serial number (for serialized items) or Batch/lot number (for batch-tracked items)\n- `quantity`: Quantity (typically 1 for serialized items)\n- `expiration_date`: Expiration date (for batch-tracked items)\n\n---\n\n### Allocations\n\nView inventory allocations and reservations.\n\n**Endpoint:** `GET {{baseUrl}}/v{{version}}/allocations`\n\n**Description:** Retrieve inventory allocations showing which items are reserved for specific orders or purposes.\n\n**Use Cases:**\n\n- Check reserved inventory\n- Monitor order allocations\n- Prevent overselling\n- Calculate available-to-promise\n- Track allocation by order\n\n**Common Filters:** `code`, `warehouse`, `ts`\n\n**Example Requests:**\n\n`` http\n# Get allocations for specific item\nGET {{baseUrl}}/v{{version}}/allocations?code=9810\n# Get allocations in warehouse\nGET {{baseUrl}}/v{{version}}/allocations?warehouse=AALTR\n\n``\n\n**Response Fields:**\n\n- `item_code`: Item code\n- `warehouse`: Warehouse code\n- `quantity`: Allocated quantity\n\n---\n\n### Item Classes\n\nRetrieve item classification and category data.\n\n**Endpoint:** `GET {{baseUrl}}/v{{version}}/itemclasses`\n\n**Description:** Retrieve item class/category master data used to classify and organize items in the
```

```

ERP system.\n\n**Use Cases:**\n\n- Get product categories for navigation\n \n- Sync classification hierarchies\n \n- Filter items by class\n \n- Build category trees for e-commerce\n\n\n**Common Filters:** `code`, `name`, `parent_code`, `ts`\n\n\n**Example Requests:**\n\n`http\n# Get all item classes\nGET {{baseUrl}}/v{{version}}/itemclasses\n# Get classes modified since last sync\nGET {{baseUrl}}/v{{version}}/itemclasses?ts=2025-11-20T07:00:00Z\n\n```\n\n\n**Response Fields:**\n\n- `code`: Class code\n \n- `name`: Class name\n \n- `parent_code`: Parent class code (for hierarchies)\n \n- `description`: Class description\n \n\n---\n\n\n### Price Formulas\n\n\nAccess pricing rules and formulas.\n\n\n**Endpoint:** `GET {{baseUrl}}/v{{version}}/priceformulas`\n\n\n**Description:** Retrieve pricing formulas and rules used to calculate dynamic prices based on various conditions.\n\n\n**Use Cases:**\n\n- Retrieve pricing rules for specific items\n \n- Calculate dynamic prices in external systems\n \n- Sync pricing logic\n \n- Audit pricing formulas\n\n\n**Common Filters:** `row_item`, `customer_code`, `ts`\n\n\n**Example Requests:**\n\n`http\n# Get price formulas for specific item\nGET {{baseUrl}}/v{{version}}/priceformulas?row_item=343443\n# Get all price formulas\nGET {{baseUrl}}/v{{version}}/priceformulas\n# Get formulas modified since last sync\nGET {{baseUrl}}/v{{version}}/priceformulas?ts=2025-11-20T07:00:00Z\n\n\n```\n\n\n**Response Fields:**\n\n- `row_item`: Item code\n \n- `customer_code`: Customer code (if customer-specific)\n \n- `formula`: Pricing formula\n \n- `discount_percent`: Discount percentage\n \n- `valid_from`: Valid from date\n \n- `valid_to`: Valid to date\n \n\n---\n\n\n### Deletions\n\n\nTrack deleted records for synchronization purposes.\n\n\n**Endpoint:** `GET {{baseUrl}}/v{{version}}/deleted`\n\n\n**Description:** Retrieve records that have been deleted from the ERP system. Essential for maintaining data consistency in external systems.\n\n\n**Use Cases:**\n\n- Sync deletions to external systems\n \n- Maintain data consistency\n \n- Audit deleted records\n \n- Clean up orphaned references\n\n\n**Common Filters:** `resource_type`, `ts`\n\n\n**Example Requests:**\n\n`http\n# Get all deletions since last sync\nGET {{baseUrl}}/v{{version}}/deleted?ts=2025-11-20T07:00:00Z\n# Get deleted items only\nGET {{baseUrl}}/v{{version}}/deleted?resource_type=items\n\n\n```\n\n\n**Response Fields:**\n\n- `resource_type`: Type of deleted resource (items, customers, orders, etc.)\n \n- `resource_id`: ID of deleted resource\n \n- `deleted_at`: Deletion timestamp\n \n\n\n---\n\n\n### Response Structure\n\n\n### Success Response (HTTP 200)\n\n\n**JSON Format:**\n\n`json\n[\n {\n \"code\": \"1011\", \n \"class\": \"KAUP\", \n \"name\": \"Komid Lily, Kalev\", \n \"price\": 12.50, \n \"quantity\": 150, \n \"warehouse\": \"AALTR\", \n \"datafields\": [\n {\n \"code\": \"TEST_ARTIKKEL\", \n \"content\": \"Test lisaväli sisu\" \n }, \n {\n \"code\": \"IS_WEIGHT\", \n \"content\": \"0\" \n } \n] \n } \n]`

```

```
},\n {\n \"code\": \"VISUAL_VERIFICATION\", \n \"content\": \"0\" \n },\n {\n \"code\": \"VENSAFE\", \n \"content\": \"0\" \n },\n {\n \"code\": \"1012\", \n \"class\": \"KAUP\", \n \"name\": \"Šokolaad Kalev\", \n \"price\": 8.75, \n \"quantity\": 200, \n \"warehouse\": \"AIPM\", \n \"datafields\": [] \n } \n] \n } \n} \n\nFormat: **\n\n`` xml\n<items>\n <item code=\"1011\" class=\"KAUP\" name=\"Kommid Lily, Kalev\" price=\"12.50\" quantity=\"150\" warehouse=\"AALTR\">\n <datafields>\n <data code=\"TEST_ARTIKKEL\" content=\"Test lisaväli sisu\"/>\n <data code=\"IS_WEIGHT\" content=\"0\"/>\n <data code=\"VISUAL_VERIFICATION\" content=\"0\"/>\n <data code=\"VENSAFE\" content=\"0\"/>\n </datafields>\n </item>\n <item code=\"1012\" class=\"KAUP\" name=\"Šokolaad Kalev\" price=\"8.75\" quantity=\"200\" warehouse=\"AIPM\">\n <datafields/>\n </item>\n</items>\n\n``\n\n### Response Characteristics\n\n- **Array Format**: All endpoints return arrays of objects, even for single results\n\n- **Consistent Structure**: Field names are consistent across all response formats\n\n- **Custom Fields**: Custom data fields appear in the `datafields` array\n\n- **Null Values**: Missing or null values may be omitted from responses\n\n- **Date Format**: All dates use ISO 8601 format (e.g., `2025-11-20T07:30:00Z`)\n\n- **Numeric Values**: Numbers are returned as numbers in JSON, as strings in XML\n\n\n---\n\n### Error Handling\n\n### HTTP Status Codes\n\n| Status Code | Meaning | Description |\n| --- | --- | --- |\n| `200` | OK | Request successful |\n| `400` | Bad Request | Invalid parameters or malformed request |\n| `400` | API not enabled | Resource not enabled for this API key |\n| `401` | Unauthorized | Missing or invalid API key |\n| `403` | Forbidden | API key lacks required permissions |\n| `404` | Not Found | Resource or endpoint not found |\n| `429` | Too Many Requests | Rate limit exceeded |\n| `500` | Internal Server Error | Server-side error |\n| `503` | Service Unavailable | API temporarily unavailable |\n\n### Error Response Format\n\n`` json\n{\n  \"error\": {\n    \"code\": \"INVALID_API_KEY\", \n    \"message\": \"The provided API key is invalid or expired\", \n    \"details\": \"Please check your API key and try again\" \n  } \n} \n\n``\n\n### Common Error Scenarios\n\n**401 Unauthorized**: **\n\n- Missing `X-Directo-Key` header\n\n- Invalid or expired API key\n\n- **Solution**: Verify your API key and ensure it's included in the header\n\n**403 Forbidden**: **\n\n- API key lacks permissions for the requested resource\n\n- **Solution**: Contact your administrator to grant necessary permissions\n\n**400 Bad Request**: **\n\n- Invalid filter syntax\n\n- Malformed date format (use ISO 8601: `2025-11-20T07:30:00Z`)\n\n- Filtering by calculated field\n\n- **Solution**: Check filter parameters and date formats\n\n**404 Not Found**: **\n\n- Incorrect endpoint URL\n\n- Invalid API version\n\n- **Solution**: Verify the endpoint path and version number\n\n**429 Too Many Requests**: **\n\n- Rate limit exceeded\n\n- **Solution**: Implement exponential backoff and reduce request frequency\n\n**500 Internal Server Error**: **\n\n-
```

Server-side processing error\n \n- **\*\*Solution:\*\*** Retry after a delay; contact support if persistent\n \n\n--\n\n\n## ☐ Rate Limiting & Performance\n\n\n### Rate Limits\n\n\nWhile specific rate limits depend on your account tier, follow these guidelines:\n\n\n- **\*\*Recommended:\*\*** Max 60 requests per minute\n \n- **\*\*Burst Limit:\*\*** Short bursts of higher traffic may be allowed\n \n- **\*\*Daily Limits:\*\*** May apply based on your subscription\n \n\n\n### Performance Best Practices\n\n\n#### 1\\. Use Timestamp Filtering for Sync\n\n\nInstead of fetching all records repeatedly, use the `ts` parameter:\n\n\n```\nhttp\nGET {{baseUrl}}/v{{version}}/items?ts=>2025-11-20T07:00:00Z\n\n```\n\n\n**\*\*Benefits:\*\***\n\n\n- Reduces data transfer\n \n- Faster response times\n \n- Lower server load\n \n- Stays within rate limits\n \n\n\n#### 2\\. Implement Pagination with Date Ranges\n\n\nFor large datasets, break requests into smaller chunks:\n\n\n```\nhttp\n# Week 1\nGET {{baseUrl}}/v{{version}}/orders?date=>2025-11-01&date=<2025-11-08\n# Week 2\nGET {{baseUrl}}/v{{version}}/orders?date=>2025-11-08&date=<2025-11-15\n\n\n```\n\n\n#### 3\\. Cache Static Data\n\n\nCache data that changes infrequently:\n\n\n- Item classes (cache for 24 hours)\n \n- Price formulas (cache for 1 hour)\n \n- Customer master data (cache for 6 hours)\n \n\n\n#### 4\\. Use Specific Filters\n\n\nApply filters to retrieve only the data you need:\n\n\n```\nhttp\n# Instead of fetching all items and filtering locally\nGET {{baseUrl}}/v{{version}}/items\n# Fetch only what you need\nGET {{baseUrl}}/v{{version}}/items?warehouse=AALTR&quantity=>0\n\n\n```\n\n\n#### 5\\. Implement Exponential Backoff\n\n\nFor transient errors (429, 503), retry with increasing delays:\n\n\n```\n1st retry: wait 1 second\n2nd retry: wait 2 seconds\n3rd retry: wait 4 seconds\n4th retry: wait 8 seconds\n\n\n```\n\n\n#### 6\\. Batch Related Requests\n\n\nGroup related operations to minimize round trips:\n\n\n```\n1. Fetch orders: GET /orders?ts=>{last\_sync}\n2. For each order, fetch customer details (if needed)\n3. Update local database in batch\n\n\n```\n\n\n#### 7\\. Monitor API Usage\n\n\nTrack your API consumption:\n\n\n- Log request counts per endpoint\n \n- Monitor response times\n \n- Track error rates\n \n- Set up alerts for rate limit warnings\n \n\n\n--\n\n\n## ☐ Common Integration Patterns\n\n\n### Pattern 1: Initial Data Sync (First-Time Setup)\n\n\n**\*\*Objective\*\*:** Load all data from Directo ERP into your system\n\n\n```\nStep 1: Fetch all items\nGET /items\nStep 2: Fetch all customers\nGET /customers\nStep 3: Fetch all stock levels\nGET /stocklevels\nStep 4: Fetch item classes\nGET /itemclasses\nStep 5: Store current timestamp for future incremental syncs\ntimestamp = current\_time()\n\n\n```\n\n\n**\*\*Considerations:\*\***\n\n\n- May take several minutes for large datasets\n \n- Run during off-peak hours\n \n- Implement progress tracking\n \n- Handle timeouts gracefully\n \n\n\n--\n\n\n### Pattern 2: Incremental Sync (Ongoing Synchronization)\n\n\n**\*\*Objective\*\*:** Keep your system up-to-date with changes in Directo ERP\n\n\n```\nStep 1: Retrieve last sync timestamp from your database\nlast\_sync = get\_last\_sync\_timestamp()\nStep 2: Fetch changed items\nGET /items?ts=>{last\_sync}\nStep 3: Fetch changed

```

customers\nGET /customers?ts=>{last_sync}\nStep 4: Fetch changed stock
levels\nGET /stocklevels?ts=>{last_sync}\nStep 5: Fetch deleted
records\nGET /deleted?ts=>{last_sync}\nStep 6: Process changes in your
system\n- Update existing records\n- Insert new records\n- Delete
removed records\nStep 7: Update last sync
timestamp\nsave_last_sync_timestamp(current_time())\n\n
```\n\nFrequency Recommendations:\n\n- Critical data (stock levels,
orders): Every 5-15 minutes\n- Master data (items, customers):
Every 1-6 hours\n- Static data (item classes): Daily\n\n---
\n\nPattern 3: Real-Time Order Monitoring\n\nObjective: Monitor
new orders for immediate processing\n\n```\nStep 1: Poll orders
endpoint at regular intervals\nGET
/orders?status=NEW&ts=>{last_check}\nStep 2: Process new orders\nfor
each order:\n- Validate order data\n- Check inventory
availability\n- Create fulfillment tasks\n- Update order status
in your system\nStep 3: Update last check timestamp\nlast_check =
current_time()\nStep 4: Wait for next interval (e.g., 5 minutes)\nStep
5: Repeat from Step 1\n\n```\n\nBest Practices:\n\n- Poll every
5-15 minutes (not more frequently)\n- Use `ts` parameter to avoid
processing duplicates\n- Implement idempotency in your order
processing\n- Log all processed orders for audit trail\n\n---
\n\nPattern 4: Inventory Management & Availability
Check\n\nObjective: Maintain accurate inventory availability in
your system\n\n```\nStep 1: Fetch current stock levels\nGET
/stocklevels?item_code={sku}\nStep 2: Fetch allocations (reserved
stock)\nGET /allocations?item_code={sku}\nStep 3: Calculate available
quantity\navailable = stock_quantity - allocated_quantity\nStep 4:
Update your inventory system\nupdate_inventory(sku, available)\nStep 5:
Check for low stock alerts\nif available < reorder_point:\n
trigger_reorder_alert(sku)\n\n```\n\nUse Cases:\n\n- E-commerce
available-to-promise\n- Warehouse management systems\n-
Reorder point monitoring\n- Multi-channel inventory sync\n\n---
\n\nPattern 5: Customer Data Synchronization (CRM
Integration)\n\nObjective: Keep customer data synchronized between
Directo and your CRM\n\n```\nStep 1: Fetch changed customers\nGET
/customers?ts={last_sync}\nStep 2: For each customer, sync to CRM\nfor
each customer:\n- if customer exists in CRM:\n-
update_crm_customer(customer)\n- else:\n-
create_crm_customer(customer)\nStep 3: Fetch deleted customers\nGET
/deleted?resource_type=customers&ts={last_sync}\nStep 4: Remove deleted
customers from CRM\nfor each deleted_customer:\n-
delete_crm_customer(deleted_customer.id)\nStep 5: Update sync
timestamp\nsave_last_sync_timestamp(current_time())\n\n```\n\n---
\n\nPattern 6: Invoice Export to Accounting
System\n\nObjective: Export invoices to external accounting
software\n\n```\nStep 1: Fetch new/updated invoices\nGET
/invoices?ts=>{last_sync}\nStep 2: For each invoice, export to
accounting system\nfor each invoice:\n- Map Directo fields to
accounting system fields\n- Create invoice in accounting system\n-
Create invoice lines\n- Mark as exported in your database\nStep
3: Handle errors\nfor each failed_invoice:\n- Log error details\n

```

```

- Queue for manual review\n      - Send notification to accounting
team\nStep 4: Update sync
timestamp\nsave_last_sync_timestamp(current_time())\n\n ``\n\n---
\n\n### Pattern 7: Price Synchronization to E-
Commerce\n\n**Objective**: Keep product prices updated in your online
store\n\n``\nStep 1: Fetch changed items with pricing\nGET
/items?ts=>{last_sync}\nStep 2: Fetch price formulas (if using dynamic
pricing)\nGET /priceformulas?ts=>{last_sync}\nStep 3: Calculate final
prices\nfor each item:\n      base_price = item.price\n      if
price_formula exists:\n          final_price = apply_formula(base_price,
formula)\n      else:\n          final_price = base_price\nStep 4: Update
e-commerce platform\nfor each item:\n
update_product_price(item.code, final_price)\nStep 5: Update sync
timestamp\nsave_last_sync_timestamp(current_time())\n\n ``\n\n---
\n\n## ☐ Troubleshooting Guide\n\n### Issue: Empty Response / No
Results\n\n**Possible Causes:**\n\n1. Filters too restrictive\n      \n2.
No data matches criteria\n      \n3. Incorrect date format\n      \n4.
Filtering by calculated field\n      \n5. Default filter set in ERP is
too restrictive\n      \n\n**Solutions:**\n\n`` http\n# Remove filters
one by one to identify the issue\nGET /items
# No filters\nGET /items?warehouse=AALTR                                # Add one
filter\nGET /items?warehouse=AALTR&quantity=>0                        # Add another
filter\n# Verify date format (must be ISO 8601)\n☐ WRONG:
?date=2025-11-20\n☐ CORRECT: ?date=>2025-11-20T00:00:00Z\n# Check if
field is calculated\n# Try filtering by underlying stored fields
instead\n\n ``\n\n---\n\n### Issue: Authentication Errors
(401/403)\n\n**Possible Causes:**\n\n1. Missing API key\n      \n2.
Incorrect header name\n      \n3. Expired key\n      \n4. Insufficient
permissions\n      \n\n**Solutions:**\n\n`` http\n# Verify header name
(case-sensitive)\n☐ WRONG: X-Api-Key: YOUR_KEY\n☐ WRONG: X-Directo-Api-
Key: YOUR_KEY\n☐ CORRECT: X-Directo-Key: YOUR_KEY\n# Check key
validity\n# Contact administrator to verify:\n# - Key is active\n# -
Key has permissions for the resource\n# - Key hasn't expired\n# Test
with curl\ncurl -X GET "{{baseUrl}}/v{{version}}/items" \\n -H "X-
Directo-Key: YOUR_API_KEY" \\n -H "Accept: application/json" \\n
-v\n\n ``\n\n---\n\n### Issue: Unexpected Data Format\n\n**Possible
Causes:**\n\n1. Wrong `Accept` header\n      \n2. API version mismatch\n
\n3. Expecting different structure\n      \n\n**Solutions:**\n\n``
http\n# Verify Accept header\nFor JSON: Accept: application/json\nFor
XML: Accept: application/xml\n# Check API version in
URL\n{{baseUrl}}/v1/items (not v2 or v0)\n# Examine actual response
structure\n# Make a simple request and inspect the response\nGET
/items?code=1011\n\n ``\n\n---\n\n### Issue: Filter Not Working as
Expected\n\n**Possible Causes:**\n\n1. Field name misspelled\n      \n2.
Field is calculated (not filterable)\n      \n3. Wrong operator syntax\n
\n4. Value not URL-encoded\n      \n\n**Solutions:**\n\n`` http\n#
Verify field name (case-sensitive)\n☐ WRONG: ?Code=1011\n☐ CORRECT:
?code=1011\n# Check if field exists in response\nGET
/items?code=1011\n# Examine response to see actual field names\n#
Verify operator syntax\n☐ CORRECT: ?quantity=>100 (greater than)\n☐
CORRECT: ?quantity=<50 (less than)\n☐ CORRECT: ?status=!CLOSED

```

```
(not equal)\n# URL encode special characters\n❑ WRONG:
?date=>2025-11-20 07:30:00\n❑ CORRECT: ?date=>2025-11-20T07:30:00Z\n\n
``\n\n---\n\n#### Issue: Slow Response Times\n\n**Possible
Causes:**\n\n1. Fetching too much data\n    \n2. No filters applied\n
\n3. Complex queries\n    \n4. Server load\n
\n\n**Solutions:**\n\n`` http\n# Use filters to reduce data volume\n❑
SLOW: GET /items\n❑ FASTER: GET /items?warehouse=AALTR&closed=0\n# Use
timestamp filtering for incremental sync\n❑ FASTER: GET
/items?ts=2025-11-20T07:00:00Z\n# Break large requests into smaller
chunks\n# Instead of fetching all orders:\nGET
/orders?date=>2025-11-01&date=<2025-11-08\nGET
/orders?date=>2025-11-08&date=<2025-11-15\n# Implement caching for
static data\n# Cache item classes, price formulas for 1-24 hours\n\n
``\n\n---\n\n#### Issue: Rate Limit Errors (429)\n\n**Possible
Causes:**\n\n1. Too many requests in short time\n    \n2. No rate
limiting in your code\n    \n3. Multiple processes hitting API\n
\n\n**Solutions:**\n\n`` python\n# Implement exponential
backoff\nimport time\ndef make_request_with_retry(url,
max_retries=5):\n    for attempt in range(max_retries):\n
response = requests.get(url)\n        if response.status_code == 200:\n
return response\n            elif response.status_code == 429:\n
wait_time = 2 ** attempt # 1, 2, 4, 8, 16 seconds\n
time.sleep(wait_time)\n                else:\n                    raise
Exception(f"Error: {response.status_code}")\n                raise
Exception("Max retries exceeded")\n# Add delays between
requests\ntime.sleep(1) # Wait 1 second between requests\n# Use
timestamp filtering to reduce request frequency\n# Instead of polling
every minute, poll every 5-15 minutes\n\n``\n\n---\n\n#### Issue: Data
Inconsistency\n\n**Possible Causes:**\n\n1. Not handling deletions\n
\n2. Missing incremental updates\n    \n3. Race conditions\n    \n4.
Not using timestamps correctly\n    \n\n**Solutions:**\n\n`` http\n#
Always check for deletions\nGET /deleted?ts=>{last_sync}\n# Use
consistent timestamp handling\nlast_sync =
"2025-11-20T07:00:00Z"\nGET /items?ts=>{last_sync}\nGET
/customers?ts=>{last_sync}\nGET /deleted?ts=>{last_sync}\n# Store
timestamp AFTER successful processing\n# Not before, to avoid missing
updates if processing fails\n# Implement idempotency\n# Use unique IDs
to prevent duplicate processing\n\n``\n\n---\n\n#### Issue: Missing
Custom Fields\n\n**Possible Causes:**\n\n1. Custom fields not
configured in ERP\n    \n2. Looking in wrong place in response\n
\n3. Permissions issue\n    \n\n**Solutions:**\n\n`` http\n# Custom
fields are in datafields array\nGET /items?code=1011\n# Response
structure:\n{\n    "code": "1011",\n    "name": "Item Name",\n    "datafields": [\n        {\n            "code":
"CUSTOM_FIELD_1",\n            "content": "Value"\n        }\n    ]\n}\n# Filter by custom fields\nGET /items?CUSTOM_FIELD_1=Value\n#
Verify custom fields exist in ERP\n# Contact administrator to confirm
field names\n\n``\n\n---\n\n#### Issue: `usagelogs` missing older
entries\n\n**Possible Cause:** Log retention is capped by Administrator
settings \n(\n"Log age in days" / "Log age in transactions" – see
\n[Administraatori
```

```

seadistused](https://wiki.directo.ee/et/administrator_settings)),
\nnot by the API itself.\n\n**Solution:** Ask your administrator to
check/raise these two settings, or \nstart pulling and archiving
`/usagelogs` regularly to keep your own history.\n\n---\n\n## ☐ Support
& Resources\n\n### Need Help?\n\n**Technical Support:**\n\n- Email:
[info@directo.ee](https://mailto:info@directo.ee)\n\n- Contact your
Directo account manager\n\n- Submit support ticket through your in
Directo Chat\n\n**API Issues:**\n\n- Report bugs via your support
channel\n\n- Include: request URL, headers, response, error
message\n\n- Provide timestamp of the issue\n\n**Feature
Requests:**\n\n- Submit through your account manager\n\n- Describe
use case and business value\n\n- Include examples of desired
functionality\n\n### Additional Resources\n\n- **Directo ERP
Documentation**: Comprehensive guide to ERP features\n\n- **API
Changelog**: Check for updates and new features\n\n- **Integration
Examples**: Sample code in this collection\n\n- **Community
Forum**: Share experiences with other developers (if available)\n
\n\n### Best Practices for Support Requests\n\nWhen contacting support,
include:\n\n1. **Request Details:**\n\n    URL:
Method: GET\n\n    {{baseUrl}}/v1/items?warehouse=AALTR\n
Headers:\n\n    X-Directo-Key:
[REDACTED]\n\n    Accept:
application/json\n\n    \n\n    2. **Response Details:**\n
\n    Status Code: 400\n
Response Body: {"error": "Invalid filter"}\n\n    \n\n    3. **Expected Behavior:**\n
\n    Expected to receive items from AALTR warehouse\n\n    \n\n    4. **Actual Behavior:**\n
\n    Received 400 error with "Invalid filter" message\n\n    \n\n    5. **Troubleshooting Steps Taken:**\n
\n    - Verified field name in response\n
    - Tested without filters (works)\n
    - Checked URL encoding\n\n    \n\n    ---\n\n## ☐ Changelog &
Version History\n\n### Version 1 (Current)\n\n**Release Date**:
2024\n\n**Features:**\n\n- Initial API release\n\n- Support for all
major resources (items, customers, orders, invoices, stock levels)\n
\n- JSON and XML response formats\n\n- ERP-style filtering
capabilities with comparison operators\n\n- Timestamp-based
synchronization\n\n- API key authentication\n\n- Rate
limiting\n\n**Endpoints:**\n\n- `/items` - Item master data\n
\n- `/sales_quotations` - Sales quotations master data\n\n-
`/customers` - Customer master data\n\n- `/suppliers` - Suppliers
master data\n\n- `/contacts` - Contact persons master data\n\n-
`/orders` - Sales orders\n\n- `/purchase_orders` - Purchase
orders\n\n- `/invoices` - Sales Invoice documents\n\n-
`/purchase_invoices` - Purchase Invoice documents\n\n-
`/purchase_payments` - Purchase Payments documents\n\n-
`/stocklevels` - Inventory levels\n\n- `/stocklevels_sn` -
Inventory with serial/batch numbers\n\n- `/allocations` - Inventory
allocations\n\n- `/itemclasses` - Item classifications\n\n-

```

```

`/priceformulas` - Pricing rules\n    \n- `/accounts` - Financial
account master data\n    \n- `/transactions` - Financial transaction
documents\n    \n- `/deleted` - Deletion tracking\n    \n\n**Known
Limitations:**\n\n- Calculated fields cannot be filtered\n    \n- No
pagination (use date ranges and timestamp filtering)\n    \n- Rate
limits apply (60 requests/minute recommended)\n    \n\n--\n\n## □
Security & Compliance\n\n### Data Security\n\n- **Encryption**: All API
requests must use HTTPS\n    \n- **Authentication**: API key required
for all requests\n    \n- **Authorization**: Role-based access control
via API keys\n    \n- **Audit Logging**: All API requests are logged
server-side\n    \n\n### Compliance Considerations\n\n- **GDPR**:
Customer data includes personal information - handle according to GDPR
requirements\n    \n- **Data Retention**: Implement appropriate data
retention policies\n    \n- **Access Control**: Limit API key
distribution to authorized personnel only\n    \n- **Monitoring**:
Monitor API usage for unusual patterns\n    \n\n### Security Best
Practices\n\n1. **Protect API Keys:**\n    \n    - Never commit keys to
version control\n    \n    - Use environment variables or secure
vaults\n    \n    - Rotate keys regularly (quarterly recommended)\n    \n    - Use different keys for dev/staging/production\n    \n2.
**Implement Access Controls:**\n    \n    - Limit API key permissions
to minimum required\n    \n    - Use separate keys for different
integrations\n    \n    - Revoke keys immediately when no longer
needed\n    \n3. **Monitor Usage:**\n    \n    - Log all API
requests in your application\n    \n    - Set up alerts for unusual
activity\n    \n    - Review access logs regularly\n    \n4.
**Handle Data Responsibly:**\n    \n    - Encrypt sensitive data at
rest\n    \n    - Implement data retention policies\n    \n    - Comply with privacy regulations (GDPR, etc.)\n    \n    - Secure
data transmission (HTTPS only)\n    \n\n--\n\n## □ Tips &
Tricks\n\n### Tip 1: Discover Available Fields\n\n`` http\n# Make a
request without filters to see all available fields\nGET
/items?code=1011\n# Examine the response to discover:\n# - Field names
(for filtering)\n# - Data types\n# - Custom fields (in datafields
array)\n\n``\n\n### Tip 2: Test Filters in ERP First\n\n\nBefore
implementing filters in your code, test them in the Directo ERP
interface. If a filter works in the ERP, it will work in the
API.\n\n### Tip 3: Use Postman Variables\n\n\nSet up collection variables
for easy environment switching:\n\n- `baseUrl`:\n`https://login.directo.ee/apidirect`\n    \n- `version`: `1`\n    \n-
`apiKey`: `YOUR_API_KEY`\n    \n\n### Tip 4: Build Filter Strings
Programmatically\n\n`` python\n# Python example\ndef
build_filter_url(base_url, filters):\n    params =
\"&\".join([f\"{k}={v}\" for k, v in filters.items()])\n    return
f\"{base_url}?{params}\" \nfilters = {\n    \"warehouse\": \"AALTR\", \n    \"quantity\": \">0\", \n    \"status\": \"ACTIVE\" \n}\nurl =
build_filter_url(\"{baseUrl}/v1/items\", filters)\n# Result:
{{baseUrl}}/v1/items?warehouse=AALTR&quantity=>0&status=ACTIVE\n\n
``\n\n### Tip 5: Handle Timestamps Consistently\n\n`` python\n#
Always use ISO 8601 format with timezone\nfrom datetime import
datetime, timezone\n# Get current timestamp\nnow =

```

```

datetime.now(timezone.utc).isoformat())\n# Result:
2025-11-20T07:30:00+00:00\n# Or use Z notation\nnow =
datetime.now(timezone.utc).strftime("%Y-%m-%dT%H:%M:%SZ")\n# Result:
2025-11-20T07:30:00Z\n\n```\n\n### Tip 6: Implement Robust Error
Handling\n\n```python\n# Python example with comprehensive error
handling\nimport requests\nimport time\ndef
fetch_directo_data(endpoint, params=None, max_retries=3):\n    url =
f"{{{base_url}}}/v{{{version}}}/{endpoint}"\n    headers = {\n
"X-Directo-Key": "YOUR_API_KEY",\n        "Accept":
"application/json"\n    }\n    for attempt in range(max_retries):\n
try:\n        response = requests.get(url, headers=headers,
params=params, timeout=30)\n        if response.status_code ==
200:\n            return response.json()\n        elif
response.status_code == 429:\n            # Rate limit - wait and
retry\n            wait_time = 2 ** attempt\n
time.sleep(wait_time)\n        elif response.status_code in [401,
403]:\n            # Auth error - don't retry\n
raise Exception(f"Authentication error: {response.status_code}")\n
else:\n            # Other error - log and retry\n
print(f"Error {response.status_code}: {response.text}")\n
time.sleep(1)\n    except requests.exceptions.Timeout:\n
print(f"Timeout on attempt {attempt + 1}")\n
time.sleep(2)\n    except requests.exceptions.RequestException as
e:\n        print(f"Request failed: {e}")\n
time.sleep(2)\n    raise Exception(f"Failed after {max_retries}
attempts")\n# Usage\nitems = fetch_directo_data("items",
params={"warehouse": "AALTR", "quantity": ">0"})\n\n```\n\n---
\n\n**Last Updated:** 29-01-2026 \n\n**API Version:** 1
\n\n**Documentation Version:** 3.0 (Enterprise Edition)\n\n---\n\n## Quick
Reference Card\n\n### Essential Endpoints\n\n```\nItems:
GET /v1/items\nCustomers: GET /v1/customers\nOrders: GET
/v1/orders\nInvoices: GET /v1/invoices\nStock: GET
/v1/stocklevels\nDeletions: GET /v1/deleted\n\n```\n\n###
Authentication\n\n```http\nX-Directo-Key: YOUR_API_KEY\n\n```\n\n###
Response Format\n\n```http\nAccept: application/json (or
application/xml)\n\n```\n\n### Common Filters\n\n```\nExact match:
?field=value\nGreater than: ?field=>value\nLess than:
?field=Not equal: ?field!=value\nMultiple values:
?field=value1,value2\nTimestamp: ?ts=2025-11-20T07:00:00Z\n\n
```\n\n### Filter Examples\n\n```
http\n?warehouse=AALTR\n?quantity=>100\n?date=>2025-11-01T00:00:00&date
=<2025-12-01T00:00:00\n?status=NEW,PENDING\n?country!=EE\n?ts=2025-11-2
0T07:00:00Z\n\n```\n\n### Remember\n\nAll fields can be filtered
(except calculated fields) \nFilters mirror ERP system behavior \n
Use timestamp filtering for sync \nURL encode special characters
\nImplement rate limiting (60 req/min) \nHandle errors with
exponential backoff\n\n---\n\nThis documentation is maintained by the
Directo development team. For questions or feedback, contact_
[<i>info@directo.ee</i>](https://mailto:info@directo.ee)",
"schema":
"https://schema.getpostman.com/json/collection/v2.1.0/collection.json",

```

```
 "_exporter_id": "14246513"
 },
 "item": [
 {
 "name": "apidirect",
 "item": [
 {
 "name": "v{version}",
 "item": [
 {
 "name": "sales_quotations",
 "item": [
 {
 "name": "All sales quotations",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/sales_quotations",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "sales_quotations"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 },
 {
 "key": "row_item",
 "value": "9810",
 "disabled": true
 },
 {
 "key": "status",
 "value": "UUS",
```

```
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "row_quantity",
 "value": "as",
 "disabled": true
 },
 {
 "key": "country",
 "value": "!EE",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 },
 {
 "key": "row_stock",
 "value": "223TEST",
 "disabled": true
 },
 {
 "key": "probability",
 "value": ">50",
 "type": "text",
 "disabled": true
 }
]
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
```

```

 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/sales_quotations?ts=1949-07-30T08:11:05.129Z"
,
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "sales_quotations"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]
},
{
 "name": "orders",
 "item": [
 {

```

```
"name": "All orders",
"request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
"url": {
 "raw": "{{baseUrl}}/v{{version}}/orders",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "orders"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "19900274",
 "disabled": true
 },
 {
 "key": "row_item",
 "value": "9810",
 "disabled": true
 },
 {
 "key": "status",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "row_quantity",
```

```
 "value": "as",
 "disabled": true
 },
 {
 "key": "country",
 "value": "!EE",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 },
 {
 "key": "row_stock",
 "value": "223TEST",
 "disabled": true
 },
 {
 "key": "row_r_discount",
 "value": ">0",
 "type": "text",
 "disabled": true
 },
 {
 "key": "order_type",
 "value": null,
 "type": "text",
 "disabled": true
 }
]
}
},
"response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>"
 }
]
 }
 }
]
```

```

 "description": "Added as a part of security
scheme: apikey"
 },
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/orders?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "orders"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
}
]
},
{
 "name": "invoices",
 "item": [
 {
 "name": "All invoices",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 },

```

```
"url": {
 "raw": "{{baseUrl}}/v{{version}}/invoices",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "invoices"
],
 "query": [
 {
 "key": "ts",
 "value": ">2025-01-01T08:11:05.129Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 },
 {
 "key": "row_item",
 "value": "9810",
 "disabled": true
 },
 {
 "key": "status",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "date",
 "value": "2025-09-02",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "row_quantity",
 "value": ">100",
 "disabled": true
 },
 {
```

```

 "key": "country",
 "value": "!EE",
 "disabled": true
 },
 {
 "key": "row_item",
 "value": "000033AAAXX",
 "disabled": true
 }
]
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/invoices?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "invoices"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [

```

```
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]
}
},
{
 "name": "purchase_orders",
 "item": [
 {
 "name": "All purchase orders",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw":
 "{{baseUrl}}/v{{version}}/purchase_orders",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "purchase_orders"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 },
 {
 "key": "row_item",
 "value": "9810",
 "disabled": true
 }
]
 }
 }
 }
]
}
```

```
 {
 "key": "status",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "row_quantity",
 "value": "as",
 "disabled": true
 },
 {
 "key": "country",
 "value": "!EE",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 },
 {
 "key": "row_stock",
 "value": "223TEST",
 "disabled": true
 }
]
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
```

```

 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/purchase_orders?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "purchase_orders"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
}
]
},
{
 "name": "stock_receipts",
 "item": [
 {
 "name": "All stock receipts",
 "request": {
 "method": "GET",
 "header": [

```

```
{
 "key": "Accept",
 "value": "application/xml"
},
"url": {
 "raw": "{{baseUrl}}/v{{version}}/stock_receipts",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "stock_receipts"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 },
 {
 "key": "row_item",
 "value": "9810",
 "disabled": true
 },
 {
 "key": "status",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "row_quantity",
 "value": "as",
 "disabled": true
 },
 {
```

```

 "key": "country",
 "value": "!EE",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 },
 {
 "key": "row_stock",
 "value": "223TEST",
 "disabled": true
 }
]
}
},
"response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/stock_receipts",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "stock_receipts"
]
 }
 }
 },

```

```

 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
}
],
{
 "name": "purchase_invoices",
 "item": [
 {
 "name": "All purchase invoices",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/purchase_invoices",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "purchase_invoices"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 }
]
 }
 }
 }
]
}

```

```
 "key": "row_item",
 "value": "9810",
 "disabled": true
 },
 {
 "key": "status",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "row_quantity",
 "value": "as",
 "disabled": true
 },
 {
 "key": "country",
 "value": "!EE",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 },
 {
 "key": "row_stock",
 "value": "223TEST",
 "disabled": true
 },
 {
 "key": "row_invoicenum",
 "value": "500226",
 "type": "text",
 "disabled": true
 }
]
```

```

 }
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/purchase_invoices?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "purchase_invoices"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]

```

```
 }
]
},
{
 "name": "purchase_payments",
 "item": [
 {
 "name": "All purchase payments",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/purchase_payments",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "purchase_payments"
],
 "query": [
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 },
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "confirmed",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 }
]
 }
 }
 }
]
}
```

```

 },
 {
 "key": "object",
 "value": "!EE",
 "disabled": true
 },
 {
 "key": "project",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "row_rn",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "row_suppliercode",
 "value": "9810",
 "disabled": true
 },
 {
 "key": "row_quantity",
 "value": "as",
 "disabled": true
 },
 {
 "key": "row_object",
 "value": "223TEST",
 "disabled": true
 }
]
}
},
"response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
]
 }
 }
],

```

```
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/purchase_payments?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "purchase_payments"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]
 },
 {
 "name": "customers",
 "item": [
 {
 "name": "All customers",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 },
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/customers",
 "host": [
```

```

 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "customers"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
 "disabled": true
 },
 {
 "key": "code",
 "value": null,
 "disabled": true
 },
 {
 "key": "closed",
 "value": "0",
 "disabled": true
 }
]
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
]
 },
 "url": {
 "raw":
 "{{baseUrl}}/v{{version}}/customers?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "customers"
]
 }
 }
]
}

```

```
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
}
]
}
],
},
{
 "name": "suppliers",
 "item": [
 {
 "name": "All suppliers",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/suppliers",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "suppliers"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
```

```

 "disabled": true
 },
 {
 "key": "data_row_code",
 "value": "PROMO,HANKIJA_LINK_SIS",
 "disabled": true
 },
 {
 "key": "closed",
 "value": "0",
 "disabled": true
 }
]
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/suppliers?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "suppliers"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",

```

```
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
}
],
{
 "name": "contacts",
 "item": [
 {
 "name": "All contacts",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/contacts",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "contacts"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
 "disabled": true
 },
 {
 "key": "code",
 "value": null,
 "disabled": true
 },
 {
 "key": "closed",
 "value": "0",

```

```

 "disabled": true
 }
]
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/contacts?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "contacts"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]
}

```

```
 }
]
}
],
{
 "name": "items",
 "item": [
 {
 "name": "All items",
 "event": [
 {
 "listen": "test",
 "script": {
 "exec": [
 ""
],
 "type": "text/javascript",
 "packages": {},
 "requests": {}
 }
 },
 {
 "listen": "prerequisite",
 "script": {
 "exec": [
 ""
],
 "type": "text/javascript",
 "packages": {},
 "requests": {}
 }
 }
],
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "",
 "value": "",
 "type": "text",
 "disabled": true
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/items",
 "host": [
```

```
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "items"
],
 "query": [
 {
 "key": "code",
 "value": "",
 "disabled": true
 },
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "country",
 "value": "EE",
 "disabled": true
 },
 {
 "key": "class",
 "value": "AUTOD",
 "disabled": true
 },
 {
 "key": "closed",
 "value": "1",
 "disabled": true
 },
 {
 "key": "name",
 "value": "%name%",
 "type": "text",
 "disabled": true
 },
 {
 "key": "description",
 "value": "%description%",
 "disabled": true
 }
]
}
```

```

 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/items?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "items"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]
 },

```

```
{
 "name": "itemclasses",
 "item": [
 {
 "name": "All itemclasses",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/itemclasses",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "itemclasses"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
 "disabled": true
 },
 {
 "key": "masters",
 "value": "CON",
 "disabled": true
 },
 {
 "key": "code",
 "value": null,
 "disabled": true
 }
]
 }
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 }
 }
]
 }
]
}
```

```

 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/itemclasses?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "itemclasses"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
},
"status": "OK",
"code": 200,
"_postman_previewlanguage": "xml",
"header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
"cookie": [],
"body": ""
}
]
}
},
{
 "name": "priceformulas",
 "item": [
 {
 "name": "All priceformulas",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",

```

```

 "value": "application/xml"
 }
],
"url": {
 "raw": "{{baseUrl}}/v{{version}}/priceformulas",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "priceformulas"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
 "disabled": true
 },
 {
 "key": "row_item",
 "value": "0009",
 "disabled": true
 }
]
}
},
"response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
 "{{baseUrl}}/v{{version}}/priceformulas?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",

```

```
 "priceformulas"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
}
]
}
],
{
 "name": "stocklevels",
 "item": [
 {
 "name": "All stocklevels",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 },
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/stocklevels",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "stocklevels"
],
 "query": [
 {
 "key": "code",
```

```

 "value": "_4008110308067",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "123TEST",
 "disabled": true
 }
]
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/stocklevels",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "stocklevels"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z",
 "disabled": true
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [

```

```
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]
},
{
 "name": "All stocklevels with
serialnumbers/batchnumbers",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/stocklevels_sn",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "stocklevels_sn"
],
 "query": [
 {
 "key": "code",
 "value": "",
 "disabled": true
 },
 {
 "key": "sn",
 "value": "E101-10",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "TL1,TL",
 "disabled": true
 }
]
 }
 },
 "response": [
 {
```

```

 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/stocklevels_sn",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "stocklevels_sn"
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
},
{
 "name": "All Allocations",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 },

```

```
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/allocations",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "allocations"
],
 "query": [
 {
 "key": "code",
 "value": null,
 "disabled": true
 }
]
 },
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security"
 }
]
 },
 "url": {
 "raw":
scheme: apikey
 "{{baseUrl}}/v{{version}}/allocations",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "allocations"
]
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
```

```
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
}
]
}
]
},
{
 "name": "accounts",
 "item": [
 {
 "name": "All accounts",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/accounts",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "accounts"
],
 "query": [
 {
 "key": "code",
 "value": "",
 "disabled": true
 },
 {
 "key": "class",
 "value": "",
 "disabled": true
 },
 {
 "key": "closed",
 "value": "1",
 "disabled": true
 }
]
 }
 }
 }
]
}
```

```
 }
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/accounts?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "accounts"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]
}
```

```
]
},
{
 "name": "transactions",
 "item": [
 {
 "name": "All transactions",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/transactions",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "transactions"
],
 "query": [
 {
 "key": "number",
 "value": "1011",
 "disabled": true
 },
 {
 "key": "type",
 "value": "FIN,LAEK",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2023-05-10T09:13:57",
 "disabled": true
 },
 {
 "key": "row_account",
 "value": "111281",
 "disabled": true
 },
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
 "disabled": true
 }
]
 }
 }
 }
]
}
```

```
 }
 },
 "response": [
 {
 "name": "OK",
 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/transactions?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "transactions"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
]
}
```

```
]
},
{
 "name": "deletions",
 "item": [
 {
 "name": "All deleted",
 "request": {
 "method": "GET",
 "header": [],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/deleted",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "deleted"
],
 "query": [
 {
 "key": "document",
 "value": "maksuvalem,inventar",
 "disabled": true
 },
 {
 "key": "user",
 "value": "!SUPER",
 "disabled": true
 },
 {
 "key": "ts",
 "value": ">2020-09-23T16:37:09",
 "disabled": true
 },
 {
 "key": "code",
 "value": null,
 "disabled": true
 },
 {
 "key": "number",
 "value": null,
 "disabled": true
 }
]
 }
 },
 "response": [
 {
 "name": "OK",
```

```

 "originalRequest": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 },
 {
 "key": "X-Directo-Key",
 "value": "<API Key>",
 "description": "Added as a part of security
scheme: apikey"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/deleted?ts=1949-07-30T08:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "deleted"
],
 "query": [
 {
 "key": "ts",
 "value": "1949-07-30T08:11:05.129Z"
 }
]
 }
 },
 "status": "OK",
 "code": 200,
 "_postman_previewlanguage": "xml",
 "header": [
 {
 "key": "Content-Type",
 "value": "application/xml"
 }
],
 "cookie": [],
 "body": ""
 }
}
]
},
{
 "name": "financial_budgets",
 "item": [

```

```
{
 {
 "name": "All financial budgets",
 "request": {
 "method": "GET",
 "header": [],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/financial_budgets",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "financial_budgets"
]
 }
 },
 "response": []
 }
},
{
 "name": "events",
 "item": [
 {
 "name": "All events",
 "request": {
 "method": "GET",
 "header": [],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/events",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "events"
]
 }
 },
 "response": []
 }
]
},
{
 "name": "receipts",
 "item": [
 {
 "name": "All receipts",
 "request": {
 "method": "GET",
```

```
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/receipts",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "receipts"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
 "disabled": true
 },
 {
 "key": "code",
 "value": null,
 "disabled": true
 },
 {
 "key": "closed",
 "value": "0",
 "disabled": true
 }
]
 },
 "response": []
 }
],
 },
 {
 "name": "deliveries",
 "item": [
 {
 "name": "All deliveries",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 },
]
],
 },
],
}
```

```

 "url": {
 "raw": "{{baseUrl}}/v{{version}}/deliveries",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "deliveries"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05.129Z",
 "disabled": true
 },
 {
 "key": "code",
 "value": "",
 "disabled": true
 },
 {
 "key": "confirmed",
 "value": "0",
 "disabled": true
 }
]
 },
 "response": []
]
 },
 {
 "name": "movements",
 "item": [
 {
 "name": "All movements",
 "request": {
 "method": "GET",
 "header": [],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/movements",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "movements"
]
 }
 }
 }
]
 }
],

```

```
 "response": []
 }
]
 },
 {
 "name": "objects",
 "item": [
 {
 "name": "All objects",
 "request": {
 "method": "GET",
 "header": [],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/objects",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "objects"
]
 }
 },
 "response": []
 }
]
 },
 {
 "name": "projects",
 "item": [
 {
 "name": "All projects",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/projects",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "projects"
],
 "query": [
 {

```

```
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 },
 {
 "key": "row_item",
 "value": "9810",
 "disabled": true
 },
 {
 "key": "status",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "stock",
 "value": "AALTR,AIPM",
 "disabled": true
 },
 {
 "key": "row_quantity",
 "value": "as",
 "disabled": true
 },
 {
 "key": "country",
 "value": "!EE",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 },
 {
 "key": "row_stock",
```

```
 "value": "223TEST",
 "disabled": true
 }
]
 },
 "response": []
}
],
{
 "name": "resources",
 "item": [
 {
 "name": "All resources",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/resources",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "resources"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 },
 {
 "key": "status",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
```

```

 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 },
 {
 "key": "confirmed",
 "value": "1",
 "type": "text",
 "disabled": true
 },
 {
 "key": "row_acceptedhours",
 "value": ">0",
 "type": "text",
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 }
]
 },
 "response": []
}
],
{
 "name": "sales_contracts",
 "item": [
 {
 "name": "All sales contracts",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw":
 "{{baseUrl}}/v{{version}}/sales_contracts",
 "host": [
 "{{baseUrl}}"
],
 "path": [

```

```
 "v{{version}}",
 "sales_contracts"
],
 "query": [
 {
 "key": "ts",
 "value": "2025-01-01T08:11:05Z",
 "disabled": true
 },
 {
 "key": "number",
 "value": "!1908694",
 "disabled": true
 },
 {
 "key": "status",
 "value": "UUS",
 "disabled": true
 },
 {
 "key": "row_description",
 "value": "Maja",
 "disabled": true
 },
 {
 "key": "date",
 "value": "<2025-09-03T00:00:00",
 "disabled": true
 },
 {
 "key": "date",
 "value": ">2025-09-01T00:00:00",
 "disabled": true
 }
]
},
"response": []
]
},
{
 "name": "replacementlogs",
 "item": [
 {
 "name": "All replacementlogs",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
```

```

 "value": "application/xml"
 }
],
 "url": {
 "raw":
"{{baseUrl}}/v{{version}}/replacementlogs",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "replacementlogs"
],
 "query": [
 {
 "key": "nr",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "document",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "ts",
 "value": null,
 "type": "text",
 "disabled": true
 }
]
 }
 },
 "response": []
}
],
{
 "name": "users",
 "item": [
 {
 "name": "All users",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 }
 }
]
}

```

```
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/users",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "users"
],
 "query": [
 {
 "key": "ts",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "code",
 "value": "xx",
 "type": "text",
 "disabled": true
 },
 {
 "key": "employee",
 "value": "!1",
 "type": "text",
 "disabled": true
 }
]
 },
 "response": []
 },
 {
 "name": "recipes",
 "item": [
 {
 "name": "All recipes",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 },
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/recipes",
```

```
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "recipes"
],
 "query": [
 {
 "key": "ts",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "code",
 "value": "00001",
 "type": "text",
 "disabled": true
 }
]
 },
 "response": []
}
],
},
{
 "name": "nettings",
 "item": [
 {
 "name": "All nettings",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 },
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/nettings",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "nettings"
],
 "query": [
 {
```

```
 "key": "ts",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "number",
 "value": "1,29",
 "type": "text",
 "disabled": true
 },
 {
 "key": "row_object",
 "value": "ISIK",
 "type": "text",
 "disabled": true
 },
 {
 "key": "row_purchaseinvoice",
 "value": "201400035",
 "type": "text",
 "disabled": true
 },
 {
 "key": "suppliercode",
 "value": "00009",
 "type": "text",
 "disabled": true
 }
]
}
},
"response": []
}
]
},
{
 "name": "usagelogs",
 "item": [
 {
 "name": "All usagelogs",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
]
 },
 "url": {
 "raw":
```

```
"{{baseUrl}}/v{{version}}/usagelogs?requeststart=>2026-06-01T09:11:05.129Z",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "usagelogs"
],
 "query": [
 {
 "key": "requeststart",
 "value": ">2026-06-01T09:11:05.129Z",
 "type": "text"
 },
 {
 "key": "requestend",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "nr",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "name",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "ip",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "cu",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "datafield1",
 "value": null,
 "type": "text",
 "disabled": true
 }
],
```

```
 {
 "key": "datafield2",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "code",
 "value": null,
 "type": "text",
 "disabled": true
 }
]
},
{
 "response": []
}
],
{
 "name": "expenses",
 "item": [
 {
 "name": "All expenses",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/expenses",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "expenses"
],
 "query": [
 {
 "key": "number",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "expender",
 "value": null,
```

```
 "type": "text",
 "disabled": true
 },
 {
 "key": "customercode",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "customername",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "date",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "type",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "object",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "status",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "cu",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "ts",
 "value": null,
 "type": "text",
 "disabled": true
 },
],
```

```
 {
 "key": "row_account",
 "value": "7052",
 "type": "text",
 "disabled": true
 },
 {
 "key": "row_suppliercode",
 "value": "00",
 "type": "text",
 "disabled": true
 }
]
},
{
 "response": []
}
],
{
 "name": "approvals",
 "item": [
 {
 "name": "All approvals",
 "request": {
 "method": "GET",
 "header": [
 {
 "key": "Accept",
 "value": "application/xml"
 }
],
 "url": {
 "raw": "{{baseUrl}}/v{{version}}/approvals",
 "host": [
 "{{baseUrl}}"
],
 "path": [
 "v{{version}}",
 "approvals"
],
 "query": [
 {
 "key": "module",
 "value": "",
 "disabled": true
 },
 {
 "key": "number",
 "value": "",
 "type": "text",
```

```
 "disabled": true
 },
 {
 "key": "id",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "employee",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "role",
 "value": "digiallkiri",
 "type": "text",
 "disabled": true
 },
 {
 "key": "signaturestatus",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "signature",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "signaturetime",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
 "key": "ts",
 "value": null,
 "type": "text",
 "disabled": true
 },
 {
 "key": "changedby",
 "value": "",
 "type": "text",
 "disabled": true
 },
 {
```

```
 "key": "externalid",
 "value": null,
 "type": "text",
 "disabled": true
 }
]
 },
 "response": []
}
]
}
]
}
]
}
],
"auth": {
 "type": "apikey",
 "apikey": [
 {
 "key": "value",
 "value": "{{APIKey}}",
 "type": "string"
 },
 {
 "key": "key",
 "value": "X-Directo-Key",
 "type": "string"
 },
 {
 "key": "in",
 "value": "header",
 "type": "string"
 }
]
},
"event": [
 {
 "listen": "prerequest",
 "script": {
 "type": "text/javascript",
 "packages": {},
 "requests": {},
 "exec": [
 ""
]
 }
 },
 {
 "listen": "test",
```

```

"script": {
 "type": "text/javascript",
 "requests": {},
 "exec": [
 "// =====",
 "// DIRECTO API - COMPREHENSIVE TEST SUITE",
 "// =====",
 "// These tests run for all requests in the collection",
 "// Covers: Status codes, response structure, data
validation, error handling",
 "",
 "// Test 1: Response Status Code Validation",
 "pm.test(\"Status code is 200 OK\", function () {",
 " pm.response.to.have.status(200);",
 "});",
 "",
 "// Test 2: Response Time Performance Check",
 "pm.test(\"Response time is acceptable (under 5 seconds)\",
function () {",
 " pm.expect(pm.response.responseTime).to.be.below(5000);",
 "});",
 "",
 "// Test 3: Content-Type Header Validation",
 "pm.test(\"Content-Type header is present\", function () {",
 " pm.response.to.have.header(\"Content-Type\");",
 "});",
 "",
 "// Test 4: Response Body Exists",
 "pm.test(\"Response body is not empty\", function () {",
 " pm.expect(pm.response.text()).to.not.be.empty;",
 "});",
 "",
 "// Test 5: Valid JSON or XML Response",
 "pm.test(\"Response is valid JSON or XML format\", function
() {",
 " const contentType = pm.response.headers.get(\"Content-
Type\");",
 " ",
 " if (contentType &&
contentType.includes(\"application/json\")) {",
 " pm.expect(() =>
pm.response.json()).to.not.throw();",
 " } else if (contentType &&
(contentType.includes(\"application/xml\") ||
contentType.includes(\"text/xml\"))) {",
 " pm.expect(() =>
xml2Json(pm.response.text())).to.not.throw();",
 " }",
 "});",
 "",
 "// =====",

```

```

 "// RESPONSE STRUCTURE & DATA VALIDATION",
 "// =====",
 "",
 "try {",
 " const contentType = pm.response.headers.get(\"Content-
Type\");",
 " let responseData;",
 " let isJson = false;",
 " ",
 " // Parse response based on content type",
 " if (contentType &&
contentType.includes(\"application/json\")) {",
 " responseData = pm.response.json();",
 " isJson = true;",
 " ",
 " // Test 6: JSON Response Structure",
 " pm.test(\"JSON response has valid structure\",
function () {",
 " ",
 pm.expect(responseData).to.be.an('object').or.to.be.an('array');",
 " });",
 " ",
 " } else if (contentType &&
(contentType.includes(\"application/xml\") ||
contentType.includes(\"text/xml\"))) {",
 " responseData = xml2Json(pm.response.text());",
 " ",
 " // Test 6: XML Response Structure",
 " pm.test(\"XML response has valid structure\",
function () {",
 " pm.expect(responseData).to.be.an('object');",
 " });",
 " }",
 " ",
 " // =====",
 " // ENDPOINT-SPECIFIC DATA VALIDATION",
 " // =====",
 " ",
 " const requestName = pm.info.requestName.toLowerCase();",
 " ",
 " // Test 7: Response Data Type and Array Validation",
 " if (responseData) {",
 " if (Array.isArray(responseData)) {",
 " pm.test(\"Response is an array with items\",
function () {",
 " pm.expect(responseData).to.be.an('array');",
 " });",
 " ",
 " if (responseData.length > 0) {",
 " pm.test(\"Array contains valid objects\",
function () {",

```

```

"
pm.expect(responseData[0]).to.be.an('object');",
" });",
" ",
" // Test 8: Data Integrity - Check for
required fields based on endpoint",
" if (requestName.includes(\"item\")) {",
" pm.test(\"Items have required fields\",
function () {",
" const item = responseData[0];",
" ",
pm.expect(item).to.have.property('id').or.to.have.property('itemId').or
.to.have.property('code');",
" });",
" ",
" // Type checking for items",
" pm.test(\"Item fields have correct data
types\", function () {",
" const item = responseData[0];",
" if (item.id)
pm.expect(item.id).to.satisfy(val => typeof val === 'string' || typeof
val === 'number');",
" if (item.name)
pm.expect(item.name).to.be.a('string');",
" if (item.price)
pm.expect(item.price).to.be.a('number').or.to.be.a('string');",
" });",
" }",
" ",
" if (requestName.includes(\"customer\")) {",
" pm.test(\"Customers have required
fields\", function () {",
" const customer = responseData[0];",
" ",
pm.expect(customer).to.have.property('id').or.to.have.property('custome
rId').or.to.have.property('code');",
" });",
" ",
" pm.test(\"Customer fields have correct
data types\", function () {",
" const customer = responseData[0];",
" if (customer.id)
pm.expect(customer.id).to.satisfy(val => typeof val === 'string' ||
typeof val === 'number');",
" if (customer.name)
pm.expect(customer.name).to.be.a('string');",
" if (customer.email)
pm.expect(customer.email).to.be.a('string');",
" });",
" }",
" ",

```

```

 " if (requestName.includes(\"order\")) {",
 " pm.test(\"Orders have required fields\",
function () {",
 " const order = responseData[0];",
 "
pm.expect(order).to.have.property('id').or.to.have.property('orderId').
or.to.have.property('orderNumber');",
 " });",
 " ",
 " pm.test(\"Order fields have correct data
types\", function () {",
 " const order = responseData[0];",
 " if (order.id)
pm.expect(order.id).to.satisfy(val => typeof val === 'string' || typeof
val === 'number');",
 " if (order.date)
pm.expect(order.date).to.be.a('string');",
 " if (order.total)
pm.expect(order.total).to.be.a('number').or.to.be.a('string');",
 " });",
 " }",
 " ",
 " if (requestName.includes(\"invoice\")) {",
 " pm.test(\"Invoices have required
fields\", function () {",
 " const invoice = responseData[0];",
 " ",
pm.expect(invoice).to.have.property('id').or.to.have.property('invoiceI
d').or.to.have.property('invoiceNumber');",
 " });",
 " ",
 " pm.test(\"Invoice fields have correct
data types\", function () {",
 " const invoice = responseData[0];",
 " if (invoice.id)
pm.expect(invoice.id).to.satisfy(val => typeof val === 'string' ||
typeof val === 'number');",
 " if (invoice.date)
pm.expect(invoice.date).to.be.a('string');",
 " if (invoice.amount)
pm.expect(invoice.amount).to.be.a('number').or.to.be.a('string');",
 " });",
 " }",
 " ",
 " if (requestName.includes(\"stocklevel\"))
{",
 " pm.test(\"Stock levels have required
fields\", function () {",
 " const stock = responseData[0];",
 " ",
pm.expect(stock).to.have.property('itemId').or.to.have.property('item')

```

```

.or.to.have.property('quantity');"
 " });";
 " ",
 " pm.test(\"Stock level fields have
correct data types\", function () {",
 " const stock = responseData[0];",
 " if (stock.quantity)
pm.expect(stock.quantity).to.be.a('number').or.to.be.a('string');"
 " if (stock.itemId)
pm.expect(stock.itemId).to.satisfy(val => typeof val === 'string' ||
typeof val === 'number');"
 " });";
 " }",
 " ",
 " if (requestName.includes(\"allocation\"))
{",
 " pm.test(\"Allocations have required
fields\", function () {",
 " const allocation =
responseData[0];",
 " pm.expect(allocation).to.have.property('id').or.to.have.property('itemI
d').or.to.have.property('quantity');"
 " });";
 " }",
 " ",
 " if (requestName.includes(\"itemclass\")) {",
 " pm.test(\"Item classes have required
fields\", function () {",
 " const itemClass = responseData[0];",
 " pm.expect(itemClass).to.have.property('id').or.to.have.property('code')
.or.to.have.property('name');"
 " });";
 " }",
 " ",
 " if (requestName.includes(\"priceformula\"))
{",
 " pm.test(\"Price formulas have required
fields\", function () {",
 " const formula = responseData[0];",
 " pm.expect(formula).to.have.property('id').or.to.have.property('code').o
r.to.have.property('formula');"
 " });";
 " }",
 " ",
 " if (requestName.includes(\"deleted\")) {",
 " pm.test(\"Deleted records have required
fields\", function () {",
 " const deleted = responseData[0];",

```

```

 "
pm.expect(deleted).to.have.property('id').or.to.have.property('deletedI
d').or.to.have.property('type');",
 " });",
 " }",
 " } else {",
 " pm.test(\"Empty array response is valid (no
data available)\", function () {",
 "
pm.expect(responseData).to.be.an('array').that.is.empty;",
 " });",
 " }",
 " } else if (typeof responseData === 'object') {",
 " pm.test(\"Response is a valid object\", function
() {",
 "
pm.expect(responseData).to.be.an('object');",
 " });",
 " },
 " // Check if it's an error response",
 " if (responseData.error || responseData.message)
{",
 " pm.test(\"Error response contains error
details\", function () {",
 "
pm.expect(responseData).to.have.property('error').or.to.have.property('
message');",
 " });",
 " }",
 " }",
 " }",
 " }",
 " }",
 " ",
 " // =====",
 " // DATA INTEGRITY CHECKS",
 " // =====",
 " ",
 " // Test 9: No Null or Undefined Critical Values",
 " if (Array.isArray(responseData) && responseData.length >
0) {",
 " pm.test(\"Critical fields are not null or
undefined\", function () {",
 " responseData.forEach((item, index) => {",
 " if (item.id !== undefined) {",
 " pm.expect(item.id, `Item ${index} has
null/undefined id`).to.not.be.null;",
 " pm.expect(item.id, `Item ${index} has
null/undefined id`).to.not.be.undefined;",
 " }",
 " });",
 " }",
 " }",
 " }",

```

```

 " ",
 " // Test 10: Consistent Data Structure Across Array
Items",
 " if (Array.isArray(responseData) && responseData.length >
1) {",
 " pm.test(\"Array items have consistent structure\",
function () {",
 " const firstItemKeys =
Object.keys(responseData[0]).sort();",
 " const allConsistent = responseData.every(item =>
{",
 " const itemKeys = Object.keys(item).sort();",
 " return JSON.stringify(firstItemKeys) ===
JSON.stringify(itemKeys);",
 " });",
 " },",
 " // This is a soft check - log warning if
inconsistent but don't fail",
 " if (!allConsistent) {",
 " console.warn(\"Warning: Array items have
inconsistent structure\");",
 " }",
 " pm.expect(true).to.be.true; // Always pass but
log the warning",
 " });",
 " }",
 " ",
 " } catch (error) {",
 " // =====",
 " // ERROR HANDLING",
 " // =====",
 " ",
 " pm.test(\"Response parsing error handled gracefully\",
function () {",
 " console.error(\"Error parsing response:\",
error.message);",
 " console.error(\"Response body:\",
pm.response.text().substring(0, 500));",
 " ",
 " // Check if it's an authentication error",
 " if (pm.response.code === 401 || pm.response.code ===
403) {",
 " pm.expect.fail(\"Authentication failed - check
X-Directo-Key header\");",
 " }",
 " ",
 " // Check if it's a server error",
 " if (pm.response.code >= 500) {",
 " pm.expect.fail(\"Server error - API may be
unavailable\");",
 " }",
 " }",
 " }",
 }

```

```

 "
 // For other errors, log but don't fail the test
suite",
 console.warn("\Unexpected response format or parsing
error\");",
 });",
 },
 "",
 "// =====",
 "// SECURITY & HEADERS VALIDATION",
 "// =====",
 "",
 "// Test 11: Security Headers Check (Optional but
recommended)",
 "pm.test("\Response has security considerations\", function
() {",
 " // This is informational - we check but don't fail",
 " const hasSecurityHeaders = pm.response.headers.has("\X-
Content-Type-Options\");",
 " pm.response.headers.has("\X-
Frame-Options\");",
 " pm.response.headers.has("\Strict-Transport-Security\");",
 " if (!hasSecurityHeaders) {",
 " console.info("\Info: No common security headers
detected\");",
 " }",
 " pm.expect(true).to.be.true; // Always pass",
 "});",
 "// Test 12: SQL injection (For testing add {{payload}} to
parameters like \v1\items\code={{payload}})",
 "pm.test("\Check SQL error messages\", function () {",
 " const body = pm.response.text().toLowerCase();",
 " const sqlErrors = [\\"sql\\", \\"mysql\\", \\"syntax error\\",
\\"driver\\", \\"database\\", \\"query\\"];",
 " sqlErrors.forEach(error => {",
 " pm.expect(body).to.not.include(error);",
 " });",
 "});",
 "",
 "pm.test("\Response time normal (Time-based Blind SQL
Injection)\", function () {",
 " pm.expect(pm.response.responseTime).to.be.below(2000);",
 " ",
 "});",
 "",
 "// Test: Error messages disclosure",
 "pm.test("\Error message is generic and safe\", function ()
{",
 " const responseBody = pm.response.text();",

```

```

 " const sensitiveTerms = [\"SQL\", \"stack trace\",
\"syntax error at\", \"fatal error\", \"uncaught exception\", \"on line
[0-9]\", \"original_query\", \"exception\", \"database\"];\",
 sensitiveTerms.forEach(term => {\",
 \"
pm.expect(responseBody.toLowerCase()).to.not.include(term.toLowerCase()
);\",
 \" });\",
 \"});\",
 \"\",
 \"pm.test(\"Response should not contain sensitive data\",
function () {\",
 \"
pm.expect(pm.response.text()).to.not.include(\"item_name\");\",
 \"});\",
 \"\",
 \"// Test xx: Information Disclosure (DISABLED)\",
 \"pm.test(\"Should not reveal server technology in headers\",
function () {\",
 \" const headersToHide = [\",
 \" \"X-AspNet-Version\",\",
 \" \"X-AspNetMvc-Version\",\",
 \" \"X-Powered-By\",\",
 \" \"Server\",\",
 \"];\",
 \"\",
 \" headersToHide.forEach(header => {\",
 \" const value = pm.response.headers.get(header);\",
 \" pm.expect(value, `Header ${header}
found!`).to.be.oneOf([undefined, \"\"]);\",
 \" });\",
 \"});\",
 \"\",
 \"// =====\",
 \"// SUMMARY LOGGING\",
 \"// =====\",
 \"\",
 \"console.log(\"=====\\");\",
 \"console.log(\"Test Summary for:\", pm.info.requestName);\",
 \"console.log(\"Status Code:\", pm.response.code);\",
 \"console.log(\"Response Time:\", pm.response.responseTime +
\\\"ms\\\");\",
 \"console.log(\"Response Size:\", pm.response.size().body + \\\"
bytes\\\");\",
 \"console.log(\"=====\\\");\"
]
}
}
],
\"variable\": [
{

```

```
{
 "key": "baseUrl",
 "value": "https://login.directo.ee/apidirect"
},
{
 "key": "version",
 "value": "1"
},
{
 "key": "payload",
 "value": ""
}
]
```

Save the file as **collection.json** (File → Save As, choose „All Files“ as the file type so it doesn't save with a .txt extension).

## Importing the file into Postman

1. Open Postman.
2. Click **Import** (top left corner).
3. Choose **File** and select the **collection.json** file you just saved.
4. Click **Import**.

The collection now appears in the left sidebar under **Collections**.

From:  
<https://wiki.directo.ee/> - Directo Help

Permanent link:  
[https://wiki.directo.ee/et/api\\_direct/postman](https://wiki.directo.ee/et/api_direct/postman)

Last update: **2026/07/29 11:39**

