

Sisukord

Directo manuste hoiustamine Google Drive'is	3
<i>Sobiv Google'i konto</i>	3
<i>Google'i rakenduse loomine ja seadistamine</i>	3
<i>Google rakenduse võtmete loomine</i>	14
<i>Google Drive'i sisse lülitamine Directos</i>	18

Directo manuste hoiustamine Google Drive'is

Sobiv Google'i konto

Google Drive'i sidumine Directoga lubab ettevõttel hoida kõikide dokumentide manuseid ettevõtte enda loodud Google Drive'i pilvekeskkonnas, mis praegusel hetkel võrdub tasuta 15 GB andmeruumiga.

Kõik dokumendid, mis tekivad manustena mujalt, kui kasutaja enda poolt manustamise hetkel (näiteks liideste kaudu), sünkroniseeritakse taustal Drive'i. Kasutajal peab olema kehtiv ja aktiivne Google'i konto.



Google Apps for Work/Business/GSuite jms. kontod ei sobi. Tegemist peab olema tavalise Gmaili kontoga.

Uue konto saad luua siin: <https://accounts.google.com/signup>.




Kuna Google täiendab ja arendab pidevalt oma teenuseid, siis võivad need erineda antud juhendis kirja pandust. Palun loe kõige värskema info saamiseks Google'i dokumentatsiooni! Kui märkad olulisi erinevusi, siis palun võta meiega ühendust.


Google'i rakenduse loomine ja seadistamine

Veendu, et oled sisse logitud kontoga, mida soovid Directoga sidumiseks kasutada (nt. mine aadressile gmail.com ja logi sealt sisse). Kõik manused tekivad sisse logitud konto Google Drive'i keskkonda. Kõige lihtsam on selleks kasutada veebilehitseja „incognito“ võimalust, mis avaneb seisundis, kus ei ole ühtegi aktiivset sessiooni. Seega järgmisele lingile vajutades küsitakse Sinult, millise kontoga Sa soovid sisse logida.


1. Mine järgmisele lehele <https://console.cloud.google.com/flows/enableapi?apiid=drive> ja vajuta nupule „Next“.



2. Järgmisel lehel vajuta nupule „Enable“.



3. Järgmisena ava vasakul üleval nurgas olev navigatsioonimenüü ja vali sealt „API's & Services → Credentials“.



4. Vajuta nupule „Configure Consent screen“.

API Credentials – APIs & Services – Testiks

console.cloud.google.com/apis/credentials?project=testiks

Google Cloud Platform Testiks Search Products, resources, docs (/)

API APIs & Services Credentials + CREATE CREDENTIALS DELETE

Create credentials to access your enabled APIs. [Learn more](#)

Remember to configure the OAuth consent screen with information about your application. [CONFIGURE CONSENT SCREEN](#)

API Keys

<input type="checkbox"/>	Name	Creation date ↓	Restrictions	Key	Actions
No API keys to display					

OAuth 2.0 Client IDs

<input type="checkbox"/>	Name	Creation date ↓	Type	Client ID	Actions
No OAuth clients to display					

Service Accounts [Manage service accounts](#)

<input type="checkbox"/>	Email	Name ↑	Actions
No service accounts to display			

5. Täida ekraanil olev vorm nagu pildil näidatud ja vajuta nupule „Create“.



6. Täida väljad kasutades Sinu kontrolli all olevat emaili ja vajuta allolevale „Save and Continue“ nupule.

The screenshot shows the 'Edit app registration' page in the Google Cloud Platform console. The left sidebar contains the 'APIs & Services' menu with options like 'Enabled APIs & services', 'Library', 'Credentials', 'OAuth consent screen' (selected), 'Domain verification', and 'Page usage agreements'. The main content area is titled 'Edit app registration' and has a progress bar with four steps: 1. OAuth consent screen (active), 2. Scopes, 3. Test users, and 4. Summary.

App information
This shows in the consent screen, and helps end users know who you are and contact you.

App name *
Directo Google Drive
The name of the app asking for consent

User support email *
[redacted]@gmail.com
For users to contact you with questions about their consent

App logo [BROWSE](#)
Upload an image, not larger than 1MB on the consent screen that will help users recognize your app. Allowed image formats are JPG, PNG, and BMP. Logos should be square and 120px by 120px for the best results.

App domain
To protect you and your users, Google only allows apps using OAuth to use Authorized Domains. The following information will be shown to your users on the consent screen.

Application home page
Provide users a link to your home page

Application privacy policy link
Provide users a link to your public privacy policy

Application terms of service link
Provide users a link to your public terms of service

Authorized domains ⓘ
When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the [Google Search Console](#) to check if your domains are authorized. [Learn more](#) about the authorized domain limit.

[+ ADD DOMAIN](#)

Developer contact information

Email addresses *
[redacted]@gmail.com ⓘ
These email addresses are for Google to notify you about any changes to your project.

[SAVE AND CONTINUE](#) [CANCEL](#)

7. Vajuta nupule „Add or remove scopes“. Avanenud vaates olevasse „Filter“ välja kirjuta „drive“ ja markeeri otsinguvastete hulgast pildil näidatud valik.



Kui muudatud on tehtud, vajuta „Update“.

API Edit app registration – APIs & Services

console.cloud.google.com/apis/credentials/consent/editNewAppInternalUser=false?project=testiks

Google Cloud Platform Testiks Search Products, resources, docs (/)

API APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Domain verification

Page usage agreements

Edit app registration

1 OAuth consent screen — 2 **Scopes** — 3 Test users — 4 Summary

Scopes express the permissions you request users to authorize for your app and allow your project to access specific types of private user data from their Google Account. [Learn more](#)

[ADD OR REMOVE SCOPES](#)

Your non-sensitive scopes

API ↑	Scope	User-facing description	
Google Drive API	/auth/drive.file	See, edit, create, and delete only the specific Google Drive files you use with this app	

Your sensitive scopes

Sensitive scopes are scopes that request access to private user data.

API ↑	Scope	User-facing description
No rows to display		

Your restricted scopes

Restricted scopes are scopes that request access to highly sensitive user data.


API ↑	Scope	User-facing description
No rows to display		

[SAVE AND CONTINUE](#) [CANCEL](#)

8. Järgmise lehe võid vajutades „Save and Continue“ vahele jätta.

The screenshot shows the Google Cloud Platform console interface. The left sidebar contains the 'APIs & Services' menu with options like 'Enabled APIs & services', 'Library', 'Credentials', 'OAuth consent screen', 'Domain verification', and 'Page usage agreements'. The main content area is titled 'Edit app registration' and shows a progress bar with four steps: 'OAuth consent screen', 'Scopes', 'Test users' (current step), and 'Summary'. Below the progress bar, the 'Test users' section explains that while the publishing status is 'Testing', only test users can access the app, with a user cap of 100. A '+ ADD USERS' button is present. Below this is a filter section with the text 'Filter Enter property name or value' and a table header 'User information'. The table currently shows 'No rows to display'. At the bottom, there are 'SAVE AND CONTINUE' and 'CANCEL' buttons.

9. Sellel lehel näidatakse Sulle ülevaadet. Vajuta nupule „Back to dashboard“.



The screenshot shows the Google Cloud Platform console interface. The left sidebar contains the 'APIs & Services' menu with options like 'Enabled APIs & services', 'Library', 'Credentials', 'OAuth consent screen' (selected), 'Domain verification', and 'Page usage agreements'. The main content area is titled 'Edit app registration' and displays the 'OAuth consent screen' configuration. The 'User type' is set to 'External'. The 'App name' is 'Directo Google Drive'. The 'Support email' is a redacted email address. The 'App logo' is 'Not provided'. The 'Application homepage link' is 'Not provided'. The 'Application privacy policy link' is 'Not provided'. The 'Application terms of service link' is 'Not provided'. The 'Authorized domains' are 'Not provided'. The 'Contact email addresses' are redacted. Below this, the 'Scopes' section shows a table with one scope: 'Google Drive API' with the scope '.../auth/drive.file' and a user-facing description. The 'Test users' section shows '0 users (0 test, 0 other) / 100 user cap' and a filter input field. A 'BACK TO DASHBOARD' button is at the bottom left.

APIs & Services

- Enabled APIs & services
- Library
- Credentials
- OAuth consent screen**
- Domain verification
- Page usage agreements

Edit app registration

OAuth consent screen

[EDIT](#)

User type
External

App name
Directo Google Drive

Support email
[redacted]@gmail.com

App logo
Not provided

Application homepage link
Not provided

Application privacy policy link
Not provided

Application terms of service link
Not provided

Authorized domains
Not provided

Contact email addresses
[redacted]@gmail.com

Scopes

[EDIT](#)

API	Scope	User-facing description
Google Drive API	.../auth/drive.file	See, edit, create, and delete only the specific Google Drive files you use with this app

Test users

[EDIT](#)

0 users (0 test, 0 other) / 100 user cap

Filter Enter property name or value

User information

No rows to display

[BACK TO DASHBOARD](#)

10. Aplikatsiooni avalikustamiseks vajuta nupule „Publish app“.

The screenshot shows the Google Cloud Platform console interface. On the left, the 'APIs & Services' menu is open, with 'OAuth consent screen' selected. The main content area displays the configuration for the 'Directo Google Drive' application. The 'Publishing status' is set to 'Testing', and the 'PUBLISH APP' button is highlighted with a green box. Below this, the 'User type' is set to 'External'. The 'OAuth user cap' section shows a progress bar for 0 users (0 test, 0 other) out of a 100 user cap. The 'Test users' section has an 'ADD USERS' button and a table with no rows displayed. The 'OAuth rate limits' section shows a token grant rate of 10,000 grants per day, with a '1 day' limit selected. A red dashed line at the bottom indicates 'No data is available for the selected time frame'.



Google rakenduse võtmete loomine

Järgmisena on vaja luua võtmed mida Directo hakkab kasutama Sinu Google rakendusega suhtlemiseks. Selleks navigeeri vasakul üleval ääres oleva menüü kaudu uuesti „API's & services → Credentials“.

1. Vajuta päises olevale nupule „Create credentials → OAuth Client ID“.



2. Vali rippmenüüst „Web Application“.



3. Järgmisena täida pildil punaselt markeeritud väljad täpselt nii nagu näidatud ja vajuta nuppu „Create“.

APIs & Services

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Web application

Name *
Directo Google Drive

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ⓘ

For use with requests from a browser

URIs *
https://login.directo.ee

+ ADD URI

Authorized redirect URIs ⓘ

For use with requests from a web server


URIs *
https://login.directo.ee/logos/oauthCallback.asp

+ ADD URI

CREATE CANCEL

4. Lõplik tulemus on „Client ID“ ja „Client Secret“ väärtused, mis tuleb komaga eraldatuna lisada Directosse süsteemi seadistuse „Google drive client_id ja client_secret“ väärtuseks.

Näiteks `124124.apps.googleusercontent.com,fqowjfoiqwhfoiqwf5g`.



Google Drive'i sisse lülitamine Directos

Lõpuks tuleb Directos seadistuste alt liikuda „Manuste hoiustamine“ ja vajutada valikule „Hoiu dokumendi manuseid Google Drive's“. Peale vajutamist avaneb Google'i enda login aken, millel tuleb ennast autentida kontoga, mida soovid manuste hoiustamiseks kasutada.

Peale autentimist aken sulgub ja edaspidi liiguvad kõik manustatud dokumendid otse Google Drive'i ja kõik olemasolevad manused tõstetakse taustal ümber.

From:

<https://wiki.directo.ee/> - **Directo Help**

Permanent link:

https://wiki.directo.ee/et/google_drive_ee?rev=1702988030

Last update: **2023/12/19 14:13**

