

Sisukord

Mažaverčio turto kortelė test	3
Low Value Assets	3
Settings	3
Low value asset card	3
1. Document buttons	4
1.1. Header fields	4
2. Document fields	6
2.1. Header fields	6
2.2. Data	7
2.2.1. Fiscal data	7
2.2.2. Purchase data	7
2.2.3. Location	7
2.2.4. Insurance data	8
2.2.5. Rental info	8
2.3. Data fields	8
2.4. Value corrections	8
2.5. Users	8
2.6. ID	9
2.7. Actions	9
3. Creating a new low value asset card	9
3.1. Creating a low value asset card from the purchase invoice document	10
3.2. Creating a low value asset card from the expense document	10
3.3. Creating a low value asset card from the stock depreciation document	11
3.4. Creating a low value asset card from register	11
3.5. Creating a low value asset card from bulk import module	11
3.6. Low value asset code numbering	11
4. The low value asset card is editable	12
5. Low value asset card confirmation	12
6. Low value asset quantity	12
7. Address on fixed asset and low value asset card	13
7.1. Setting the addresses	13
7.2. Entering addresses location codes	13
7.3. Use of address location codes	14
7.4. Display location fields on the Fixed Asset and Low Value Asset card	14
8. User management	14
8.1. Simple user management	15
8.2. Detailed user management	15
8.3. Setup and usage options	16
8.3.1. Relation between assets and personnel assets	16
8.3.2. Setting: An asset can have one active In charge user or User at the same time	17
8.3.3. System setting: Asset and Employee relation	18
8.4. Reports	18
9. Asset actions	19
10. Low Value Asset register	19
11. Frequently Asked Questions	19
11.1. How do I get rid of a draft?	19
11.2. Why can't the draft be saved?	20
12. Examples	20

12.1. Low value asset with quantity of 3	20
12.1.1. Creating the low value asset card	20
12.1.2. Changing Users and Departments through a Low Value Asset Change Document	21
12.1.3. The low value asset card change	23

Mažaverčio turto kortelė test



This page is not fully translated, yet. Please help completing the translation.

(remove this paragraph once the translation is finished)

Low Value Assets

The Low Value Assets card is intended for managing low value assets.

The Low Value Assets card works with the following documents

- The Low Value Asset change
- The Asset write-off
- The Asset inventory

The Asset Card and the Low Value Asset Card can not be used at the same time, the data does not move correctly and Directo does not correct errors due to incorrect use.

Settings

The following settings should be completed before creating low value asset cards:

- [Asset classes](#)
- [Locations addresses](#)

Low value asset card

New Save Copy Discard Delete Attachments Mail Print Change LVA Write off

Low value asset VV001 Saved

Related documents: purch invoice : 100094

Code	Name	Class	Class name	Type	Leasing
VV001	Medical device	VV_3	Väikevarad grupp 3	LVA - low value asset:	No <input type="checkbox"/> Rental asset
Master	Comment	BAR CODE			
		<input type="checkbox"/> Closed			

Data DataFields Value corrections Users ID Actions

FISCAL DATA

Start date	Purchase price	Value correction	End date	Purchase price total	Unit price
23.11.2021	1000	250		1250	178.57

PURCHASE DATA

Quantity	Q off	Q current	Supplier	Supplier name	Purch invoice	Purchased	Item
7	0	7	1009	Meditiiniseadmete OÜ	100094	01.01.2021	
SN	Disposed			Warranty	Extended warranty	Maintenance provider	Maintenance provider name
Maintenance							<input type="checkbox"/> In maintenance
				Received free of char			

LOCATION

Department	User	In charge	Object	Customer code	Customer Name	Project
	JAAN	MALE	MYYK	61	Banaanid OÜ	K201
Location						

INSURANCE DATA

Insurance list	Insurance cover	Insurer	Insurer name	Comment
<input checked="" type="checkbox"/>	0	1007	Apple OÜ	

RENTAL INFO

Rental item	Rental unit	Rental start	Rental end
	Month		

1. Document buttons

1.1. Header fields

New Save Copy Discard Delete Attachments Mail Print Change LVA Write off

- **New** - opens a new blank document
- **Save** - saves the document
- **Copy** - makes a copy of the document. Only one unsaved draft can be opened at a time. Next copy can be made when new document is saved.
- **Discard** - The button is active when the transaction is in draft status or unsaved changes have been made to the entry. After selecting Discard, the unsaved changes will be removed and the transaction will be saved.
- **Delete** - deletes the transaction. Asks in advance if you are sure you want to delete. Only these low value asset documents can be deleted which have no operations performed (follow-up documents created etc).
- **Attachments** - allows to associate files with a document
- **Mail** - allows to send a document by e-mail
- **Print** - prints the document
- **Change LVA** - allows to make changes to the low value asset
- **Write off** - allows assets to be written off
-  - fine-tuning

Preferences

Personal **System**

Attachment preview
Right ▼

Select location additional info fields

Select ID table client additional info fields

Restore **Save**

- Option Select location additional info fields - allows to display various location additional information fields on the low value assets card. Display the required fields

Choose columns

Set: Personal Save and use Save as new set

Active columns
To change the order of columns drag it to the desired location.

Nr	Name	Header	Width	Order
	Copy another users settings			Copy

Unused columns

Q. Find column

APARTMENT +	CITY/PARISH +	COUNTRY +
COUNTY +	HOUSE +	PLACE NAME +
STREET +	ZIP +	

- Option Select ID table client additional info fields - allows to display various client additional information fields on the low value assets card. Display the required fields

Choose columns

Set: Personal

Save and use

Save as new set

Active columns

To change the order of columns drag it to the desired location.

Nr	Name	Header	Width	Order
----	------	--------	-------	-------

Copy another users settings

Unused columns

©-INVOICE RECEPTION	<input type="button" value="+"/>	ACCOUNT MANAGER	<input type="button" value="+"/>
ADDRESS2	<input type="button" value="+"/>	ADDRESS3	<input type="button" value="+"/>
ALLOWED FORMULAS	<input type="button" value="+"/>	ATTACHMENTS	<input type="button" value="+"/>
AUTO PRINT	<input type="button" value="+"/>	BALANCE	<input type="button" value="+"/>

-  - allows to open the attachment view associated with the document

2. Document fields

2.1. Header fields

- Code:** unique ID that can be entered manually or selected from double-click / right-click options
- Name:** name of low value asset
- Class:** asset class code - places the financial accounts and type related to the asset class, groups them in the low value asset reports. Selectable by double-clicking / right-clicking. Only classes with a low value asset type can be saved.
- Class name:** asset class name
- Type:** tangible asset TA/intangible asset ITA/low value asset LVA (depreciation is not calculated for low value assets)
- Leasing:** options NO, Capital lease, Operating lease - information field for the acquisition of a low value asset
- Rental asset:** checkmark. Allows to select this low value asset for lease contract. Opens the Rental Info section on the Low Value Asset card.
- Master:** if the low value asset is a part of another low value asset, reports can be taken with the master asset.
- Comment:** specifying field of the low value asset name
- Bar code:** asset bar code
- Closed:** checkmark

2.2. Data

2.2.1. Fiscal data

- **Start date:** usually low value asset purchase date. Related to the date of purchase. The start of the calculation can be in the same month in the past compared to the date of purchase. Future can be used.
- **Purchase price:** low value asset purchase price
- **Value correction:** total cost of low value assets additional amounts
- **End date:** blank by default. The date of write-off shall be the date of write-off.
- **Purchase price total:** adds up the purchase price and value corrections
- **Unit price:** calculates the price per unit

2.2.2. Purchase data

- **Quantity:** quantity can be bigger than 1. If low value asset is created from purchase invoice the quantity information is taken from the purchase invoice.
- **Q off:** low value asset written off quantity. Cannot be changed manually.
- **Q current:** low value asset current quantity. For example, if quantity was 5 pc-s and 1 pc was written off, then current quantity is 4 pc-s. Cannot be changed manually.
- **Supplier:** supplier code on purchase invoice
- **Supplier name:** supplier name on purchase invoice
- **Purchase invoice:** the purchase invoice number from which the low value asset card was created.
- **Purchased:** purchase invoice date
- **Item:** item code
- **SN:** serial number - information field
- **Disposed:** date
- **Warranty:** date
- **Extended warranty:** date
- **Maintenance provider:** maintenance provider code
- **Maintenance provider name:** name of the maintenance provider
- **In maintenance:** checkmark
- **Maintenance:** date (last maintenance / repair)
- **Next maintenance:** date (next scheduled maintenance / repair)
- **Action:** selection of different activities- purchase, received free of charge, improvements

2.2.3. Location

- **Department:** option of department tab
- **User:** option of the user tab, the code is placed
- **In charge:** option of the user tab, the code is placed
- **Object:** object or list of objects with commas
- **Customer code:** option of the customer tab, the code is placed
- **Customer Name:** name of the selected customer
- **Project:** option of the project tab
- **Location:** address ID

2.2.4. Insurance data

- **Insurance list:** checkmark, selecting will create an insurance list
- **Insurance cover:** the amount in which the low value asset is insured
- **Insurer:** insurance supplier code
- **Insurer name:** insurance supplier name
- **Comment:** text field

2.2.5. Rental info

- **Rental item:** an article that is placed on a low value asset contract as a line item or the article under which the low value asset is leased. The field is filled by default when you place an article on a low value asset on rental item field in item card On asset card this field can be replaced.
- **Rental unit:** options - month, day, without sunday, workday
- **Rental start:** determines the date when low value asset is offered for rent. It can also be empty or only one of them can be empty.
- **Rental end:** determines the date low value asset lease expires

2.3. Data fields

Data fields can be used to add parameters that are not described on the Low Value Asset card and later use in reports. Data fields to be described [Lisaväljad. LINK TULEB ÄRA MUUTA](#)

- **Type:** selection of additional fields described on the low value asset card
- **Content:** the contents of the data field selected in the selection line or added manually
- **Parameter:** text field

2.4. Value corrections

- **Date:** date - start of calculation
- **Value correction:** adding an amount
- **Object:** object or list of objects with commas
- **User:** option of the users tab, code is placed
- **Comment:** text field
- **Supplier:** option of the suppliers tab, code is placed
- **Supplier name:** selected supplier name
- **Document:** selection of the list (purchase invoice, expense, written off data, recalculation)
- **Number:** document number
- **Purchased:** date
- **Action:** selection of different activities- purchase, received free of charge, improvements

2.5. Users

- **Type:** low value asset type in the Personnel module. Selection of the drop-down menu. Settings: [Vara ja personali vahendite seos](#)
- **LV ID:** a code is placed on each unit according to the quantity
- **User:** option of the user tab, the code is placed

- **User name:** user name is displayed (after saving), cannot be changed
- **Contract:** the document on the basis of which the low value asset was issued to the user. Text field. Not required
- **Close out:** option of the user tab, the code is placed
- **Close out name:** name is displayed (after saving), cannot be changed
- **Start date:** date of issue the low value asset to the user
- **End date:** date of return of the low value asset or termination of liability
- **Comment:** explanatory text. Not required

2.6. ID

- **LV ID:** code is placed on each unit according to the quantity
- **Department:** option of department tab, the code is placed
- **User:** option of the user tab, the code is placed
- **In charge:** in charge user name is displayed (after saving), cannot be changed
- **Customer code:** option of the customer tab, the code is placed
- **Object:** object or list of objects with commas
- **Project:** option of the project tab
- **Write-off date:** date, can be added only from the write-off document
- **Location:** address ID

2.7. Actions

Shows the activities performed with low value assets (purchase; users, departments e.t.c change; etc.).

- **Date:** date
- **Action date:** date
- **Transaction time:** date
- **Action:** action type is displayed
- **Who:** user name is displayed
- **When:** action date
- **Value:** value sum (eg low value asset purchase price cost)
- **Transaction:** transaction number
- **Document:** related document number
- **Comment:** related document comment field information

3. Creating a new low value asset card

New low value asset card can be created as follows:

- From the purchase document
- From the expense document
- From the stock depreciation document
- From low value assets register
- By bulk importing low value assets cards

3.1. Creating a low value asset card from the purchase invoice document

Enter the purchase invoice, select an asset account in the Account field, to which the cost of low value assets must go.

After confirming the purchase invoice, a New LVA button will appear below the third dot at the top of the lines. By pressing the button, a new low value asset card opens with pre-filled information that can be queried from the purchase invoice and which remains directly related to that purchase invoice. Data is added automatically if you select an account in the purchase invoice that matches the account for the asset class.

Accounts: accounts are placed from asset class.

Maintenance, location and insurance data are for information purposes only and can be used as needed.

3.2. Creating a low value asset card from the expense document

After confirming the expense, a New LVA button will appear below the third dot at the top of the lines. By pressing the button, a new low value asset card opens with pre-filled information that can be queried from the expense and which remains directly related to that expense. Data is added automatically if you select an account to the expense which matches the account for the asset class.

3.3. Creating a low value asset card from the stock depreciation document

After confirming the stock depreciation, a New LVA button will appear in the end of the rows. By pressing the button, a new low value asset card opens with pre-filled information that can be queried from the stock depreciation and which remains directly related to that stock depreciation.



Necessary fine-tuning on the stock depreciation document **Asset creation** - Yes

3.4. Creating a low value asset card from register

The Low Value Asset card can be created from the Low Value Asset register or from the Low Value Asset card.

Finance > Low Value Assets > Add new

There is no pre-filled data on the manually created low value asset card.

3.5. Creating a low value asset card from bulk import module

For large data amounts, it is convenient to use the bulk import module. Provides the ability to import a pre-formatted Excel spreadsheet with low value asset cards information into Directo and as a result, a corresponding number of low value asset cards are created in Directo. Large data updates are also possible through the same module.

Importing large data amounts, it is important to know that the type of asset must be given as a number in the prepared data table:

0 - low value asset 1 - tangible asset 2 - intangible asset 3 - written-off asset

3.6. Low value asset code numbering

One or multiple low value asset code ranges can be used for low value assets.

- One range is used for all low value assets

If one range is in use, when creating the next low value asset card, the next range code is taken as the low value asset code (For example, LV1 - when creating the next card, the low value asset code is set to LV2).

- Multiple ranges are used for all low value assets

If multiple ranges are in use, when creating the next low value asset card, double-click on the code and select the range that is used.



If you want to use numbers in ranges - for example LV00001, a number must be added before the number part of the code - for example LV10001. Using the code LV00001, the program offers LV2

as the next code. If the code is LV10001, the program will offer LV10002 as the next code.

4. The low value asset card is editable

System settings - Asset settings → Asset card is editable - NO/YES. By default the setting is YES

YES - all changes can be made directly on the low value asset card, but reports for an earlier period cannot be taken later - who was in charge etc.

NO - changes can only be made on the additional documents. Changes are saved and they can be reported in the past. Option **NO** allows to make changes in fixed assets and low value assets fields, which are not closed on low value asset card.

If System setting Asset card is editable → NO the fields will be locked after some linked document has been created for the first time (Low Value Asset Change, Inventory).

Following fields are locked on the **Low value asset card**:

- Code
- Type
- Value correction
- Purchase price total
- Start date
- Purchase price
- End date
- Purchased
- Quantity
- Location
- Department
- User
- In charge
- Object
- Customer
- Project

5. Low value asset card confirmation

The low value asset card is not confirmed.

System settings→ Asset settings→Asset card must be confirmed (no/yes) applies only to fixed asset cards.

6. Low value asset quantity

If more than one similar low value assets are purchased at the same time, is possible to make a separate card for each low value assets or mark the purchased quantity to the quantity cell on one card.

There is a field to track the data for each individual piece **LV ID** and the data is shown on low value asset card tab **id**.

Low value asset MONITOR Saved Last changed

Code	Name	Class	Class name	Type																						
MONITOR	Monitor Dell	VV	Väikevarad	LVA - low value asset: <input type="checkbox"/> Closed																						
<input type="button" value="Data"/> <input type="button" value="DataFields"/> <input type="button" value="Value corrections"/> <input type="button" value="Users"/> <input style="border: 2px solid red; border-radius: 5px; padding: 2px 10px;" type="button" value="ID"/> <input type="button" value="Actions"/>																										
✓ FISCAL DATA <table border="1"> <tr> <td>Start date</td> <td>Purchase price</td> <td>Value correction</td> <td>End date</td> <td>Purchase price total</td> <td>Unit price</td> </tr> <tr> <td>01.03.2022</td> <td>1200</td> <td>0</td> <td></td> <td>1200</td> <td>400.00</td> </tr> </table> ✓ PURCHASE DATA <table border="1"> <tr> <td>Quantity</td> <td>Supplier</td> <td>Supplier name</td> <td>Purch invoice</td> <td>Purchased</td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>					Start date	Purchase price	Value correction	End date	Purchase price total	Unit price	01.03.2022	1200	0		1200	400.00	Quantity	Supplier	Supplier name	Purch invoice	Purchased	3				
Start date	Purchase price	Value correction	End date	Purchase price total	Unit price																					
01.03.2022	1200	0		1200	400.00																					
Quantity	Supplier	Supplier name	Purch invoice	Purchased																						
3																										

Separate data can be added to each LV ID

<input type="button" value="Data"/>	<input type="button" value="DataFields"/>	<input type="button" value="Value corrections"/>	<input type="button" value="Users"/>	<input type="button" value="ID"/>	<input type="button" value="Actions"/>																																								
<table border="1"> <thead> <tr> <th>No.</th> <th>LV ID</th> <th>Department</th> <th>User</th> <th>In charge</th> <th>Customer code</th> <th>Object</th> <th>Project</th> <th>Write-off date</th> <th>Location</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>MONITOR.1</td> <td>OFFICE</td> <td>JAAN</td> <td></td> <td></td> <td>ADMIN</td> <td></td> <td></td> <td>01_ROOM</td> </tr> <tr> <td>2</td> <td>MONITOR.2</td> <td>PROD</td> <td>KAIE</td> <td></td> <td></td> <td>PROD</td> <td></td> <td></td> <td>102_5_Park</td> </tr> <tr> <td>3</td> <td>MONITOR.3</td> <td>OFFICE</td> <td>MARGUS</td> <td></td> <td></td> <td>ADMIN</td> <td></td> <td></td> <td>02_ROOM</td> </tr> </tbody> </table>						No.	LV ID	Department	User	In charge	Customer code	Object	Project	Write-off date	Location	1	MONITOR.1	OFFICE	JAAN			ADMIN			01_ROOM	2	MONITOR.2	PROD	KAIE			PROD			102_5_Park	3	MONITOR.3	OFFICE	MARGUS			ADMIN			02_ROOM
No.	LV ID	Department	User	In charge	Customer code	Object	Project	Write-off date	Location																																				
1	MONITOR.1	OFFICE	JAAN			ADMIN			01_ROOM																																				
2	MONITOR.2	PROD	KAIE			PROD			102_5_Park																																				
3	MONITOR.3	OFFICE	MARGUS			ADMIN			02_ROOM																																				

7. Address on fixed asset and low value asset card

7.1. Setting the addresses

Addresses can be configured **Settings** → **Personnel Settings** → **Departments**. Every address can have its own code. The address code **location** is placed on the fixed assets and small assets card. Enter the accuracy of the locations as needed. Use additional fields for location codes as desired.

Examples : Company has departments in Tallinn, Tartu, Võru.

- Location codes by city - TALLINN, TARTU, VORU
- Location codes by address - MOISA_4
- Location codes by floor - MOISA_4_7k, MOISA_4_9k
- Location codes by rooms (room numbers or names) - 01_ROOM, 02_ROOM

7.2. Entering addresses location codes

Address settings **Settings** > **Personnel Settings** > **Departments** Add location addresses on departments card at the bottom of the page. Enter asset location addresses to address rows.

Administration

CODE	OFFICE
NAME	Administration
SUPERIOR	JOHN

Addresses

Code	Street	House	Apartment	Place name	City/Parish	County	Zip	Country
01_ROOM	Park	5		Room 1	Malton	Yorkshire	45878	En
02_ROOM	Park	5		Room 2	Malton	Yorkshire	45878	En

- **Code:** location code, can be entered manually
- **Street:** text field
- **House:** text field
- **Apartment:** text field
- **Place name:** text field
- **Zip:** text field
- **City/Parish:** text field
- **County:** text field
- Entering the location code for the first time, fill in all the address fields
- The same location code can be entered under the next department. In this case, enter the location code and the address fields will be filled automatically.

7.3. Use of address location codes

If departments are not in use, create a GENERAL department under which to enter all the desired location codes

- If a department is marked on the Fixed Asset and Low Value Asset card, you can select the locations marked under that department
- If a department is not marked on the Fixed Asset and Low Value Asset card, you can select all the locations
- Locations cannot be associated with objects or projects

7.4. Display location fields on the Fixed Asset and Low Value Asset card

The location code is in the data group **LOCATION** on the fixed asset card. More fields of the location code can be displayed under the Fixed Asset card fine-tuning - Asset location additional info fields.

8. User management

Low value assets can be linked to users with purpose to have an overview who owns or is responsible for the asset. Users are managed using the fields **User** and **In charge** on the asset main page or in the tab **Users** :



If the quantity of low value assets is bigger than 1 and different users have the low value assets, the users can be marked in tab **ID** and in tab **Users**.

Low value asset MONITOR Draft

Last changed

Code	Name	Class	Class name	Type
MONITOR	Monitor Dell	VV	Väikevarad	LVA - low value asset: <input type="checkbox"/> Closed

Users Users ID Actions

FISCAL DATA

Start date	Purchase price	Value correction	End date	Purchase price total	Unit price
01.03.2022	1200	0		1200	400.00

PURCHASE DATA

Quantity	Supplier	Supplier name	Purch invoice	Purchased
3				

LOCATION

Department	User	In charge	Object	Project	Location
	KAIE		ADMIN		

8.1. Simple user management

Simple user management can be organized using the **User** and **In charge** fields. Persons from the Directo personnel register can be placed in these fields, who then will use or be in charge for the asset.



You can change the person codes on the low value asset card with simple user management, but the data history will not remain and the reports will not be viewable.

8.2. Detailed user management

More detailed user management can be done using the **Users** tab of the assets and the **Assets** tab of Personnel Card.

On Low Value Asset card **Users** tab can edit and add rows to the Personnel card tab **Resources**.

If the system setting **The asset card is editable=N0** is used, the user data can only be changed through an additional document [Low Value Asset change](#)

Users Users Proportions Actions

Copy selection **Delete selection**

No.	Type	User	User name	Start Date	End Date	Comment	Close out	Close out name	Contract
1	Computer	BOB	Bob Brown	08.04.2022			HANNA	Hanna Maria	
2									
3									
4									
5									
6									

Type- asset type in Personnel module. Selection from the drop-down menu. Setup: [Põhivara ja personali vahendite seos](#);

User- selection from users tab. Code is placed;

User name- user name is displayed (after saving), cannot be changed;

Start date- date of issue the low value asset to the user;

End date- asset return date or termination of liability;

Comment- explanatory text. Not required;

Close out- selection from users tab. Code is placed;

Close out name- name is displayed (after saving), cannot be changed

Contract- the document on the basis of which the low value asset was issued to the user. Text field. Not required;

If user is added to the low value asset card through Users tab, then it is immediately in the Assets tab of the corresponding person's personal card:

NO	Type	Asset	LV ID	Description	Supplier	SN	Cost	Contract	Close out	Close out name	Start Date	End Date	Comment	Project
1	Computer	A109		Computer Dell	Computer		120000	HANNA	Hanna Maria	08.04.2022				
2														
3														
4														
5														
6														

8.3. Setup and usage options

8.3.1. Relation between assets and personnel assets

It is necessary to set the assets **Types**, in order to save assets lines to personnel card tab **Assets**. A list of asset types is created **Settings**→**Personnel settings**→**Data Types**→**Asset**:

NO	Name
1	Computer
2	Car
3	
4	
5	
6	
7	

This table creates a list of asset groups as we want to systematize them in the Personnel module. This list does not have to directly match to the asset class list.



Rows without an asset type cannot be saved under personnel card assets. Read more in the Personnel Module Guide.

For **Asset class** is selected to, which personnel module asset type the given class corresponds to:

Finance Settings > Asset classes > 125361

Back New Copy Delete Save Status: View View changelog

Computers and computer systems

CODE	125361
NAME	Computers and computer systems
AMORT ACCOUNT	125369 >
DEPR ACCOUNT	551136 >
STOCK DEPR ACCOUNT	551190 >
ASSET ACCOUNT	125361 >
SALES PROFIT	421101 >
SALES LOSS	562111 >
DEPR %	33,3333
TAXONOMY	< >
MASTER	1253 >
PERSONNEL ASSET TYPE	Computer < >
TYPE	Tangible assets < >



The low value asset classes must be compiled in such detail, so that type comes correctly from class, if you want to use the low value asset types on the personnel card.

8.3.2. Setting: An asset can have one active In charge user or User at the same time

Settings → System settings → Asset settings → An asset can have one active In charge user or User at the same time: specifies whether there can be multiple end-dated rows in the Users tab at one time or not. In other words, can there be multiple users at the same time. Setting options: yes, no:

Yes- When a new user is added to the table, the previous user's row is „closed“ and its end date is

automatically set to one day less than the new user's start date:

Data		DataFields		Value corrections		Units of production method		Users		Proportions		Actions	
Copy selection Delete selection													
<input type="checkbox"/>	No.	Type	User	User name	Start Date	End Date	Comment		Close out	Close out name	Contract		
	Search	> Search	Search	> Search	> Search	> Search	> Search		> Search	Search	> Search		
1	Computer	BOB	Bob Brown		01.03.2022	31.03.2022				HANNA	Hanna Maria		
2	Computer	JOHN	John Brown		01.04.2022					HANNA	Hanna Maria		
3													

Only the last line can be edited and deleted (previous users lines are locked). If you delete the last line, the previous one becomes the active line and can be changed. Also the end date is removed from it.

No- all lines are freely editable. Except required fields that must be filled (Type, User, Start date). This means that the asset has multiple concurrent users and the asset is on a several personnel card.

Data		DataFields		Value corrections		Units of production method		Users		Proportions		Actions	
Copy selection Delete selection													
<input type="checkbox"/>	No.	Type	User	User name	Start Date	End Date	Comment		Close out	Close out name	Contract		
	Search	> Search	Search	> Search	> Search	> Search	> Search		> Search	Search	> Search		
1	Computer	BOB	Bob Brown		01.05.2022					HANNA	Hanna Maria		
2	Computer	JOHN	John Brown		01.06.2022					HANNA	Hanna Maria		
3													

8.3.3. System setting: Asset and Employee relation

Option **user** and **in charge** is intended for use, when the system setting An asset can have one active In charge user or User at the same time = **Yes** is selected.

Specifies which field (user or in charge) on the low value assets tab is updated automatically, when a new user is added to the users tab (the field is locked and cannot be changed manually). This means that the selected field (user or in charge) always has the currently active user or in charge user.

Option **No relation** is intended for use, when the system setting An asset can have one active In charge user or User at the same time = **No** is selected, then the fields User and In charge can be changed freely.

8.4. Reports

ON TÄIENDAMISEL !!

The reports **Asset list** and **Asset history** can be taken by a valid user or in charge user. It means the reports take into account the user / in charge user that are on the asset main page.

Therefore, it is reasonable to turn on the system settings **Asset and Employee Relation** so that the Users tab active user is also a valid user or a in charge user on the main page.

D << Report - Asset list v2 - Work - Microsoft Edge

https://login.directo.ee/ocra_directo_jane/yld_inventar_aru_nimekiri.asp?showall=jee&inventar=A110&inv_klass=&viide=&objekt=&osakond=&data1=&data1_t=&lisav_sel_item1=&d_klass=INVE

Code	Class	In charge	Object	Department	(Data field)	Print	CSV				
A110					(Data field)						
Description	Comment	Customer	Supplier	Start	(Data field)						
SN	Take asset	:	Project	Date	(Data field)						
Sorted by	Date	Written off	:	End	(Data field)						
User	Subtotal	User		Valid	(Data field)						
LV ID	Actions	Class									
<input checked="" type="checkbox"/> asset <input checked="" type="checkbox"/> capital asset <input checked="" type="checkbox"/> intangible		In charge	Written off	<input type="checkbox"/> Related <input type="checkbox"/> money <input type="checkbox"/> multiple datafields	<input type="checkbox"/> Closed <input type="checkbox"/> dates <input type="checkbox"/> Type <input type="checkbox"/> Accounts <input type="checkbox"/> insurance info <input type="checkbox"/> Purchased <input type="checkbox"/> customer <input type="checkbox"/> master class <input type="checkbox"/> action <input type="checkbox"/> LV ID						
JOHN											
A110	Start date	User JOHN	Class 125361	Object	Project	Department In charge BOB	Code A110	Description Computer Dell	Comment Bar code	SN	Quantity 1.00
1											
Total quantity: 1.00											
Total items: 1											

9. Asset actions

Asset actions codes are created to monitor different assets actions.

For example, in the case of a purchase, the default code is „purchase“, the code can be changed before the first depreciation calculation or follow-up documentation is made.

Actions can be used in reports. Some activities appear on the asset card only through additional documents - Fixed Asset change, Low value Asset change, Fixed Asset recalculation, Asset write-off, Asset inventory.

10. Low Value Asset register

Register allows to sort, filter low value asset cards, etc.


Buttons

- **Add new** - opens new empty low value asset card.
- **Browse** - entering the low value asset code in the Open code box, opens the low value asset card.
- **Open code** - when filling in the column filters, can click the View button to filter the selection.


11. Frequently Asked Questions

11.1. How do I get rid of a draft?

- If a draft is left from document, cannot be saved and reports an error, then the error message can be removed by closing the asset card, reopening it and pressing **Discard**.




- In the Fixed Assets and Low Value Assets browser can display column **Draft** with button **Choose Columns** and filter the assets by draft.
- If there is a draft from document that you do not want to save, press **Discard**



! All the changes, that have not been saved, will be deleted by pressing **Discard**.

11.2. Why can't the draft be saved?

- If the document does not have an active save button, may some fields contain code, that does not exist in Directo.
- If an error message is displayed when filling in the document, the document with such errors cannot be saved until the errors have been corrected.



12. Examples

12.1. Low value asset with quantity of 3

12.1.1. Creating the low value asset card

A low value asset purchased with a purchase invoice, a user and an item filled in on a purchase invoice.

Low value asset TABLE2 Saved

Last changed by (13.04.2022 at 15:46:37)

Related documents: purch invoice : 1002570

Code	Name	Class	Class name	Type
TABLE2	<input type="text" value="3 Tables"/>	<input type="text" value="VV"/>	<input type="text" value="Väikevarad"/>	<input type="checkbox"/> LVA - low value as <input type="checkbox"/> Closed
<input type="button" value="Data"/> <input type="button" value="DataFields"/> <input type="button" value="Value corrections"/> <input type="button" value="Users"/> <input type="button" value="ID"/> <input type="button" value="Actions"/>				
FISCAL DATA				
Start date	Purchase price	Value correction	End date	Purchase price total
31.03.2022	600	0	<input type="text"/>	600
Unit price	200.00			
PURCHASE DATA				
Quantity	Supplier	Supplier name	Purch invoice	Purchased
3	<input type="text" value="1131"/>	<input type="text" value="Wood OY"/>	<input type="text" value="100257"/>	<input type="text" value="31.03.2022"/>
LOCATION				
Department	User	In charge	Object	Project
	<input type="text" value="BOB"/>	<input type="text" value="ADMIN"/>		
<input type="button" value="Location"/>				

The data is generated immediately to the **ID** tab

<input type="button" value="Data"/> <input type="button" value="DataFields"/> <input type="button" value="Value corrections"/> <input type="button" value="Users"/> <input type="button" value="ID"/> <input type="button" value="Actions"/>																			
<input type="checkbox"/> No. <input type="checkbox"/> LV ID <input type="checkbox"/> Department <input type="checkbox"/> User <input type="checkbox"/> In charge <input type="checkbox"/> Customer code <input type="checkbox"/> Object <input type="checkbox"/> Project <input type="checkbox"/> Write-off date <input type="checkbox"/> Location																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td><input type="text" value="1 TABLE2.1"/></td> <td><input type="text" value="BOB"/></td> <td><input type="text" value="ADMIN"/></td> <td></td> <td></td> </tr> <tr> <td><input type="text" value="2 TABLE2.2"/></td> <td><input type="text" value="BOB"/></td> <td><input type="text" value="ADMIN"/></td> <td></td> <td></td> </tr> <tr> <td><input type="text" value="3 TABLE2.3"/></td> <td><input type="text" value="BOB"/></td> <td><input type="text" value="ADMIN"/></td> <td></td> <td></td> </tr> </table>					<input type="text" value="1 TABLE2.1"/>	<input type="text" value="BOB"/>	<input type="text" value="ADMIN"/>			<input type="text" value="2 TABLE2.2"/>	<input type="text" value="BOB"/>	<input type="text" value="ADMIN"/>			<input type="text" value="3 TABLE2.3"/>	<input type="text" value="BOB"/>	<input type="text" value="ADMIN"/>		
<input type="text" value="1 TABLE2.1"/>	<input type="text" value="BOB"/>	<input type="text" value="ADMIN"/>																	
<input type="text" value="2 TABLE2.2"/>	<input type="text" value="BOB"/>	<input type="text" value="ADMIN"/>																	
<input type="text" value="3 TABLE2.3"/>	<input type="text" value="BOB"/>	<input type="text" value="ADMIN"/>																	
Data is generated immediately to the ID tab																			

Tab **Users** is empty

<input type="button" value="Data"/> <input type="button" value="DataFields"/> <input type="button" value="Value corrections"/> <input type="button" value="Users"/> <input type="button" value="ID"/> <input type="button" value="Actions"/>																																								
<input type="button" value="Copy selection"/> <input type="button" value="Delete selection"/>																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td><input type="checkbox"/> No. <input type="checkbox"/> Type <input type="checkbox"/> LV ID <input type="checkbox"/> User <input type="checkbox"/> User name <input type="checkbox"/> Contract <input type="checkbox"/> Close out <input type="checkbox"/> Close out name <input type="checkbox"/> Start Date <input type="checkbox"/> End Date <input type="checkbox"/> Comment</td> </tr> <tr> <td><input type="text" value="Search"/></td> </tr> <tr> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>										<input type="checkbox"/> No. <input type="checkbox"/> Type <input type="checkbox"/> LV ID <input type="checkbox"/> User <input type="checkbox"/> User name <input type="checkbox"/> Contract <input type="checkbox"/> Close out <input type="checkbox"/> Close out name <input type="checkbox"/> Start Date <input type="checkbox"/> End Date <input type="checkbox"/> Comment	<input type="text" value="Search"/>	1										2																		
<input type="checkbox"/> No. <input type="checkbox"/> Type <input type="checkbox"/> LV ID <input type="checkbox"/> User <input type="checkbox"/> User name <input type="checkbox"/> Contract <input type="checkbox"/> Close out <input type="checkbox"/> Close out name <input type="checkbox"/> Start Date <input type="checkbox"/> End Date <input type="checkbox"/> Comment																																								
<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>																															
1																																								
2																																								

12.1.2. Changing Users and Departments through a Low Value Asset Change Document

<input type="button" value="New"/>	<input type="button" value="Save"/>	<input type="button" value="Copy"/>	<input type="button" value="Discard"/>	<input type="button" value="Delete"/>	<input type="button" value="Attachments"/>	<input type="button" value="Mail"/>	<input type="button" value="Print"/>	<input type="button" value="Change LVA"/>	<input type="button" value="Write off"/>
Low value asset TABLE2 Saved									

- If the Low Value Asset quantity is bigger than 1, the LVA ID must be selected manually

Low value asset change 100201 Draft

Last changed by (13.04.2023)

Common Proceeding

Number 100201 Date 01.04.2022 Comment LVA Tabel 2 change

DOCUMENT FILLMENT

Item End date Select filters Fill document

Copy selection Delete selection

No. Code LV ID Search Search

1	TABLE2	
2	TABLE2	
3	TABLE2	
4		
5		
6		
7		
8		

OPEN Browse

LV ID	DEPARTMENT	USER	IN CHARGE	KLIENT	PROJECT	OBJECT
TABLE2.1			BOB			ADMIN
TABLE2.2			BOB			ADMIN
TABLE2.3			BOB			ADMIN

- After selecting LVA ID, activate the fields you want to change

Low value asset change 100201 Draft

Last changed by (13.04.2023)

Common Proceeding

Number 100201 Date 01.04.2022 Comment LVA Tabel 2 change

DOCUMENT FILLMENT

Item End date Select filters Fill document

Copy selection Delete selection Bulk Insert

No. Code LV ID User P user In charge P in charge Department P department Class Object Project Quantity

Search Search

1	TABLE2	TABLE2.1			BOB											
2	TABLE2	TABLE2.2			BOB											
3	TABLE2	TABLE2.3			BOB											
4																
5																
6																
7																
8																

Position
 Freeze left
 Freeze right
 Unfreeze

Filter type
 Text search
 Select element
 Shortcut

Edit fields (document specific)

- Fill in the fields and confirm the document

1	TABLE2	TABLE2.1	OTT	BOB	BOB	ADMIN	VV	3
3	TABLE2	TABLE2.3	JOHN	BOB	BOB	PROD	VV	3
2	TABLE2	TABLE2.2	KRISTI	BOB	BOB	SALES	VV	3
4								
5								
6								
7								
8								

Fill in the fields and confirm the document

- The confirmed document will have the field columns that were changed

Low value asset change 100201 Confirmed

Common Proceeding

Number	Date	Comment
100201	01.04.2022	LVA Tabel 2 change

✓ DOCUMENT FILLMENT

Item End date

No.	Code	LV ID	User	P user	Department	P department
1	TABLE2	TABLE2.1	OTT		ADMIN	
3	TABLE2	TABLE2.3	JOHN		PROD	
2	TABLE2	TABLE2.2	KRISTI		SALES	

12.1.3. The low value asset card change

The Users tab shows the changes made by date. Changes are visible when the user is changed.

Low value asset TABLE2 Saved

Related documents: purch invoice : 100257

Code	Name	Class	Class name	Type
TABLE2	3 Tables	VV	Väikevarad	LVA - low value asset: <input type="checkbox"/> Closed

No.	Type	LV ID	User	User name	Contract	Close out	Close out name	Start Date	End Date	Comment
1	vv1	TABLE2.1	OTT	Ott Mets	TRIINP	Triin Pukk	Triin Pukk	01.04.2022		LVA Tabel 2 change
2	vv1	TABLE2.2	KRISTI	Kristi	TRIINP	Triin Pukk	Triin Pukk	01.04.2022		LVA Tabel 2 change
3	vv1	TABLE2.3	JOHN	John Brown	TRIINP	Triin Pukk	Triin Pukk	01.04.2022		LVA Tabel 2 change

ID tab shows the last changes

Low value asset TABLE2 Saved

Related documents: purch invoice : 100257

Code	Name	Class	Class name	Type
TABLE2	3 Tables	VV	Väikevarad	LVA - low value asset: <input type="checkbox"/> Closed

No.	LV ID	Department	User	In charge	Customer code	Object	Project	Write-off date	Location
1	TABLE2.1	ADMIN	OTT	BOB		ADMIN			
2	TABLE2.2	SALES	KRISTI	BOB		ADMIN			
3	TABLE2.3	PROD	JOHN	BOB		ADMIN			

Activities tab shows the change information

Low value asset TABLE2 Saved

Related documents: purch invoice : 100257

Code	Name	Class	Class name	Type
TABLE2	3 Tables	VV	Väikevarad	LVA - low value asset: <input type="checkbox"/> Closed

No.	Date	Action date	Transaction time	Action	Who	When	Value	Transaction	Document
1	01.04.2022	01.04.2022	Between departments	TRIINP	13.04.2022 16:18:58	100201	100201		
2	31.03.2022	31.03.2022	Purchase	TRIINP	13.04.2022 15:46:37	600			

From:

<https://wiki.directo.ee/> - **Directo Help**



Permanent link:

https://wiki.directo.ee/lt/low_value_asset?rev=1686029032

Last update: **2023/06/06 08:23**