

# Sisukord



```

<?xml version="1.0" encoding="utf-8"?>
<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
xmlns:fo="http://www.w3.org/1999/XSL/Format"
xmlns:msxsl="urn:schemas-microsoft-com:xslt"
xmlns:js="urn:formulas"
exclude-result-prefixes="msxsl js fo">
<xsl:output method="html"/>
  <xsl:template match="/">

    <xsl:variable name="item_per_page">25</xsl:variable>

    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <html>

      <head>
        <meta content="text/html; charset=utf-8" http-
equiv="Content-Type" />
        <title>Rekins</title>
      </head>
      <body class="body">
        <xsl:variable name="disc">
          <xsl:for-each
select="/documents/document/rows/row[pross!='' or pross!='0']">
            <xsl:value-of select="pross"/>
          </xsl:for-each>
        </xsl:variable>
        <style>
          .body2{ font-size: 12pt;}
          .body{ font-size: 8pt;}
          .bodywol{ font-size: 8pt;}
          .bodybold{ font-size: 8pt; font-weight:900; text-align:
left;}
          .bodyboldt{ font-size: 8pt; border-bottom: 1px solid
black;}
        </style>
        <xsl:variable name="nauda">
          <xsl:choose>
            <xsl:when test="/documents/document/valuuta='LVL'">LVL</xsl:when>
            <xsl:when test="/documents/document/valuuta=' '>LVL</xsl:when>
            <xsl:when test="/documents/document/valuuta!='' and
/documents/document!='LVL'">
              <xsl:value-of select="/documents/document/valuuta"/>
            </xsl:when>
          </xsl:choose>
        </xsl:variable>
        <table width="660px" align="center" cellpadding="0"
cellspacing="0">
          <tr>
            <td>

```

```

        <table width="660px" cellpadding="0"
cellspacing="0">
            <tr>
                <td width="380" align="left" ><img
alt="logo" height="70"><xsl:attribute name="src"><xsl:value-of
select="/documents/footer/firma_logo"/></xsl:attribute></img></td>
                <td width="280" class="body2"
valign="bottom">Rēķins/<font size="-2">Invoice</font>:&#160;<xsl:value-of
select="/documents/document/number"/><br />
                    Datums/<font
size="-2">Date</font>:&#160;<xsl:value-of
select="concat(substring(/documents/document/aeg,1,2),' -
',substring(/documents/document/aeg,4,2),' -
',substring(/documents/document/aeg,7,4))"/><br />
                    Apmaksa/<font size="-2">Due
date</font>:&#160;<xsl:value-of
select="concat(substring(/documents/document/aeg2,1,2),' -
',substring(/documents/document/aeg2,4,2),' -
',substring(/documents/document/aeg2,7,4))"/><br /><br />
                </td>
            </tr>
            <tr>
                <td style="border-bottom:1px solid
black; height:1px;" colspan="2">&#160;</td>
            </tr>
            <tr>
                <td colspan="2" style="border-bottom:1px
solid black;">
                    <table width="660" cellpadding="0"
cellspacing="0">
                        <tr>
                            <td class="body"
width="140">Piegādātājs/<font size="-2">Supplier</font></td>
                            <td class="body"
width="240"><xsl:value-of select="/documents/footer/firma_nimi"/></td>
                            <td class="body"
width="140">Banka/<font size="-2">Bank</font></td>
                            <td class="body"
width="140"><xsl:value-of select="/documents/footer/firma_pank"/></td>
                        </tr>
                        <tr>
                            <td class="body">Juridiskā
adrese/<font size="-2">Address</font></td>
                            <td class="body"><xsl:value-
of select="/documents/footer/firma_address"/></td>
                            <td
class="body">S.W.I.F.T</td>
                            <td class="body"><xsl:value-
of select="/documents/footer/firma_swift"/></td>
                        </tr>
                    </table>
            </tr>

```

```

class="body"><b>#160;</b></td>
of select="/documents/footer/firma_address2"/></td>
size="-2">Account</font></td>
of select="/documents/footer/firma_iban"/></td>
</tr>
<tr>
<td class="body">Reg.
nr./<font size="-2">Reg.No.</font></td>
<td class="body"><xsl:value-
of select="/documents/footer/firma_regrnr"/></td>
width="140">Banka//<font size="-2">Bank</font></td>
width="140"><xsl:value-of select="'Citadeles banka AS'"/></td>
</tr>
<tr>
<td class="body">PVN Reg.
nr./<font size="-2">VAT</font></td>
<td class="body"><xsl:value-
of select="/documents/footer/firma_kmnr"/></td>
class="body">S.W.I.F.T</td>
of select="'PARXLV22'"/></td>
</tr>
<tr>
<td class="body">#160;</td>
<td class="body">#160;</td>
<td class="body">Konts/<font
size="-2">Account</font></td>
of select="'LV91PARX0017238520001'"/></td>
</tr>
</table>
</td>
</tr>
<tr>
<td colspan="2" style="border-bottom:1px
solid black; height:10px;">#160;</td>
</tr>
<tr>
<td colspan="2" style="border-bottom:1px
solid black;">
<table width="660" cellpadding="0"
cellspacing="0">
<tr>
<td class="body"

```

```

width="140">Saņēmējs/<font size="-2">Client</font></td>
      <td class="body"
width="240"><xsl:value-of select="/documents/kontakt/nimi"/></td>
      <td class="body"
width="140">Banka//<font size="-2">Bank</font></td>
      <td class="body"
width="140"><xsl:value-of
select="/documents/kontakt/pangaandmed/nimi"/></td>
    </tr>
    <tr>
      <td class="body" >Juridiskā
adrese/<font size="-2">Address</font></td>
      <td class="body"><xsl:value-
of select="/documents/kontakt/aadress1"/></td>
      <td
class="body">S.W.I.F.T</td>
      <td class="body"><xsl:value-
of select="/documents/kontakt/pangaandmed/swift"/></td>
    </tr>
    <tr>
      <td
class="body"><b>#160;</b></td>
      <td class="body"><xsl:value-
of select="/documents/kontakt/aadress2"/></td>
      <td class="body">Konts/<font
size="-2">Account</font></td>
      <td class="body"><xsl:value-
of select="/documents/kontakt/arveldusarve"/></td>
    </tr>
    <tr>
      <td class="body">Reģ.
nr./<font size="-2">Reg.No.</font></td>
      <td class="body"><xsl:value-
of select="/documents/kontakt/regnr"/></td>
      <td
class="body"><b>#160;</b></td>
      <td class="body">#160;</td>
    </tr>
    <tr>
      <td class="body">PVN Reģ.
nr./<font size="-2">VAT</font></td>
      <td class="body"><xsl:value-
of select="/documents/kontakt/kmregnr"/></td>
      <td
class="body"><b>#160;</b></td>
      <td class="body">#160;</td>
    </tr>
    <tr>
      <td colspan="4"
style="border-bottom:0px solid black; height:10px;">#160;</td>
    </tr>

```

```

        </table>
      </td>
    </tr>
    <tr>
      <td colspan="2" style="border-bottom:1px
solid black; height:20px;">&#160;</td>
    </tr>
  <tr>
    <td colspan="2">
      <table width="660" cellpadding="0"
cellspacing="0">
        <tr>
          <td class="bodyboldt"
height="20">Nosaukums<br /><font size="-2">Description</font></td>
          <td
class="bodyboldt">Skaitis<br /><font size="-2">Quantity</font></td>
          <td
class="bodyboldt">Mērv.<br /><font size="-2">Unit</font></td>
          <td
class="bodyboldt">Cena<br /><font size="-2">Price</font></td>
          <xsl:choose>
            <xsl:when
test="$disc!=''">
              <td
class="bodyboldt">%</td>
              <td
class="bodyboldt">Cena ar atl.<br /><font size="-2">Price with %</font></td>
            </xsl:when>
          </xsl:choose>
          <td class="bodyboldt"
align="right">Summa<br /><font size="-2">Amount</font>&#160;</td>
          <td class="bodyboldt"
align="right">PVN<br /><font size="-2">VAT</font>&#160;</td>
        </tr>
        <xsl:for-each
select="/documents/document/rows/row">
          <tr>
            <xsl:variable
name="sum_check"><xsl:value-of select="format-number(hind_ale div
100, '0.00')"/></xsl:variable>
            <xsl:choose>
              <xsl:when
test="$sum_check!='NaN'">
                <td class="body"
height="20"><xsl:value-of select="keelne_seletus"/></td>
                <td width="60"
class="body"><xsl:value-of select="kogus"/></td>
                <td width="40"
class="body"><xsl:value-of select="yhik"/></td>
                <td width="60"
class="body"><xsl:value-of select="format-number(hind, '0.00')"/></td>

```

```

                                <xsl:choose>
                                <xsl:when
test="$disc!=''">
                                <td
width="40" class="body"><xsl:value-of select="pross"/></td>
                                <td
width="60" class="body"><xsl:value-of select="format-number(hind_ale div
100,'0.00')"/></td>
                                </xsl:when>
                                </xsl:choose>
                                <td width="80"
class="body" align="right"><xsl:value-of select="format-
number(converted_summa div 100,'0.00')"/></td>
                                <td width="40"
class="body" align="right"><xsl:value-of select="format-number(kmkokku div
100,'0.00')"/></td>
                                </xsl:when>
                                <xsl:when
test="$sum_check='NaN'">
                                <td class="body"
height="20"><xsl:value-of select="keelne_seletus"/></td>
                                <td width="40"
class="body">&#160;</td>
                                <td width="60"
class="body">&#160;</td>
                                <td width="60"
class="body">&#160;</td>
                                <xsl:choose>
                                <xsl:when
test="$disc!=''">
                                <td
width="40" class="body">&#160;</td>
                                <td
width="60" class="body">&#160;</td>
                                </xsl:when>
                                </xsl:choose>
                                <td width="80"
class="body" align="right">&#160;</td>
                                <td width="40"
class="body" align="right">&#160;</td>
                                </xsl:when>
                                </xsl:choose>
</tr>
</xsl:for-each>
<xsl:for-each
select="/documents/kmkoodid/kmkood">
                                <tr>
                                <xsl:choose>
                                <xsl:when
test="$disc!=''">
                                <td width="40"

```

```

class="body" style="border-top:1px solid black;",>&#160;</td>
      <td width="60"
class="body" style="border-top:1px solid black;",>&#160;</td>
      </xsl:when>
      </xsl:choose>
      <td colspan="4"
class="body" align="right" style="border-top:1px solid black;",>
      <xsl:choose>
        <xsl:when
test="km='8'">PVN aprēķināts pie līguma noslēgšanas/<font size="-2">VAT paid
by closing contract</font></xsl:when>
        <xsl:when
test="km='11'">Ar PVN neapliekamā summa/<font size="-2">VAT free
allowance</font></xsl:when>
        <xsl:when
test="km='1' or km='0'">Ar PVN (<xsl:value-of select="ilmakm"/>%) apliekamā
summa/<font size="-2">VAT (<xsl:value-of select="ilmakm"/>%)
sum</font></xsl:when>
        <xsl:when
test="km='10' or km='9'">VAT reverse charge</xsl:when>
<xsl:otherwise>Ar PVN (<xsl:value-of select="ilmakm"/>%) apliekamā
summa/<font size="-2">VAT (<xsl:value-of select="ilmakm"/>%)
sum</font></xsl:otherwise>
      </xsl:choose>
      (<xsl:value-of
select="/documents/document/valuuta"/>)</td>
      <td width="80"
class="body" align="right" style="border-top:1px solid black;",><xsl:value-of
select="format-number(summa div 100,'0.00')"/></td>
      <td width="40"
class="body" style="border-top:1px solid black;",>&#160;</td>
    </tr>
  </xsl:for-each>
  <xsl:for-each
select="/documents/kmkoodid/kmkood[summakm!='0']">
    <tr>
      <xsl:choose>
        <xsl:when
test="$disc!=''">
          <td width="40"
class="body">&#160;</td>
          <td width="60"
class="body">&#160;</td>
        </xsl:when>
        </xsl:choose>
      <td colspan="4"
class="body" align="right">
        Pievienotās
        vērtības nodoklis (<xsl:value-of select="ilmakm"/>%)</font
size="-2">VAT</font>&#160;(<xsl:value-of select="ilmakm"/>%)
      </td>

```

```

class="body" align="right"><xsl:value-of select="format-number(summaktm div
100,'0.00')"/></td>
class="body">&#160;</td>
</tr>
</xsl:for-each>
<tr>
<xsl:choose>
<xsl:when
test="$disc!=''">
class="body" style="border-bottom:1px solid black; height:20px;"&#160;</td>
class="body" style="border-bottom:1px solid black; height:20px;"&#160;</td>
</xsl:when>
</xsl:choose>
<td colspan="4"
class="body" align="right" style="border-bottom:1px solid black;
height:20px;">Summa ar PVN/<font size="-2">Total with VAT</font>
(<xsl:value-of select="/documents/document/valuuta"/>)</td>
<td width="80"
class="body" align="right" style="border-bottom:1px solid black;
height:20px;"><xsl:value-of select="format-
number(/documents/document/converted_tasuda div 100,'0.00')"/></td>
class="body" style="border-bottom:1px solid black; height:20px;"&#160;</td>
</tr>
<tr>
<xsl:choose>
<xsl:when
test="$disc!=''">
class="body" style="border-bottom:0px solid black; height:20px;"&#160;</td>
class="body" style="border-bottom:0px solid black; height:20px;"&#160;</td>
</xsl:when>
</xsl:choose>
<td colspan="4"
class="body" align="right" style="border-bottom:0px solid black;
height:20px;"><b>Summa apmaksai</font size="-2">To Pay</font> (<xsl:value-of
select="/documents/document/valuuta"/>)</b></td>
<td width="80"
class="body" align="right" style="border-bottom:0px solid black;
height:20px;"><b><xsl:value-of select="format-
number(/documents/document/converted_tasuda div 100,'0.00')"/></b></td>
class="body">&#160;</td>
</tr>
<!--<tr>
<td colspan="6" class="body"

```

```

align="left" style="border-bottom:0px solid black; height:20px;">Apmaksas
terminš:&#160;&#160;&#160;<xsl:value-of
select="concat(substring(/documents/document/aeg2,1,2),'-
',substring(/documents/document/aeg2,4,2),'-
',substring(/documents/document/aeg2,7,4))"/></td>
        <xsl:choose>
          <xsl:when test="$disc!=''">
            <td width="40"
class="body" style="border-bottom:0px solid black; height:20px;">&#160;</td>
            <td width="60"
class="body" style="border-bottom:0px solid black; height:20px;">&#160;</td>
          </xsl:when>
        </xsl:choose>
      </tr>
    <tr>
      <td colspan="6" class="body"
align="left" style="border-bottom:0px solid black; height:20px;">Summa
vārdiem:&#160;<xsl:value-of select="js:numText(string(format-
number(/documents/document/converted_tasuda div 100,
'0.00')),string($nauda))" /></td>
        <xsl:choose>
          <xsl:when test="$disc!=''">
            <td width="40"
class="body" style="border-bottom:0px solid black; height:20px;">&#160;</td>
            <td width="60"
class="body" style="border-bottom:0px solid black; height:20px;">&#160;</td>
          </xsl:when>
        </xsl:choose>
      </tr>-->
    <tr>
      <td colspan="6" class="body"
align="left" style="border-bottom:0px solid black; height:20px;">Pusēm
vienojoties, rēķins sagatavots elektroniski un derīgs bez paraksta</td>
        <xsl:choose>
          <xsl:when test="$disc!=''">
            <td width="40"
class="body" style="border-bottom:0px solid black; height:20px;">&#160;</td>
            <td width="60"
class="body" style="border-bottom:0px solid black; height:20px;">&#160;</td>
          </xsl:when>
        </xsl:choose>
      </tr>
    <tr>
      <td colspan="6" class="body"
align="left" style="border-bottom:0px solid black; height:20px;">As agreed
by parties, invoices ar issued electronically and valid without
signature</td>
        <xsl:choose>
          <xsl:when test="$disc!=''">
            <td width="40"
class="body" style="border-bottom:0px solid black; height:20px;">&#160;</td>

```

```
 &#160;</td> </xsl:when> </xsl:choose> </tr> </table> </td> </tr> </table> </td> </tr> </table> </body> |
```

```

</html>
</xsl:template>

```

```

<msxsl:script language="JScript" implements-prefix="js"><![CDATA[
var cipari=['','viens ','divi ','trīs ','četri ','pieci ','seši ','septiņi
','astoņi ','deviņi '];
var padsmiiti=['desmit ','vienpadsmit ','divpadsmit ','trīspadsmit
','četrpadsmit ','piecpadsmit ','sešpadsmit ','septiņpadsmit ','astoņpadsmit
','deviņpadsmit '];
var desmiti=['','','divdesmit ','trīsdesmit ','četrdesmit ','piecdesmit
','sešdesmit ','septiņdesmit ','astoņdesmit ','deviņdesmit '];

```

```

function simti(str) {
  res='';
  // pirmais cipars no labaas
  if (str.charAt(1)=='1') // chekojam pirmspeedeejo ciparu - ja viens tad
vai nu desmit vai padsmiit
  res=padsmiiti[parseInt(str.charAt(2))];
  else res=cipari[parseInt(str.charAt(2))];
  // otrais cipars no labaas
  if (str.charAt(0)=='1') // ja treshais cipars no labaas ir 1 tad jaaraksta
simts
  res='simts '+desmiti[parseInt(str.charAt(1))]+res;
  else if (str.charAt(0)!='0') // ja treshais cipars no labaas nav 1 vai 0
tad jaaraksta simti
  res='simti '+desmiti[parseInt(str.charAt(1))]+res;
  else // ja nav simtu
  res=desmiti[parseInt(str.charAt(1))]+res;
  // treshais cipars no labaas
  res=cipari[parseInt(str.charAt(0))]+res;
  return res;
}

```

```

function numText(skaitlis,nauda) {
  fullStr='0000000000';
  tempStr='';
  tempRes='';

```

```
resStr='';
minus='';
punkts=skaitlis.indexOf('.');
if (punkts==-1) {
  pirmspStr=skaitlis;
  aizpStr='0';
} else {
  pirmspStr=skaitlis.substring(0,punkts);
  aizpStr=skaitlis.substring(punkts+1);
}
if (pirmspStr.charAt(0)=='-') { // ja ar minus ziimi
  pirmspStr=pirmspStr.substring(1);
  minus='mīnus ';
}
for (i=pirmspStr.length-1, j=9; i>=0; i--, j--) { // paarliekam uz
fullstr, kas sastaav no desmit cipariem
  fullStr=fullStr.substring(0,j) + pirmspStr.charAt(i) +
fullStr.substring(j+1);
}
if (fullStr.length>10) fullStr=fullStr.substring(fullStr.length-10); // ja
vairaak par 10 cipariem, tad trim
if (parseInt(fullStr,10)!=0) {
  resStr+=nauda;
} else resStr+='Nulle '+nauda;
if (parseInt(fullStr.substring(7),10)>0) {
  tempStr=fullStr.substring(7); // simti
  tempRes=simti(tempStr);
  resStr=tempRes+resStr;
}
if (parseInt(fullStr.substring(4,7),10)>0) {
  tempStr=fullStr.substring(4,7); // tūkstoši
  tempRes=simti(tempStr);
  if ((tempStr.charAt(2)=='1') && (tempStr.charAt(1)!='1'))
tempRes+='tūkstotis ';
  else if (parseInt(tempStr,10)!=0) tempRes+='tūkstoši ';
  resStr=tempRes+resStr;
}
if (parseInt(fullStr.substring(1,4),10)>0) {
  tempStr=fullStr.substring(1,4); // miljoni
  tempRes=simti(tempStr);
  if ((tempStr.charAt(2)=='1') && (tempStr.charAt(1)!='1'))
tempRes+='miljons ';
  else if (parseInt(tempStr,10)!=0) tempRes+='miljoni ';
  resStr=tempRes+resStr;
}
if (fullStr.charAt(0)!='0') { // miljardi
  if (fullStr.charAt(0)=='1') resStr='viens miljards '+resStr;
  else resStr=cipari[parseInt(fullStr.charAt(0),10)]+'miljardi '+resStr;
}
if (resStr!='') { // pirmais burts lielais
  resStr=resStr.charAt(0).toUpperCase()+resStr.substring(1);
```

```
}
santimi=parseInt(aizpStr,10); //santimi
if (santimi>0) {
  resStr+=' '+santimi;
  tmpSant=santimi.toString();
  if ((tmpSant.charAt(tmpSant.length-1)=='1') &&
(tmpSant.charAt(tmpSant.length-2)!='1')) {
    resStr+=' cents';
  } else {
    resStr+=' centi';
  }
} else {
  resStr+=' 00 centi';
}
return (minus+resStr);
document.getElementById('teksts').innerHTML=minus+resStr;
}]]>
</msxsl:script>
</xsl:stylesheet>
```

From:

<https://wiki.directo.ee/> - **Directo Help**

Permanent link:

<https://wiki.directo.ee/lv/procedures?rev=1599120038>

Last update: **2020/09/03 11:00**

